

## SAFETY DATA SHEET

### 1. Identification of the product

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

GHS product identifier HP Color LaserJet W2002A-X-XC Yellow Print Cartridge

Other means of identification None.

Recommended use of the chemical and restrictions on use

**Recommended use** This product is a yellow toner preparation that is used in HP Color LaserJet Enterprise M750n,

M750dn, M750xh series printers.

Recommended restrictions None known.

Supplier's details

HP Inc Argentina S.R.L. Montaneses 2150, Piso 2 Buenos Aires, Argentina 1428

HP Inc. health effect line

(Toll-free within US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

**Email:** hpcustomer.inquiries@hp.com

## 2. Hazard(s) identification

### Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

#### GHS label elements, including precautionary statements

Hazard symbols None.
Signal word None.

Hazard statement Not available.

**Precautionary statement** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Other hazards which do not result in classification

None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration	
Styrene acrylate copolymer		Trade Secret	<90	

Material name: W2002A-X-XC SDS URUGUAY

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Wax	Wax	Trade Secret	<10
Pigment	Pigment	Trade Secret	<5

#### 4. First-aid measures

Description of necessary first-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at **Eve contact** 

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

Most important

symptoms/effects, acute and

delayed

Not available.

## 5. Fire-fighting measures

Suitable (or unsuitable) extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

Special protective actions for

firefighters

Not available.

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

None established. Specific methods

#### 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders

Not available.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Methods and materials for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

away from strong oxidizers.

#### 7. Handling and storage

Precautions to ensure safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage,

including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

### 8. Exposure controls/personal protection

**Control parameters** 

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Material name: W2002A-X-XC SDS URUGUAY

, 5 mg/m3 (Respirable Fraction) **Exposure guidelines** 

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

Not available.

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Control banding approach

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Not available. Eye/face protection

Skin protection

**Hand protection** Not available. Other Not available. Not available. Respiratory protection Thermal hazards Not available.

### 9. Physical and chemical properties

**Appearance** Fine powder Solid. **Physical state** solid **Form** Yellow Color

Odor Slight plastic odor **Odor threshold** Not available. Not applicable Melting point/freezing point Not available. Initial boiling point and boiling Not applicable

range

Not applicable Flash point Not applicable **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Not flammable Flammability limit - lower

(%)

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not applicable Vapor pressure Vapor density Not applicable

Solubility(ies)

Negligible in water. Partially soluble in toluene and xylene. Solubility (water)

**Partition coefficient** 

(n-octanol/water)

Not available.

Not applicable **Auto-ignition temperature** > 392 °F (> 200 °C) **Decomposition temperature Viscosity** Not applicable

Other information

Oxidizing properties No information available.

Percent volatile Negligible

Softening point 176 - 266 °F (80 - 130 °C)

Material name: W2002A-X-XC SDS URUGUAY

1 - 1.2 Specific gravity

VOC Not applicable

### 10. Stability and reactivity

Reactivity Not available.

Stable under normal storage conditions. Chemical stability

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation. Ingestion Ingestion is not a likely route of exposure.

Not available. **Symptoms** 

Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** 

**Product Species Test Results** 

W2002A-X-XC

Acute

LD50 > 2000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Respiratory sensitization Skin sensitization Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Reproductive toxicity Specific target organ toxicity single exposure

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Carcinogenicity

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met. Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

## 12. Ecological information

LC50: > 100 mg/l, Fish, 96.00 Hours **Ecotoxicity** 

Product		Species	Test Results
W2002A-X-XC			
Aquatic			
Algae	ErC50	Algae	> 100 mg/l, 72 Hours
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours
Fish	LC50	Fish	> 100 mg/l, 96 Hours
rsistence and degradability	Not available.		

Material name: W2002A-X-XC

SDS URUGUAY 14944

**Bioaccumulative potential** 

Not available.
Not available.

Mobility in soil
Other adverse effects

Not available.

# 13. Disposal considerations

# **Disposal methods**

**Disposal instructions** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Local disposal regulations

Waste from residues / unused products

Not available. Not available.

Contaminated packaging

Not available.

### 14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

#### 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Narcotics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed

Psychotropics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Uruguay. Precursor and Chemical Products (Decree No. 391/002 of 10/10/2002, Annex I, Tables 1 & 2)

Not regulated.

Uruguay. Substance list for prevention and control of occupational hazards caused by carcinogens. (Decree 183/982)

Not listed.

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

**Montreal Protocol** 

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Basel Convention** 

Not applicable.

## 16. Other information

Issue date 26-Apr-2019

Material name: W2002A-X-XC SDS URUGUAY

#### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: W2002A-X-XC

SDS URUGUAY