

# **SAFETY DATA SHEET**

1. Identification

Product identifier HP Color LaserJet CE343A-AC Magenta Print Cartridge

Other means of identification

**Recommended use**This product is a magenta toner preparation that is used in HP LJ Enterprise 700 Color MFP M775

series printers.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Hewlett-Packard Vietnam Ltd.

Suite 1002, 29 Le Duan, Saigon Tower, 10th floor District 1, Ho Chi Minh city, Ho Chi Minh (Sai Gon),

Viet Nam

Telephone +84437245550

HP Inc. health effect line

(Toll-free within US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement Not available.

**Precautionary statement** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Other hazards which do not

result in classification

None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Non-hazardous components

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Pigment	Pigment	Trade Secret	<10
Wax	Wax	Trade Secret	<10
Amorphous silica	Amorphous silica	7631-86-9	<3

#### 4. First-aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Material name: CE343A-AC SDS VIETNAM

12883 Version #: 03 Revision date: 04-Sep-2018 Issue date: 13-Oct-2016

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician. Not available.

**Most important** 

symptoms/effects, acute and

delayed

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

None known.

CO2, water, or dry chemical

Specific hazards arising from

the chemical

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air. Not available.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

# 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

#### 8. Exposure controls/personal protection

Occupational exposure limits

Biological limit values Exposure guidelines No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s).

, 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Not available.

Skin protection

Hand protection Not available.

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

### 9. Physical and chemical properties

**Appearance** Fine powder

Physical state Solid.
Form solid
Color Magenta

Material name: CE343A-AC SDS VIETNAM

Odor Slight plastic odor **Odor threshold** Not available. Not applicable Melting point/freezing point Not available. Initial boiling point and boiling Not applicable

range

Not applicable Flash point Not applicable **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not applicable Vapor density Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

**Partition coefficient** Not available.

(n-octanol/water)

Not applicable **Auto-ignition temperature** 

**Decomposition temperature** >= 392 °F (>= 200 °C)

**Viscosity** Not applicable

Other information

**Oxidizing properties** No information available.

Percent volatile Negligible

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2 (H2O = 1)VOC Not applicable

#### 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Contact with skin may result in mild irritation. Skin contact Contact with eyes may result in mild irritation. Eye contact Ingestion Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

# Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation

Serious eye damage/eye

Material name: CE343A-AC SDS VIETNAM Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin sensitization

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

repeated exposure

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

### 12. Ecological information

LC50: > 100 mg/l, Fish, 96.00 Hours **Ecotoxicity** 

**Product Species Test Results** CE343A-AC Aquatic Fish LC50 Fish > 100 mg/l, 96 Hours Not available. Persistence and degradability **Bioaccumulative potential** Not available. Not available. Mobility in soil Other adverse effects Not available

#### 13. Disposal considerations

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely **Disposal instructions** 

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

#### 14. Transport information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### 15. Regulatory information

#### **National regulations**

Ozone Depleting Substances (ODS) Joint circular No. 14/2005/TTLT-BTM-BTNMT

Vietnam. Chemicals that must be declared (Decree No. 108/2008/ND-CP, App. 5, Oct. 7, 2008, as amended through Decree No. 26/2011/ND-CP, April 8, 2011)

Not regulated.

Vietnam. Toxic Chemicals Requiring Sale & Purchase Control Slips (Decree No. 26/2011/ND-CP, App. 6, April 8, 2011) Not regulated.

Vietnam. CWC (Decree No. 100/2005/ND-CP, Implementation of Chemical Weapons Convention, Appendix 1, Schedules 1-3, August 3, 2005)

Not regulated.

Vietnam. Drug Precursor & Essential Substances (Decree No. 67/2001/ND-CP, List IV, as amended through Decree No. 17/2011/ND-CP, Feb. 22, 2011)

Not regulated.

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Material name: CE343A-AC SDS VIETNAM **Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Montreal Protocol** 

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

# 16. Other information, including date of preparation or last revision

Issue date 13-Oct-2016
Revision date 04-Sep-2018

Version # 03

**Disclaimer**This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or

compatible supplies in our recycling programs.

**Revision information** Fire-fighting measures: Specific hazards arising from the chemical

Accidental release measures: Methods and materials for containment and cleaning up

Toxicological information: Eye contact Toxicological information: Ingestion Toxicological information: Inhalation Toxicological information: Skin contact

Other information, including date of preparation or last revision: Disclaimer

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CE343A-AC SDS VIETNAM