



SAFETY DATA SHEET

1. Identification

GHS product identifier CB947Series
Other means of identification None.
Recommended use Inkjet printing
Recommended restrictions None known.
Manufacturer/Importer/Supplier/Distributor information

HP South Africa Ltd
12 Autumn Street, Pt. 1st Floor
Rivonia, Sandton 2128
South Africa
Telephone +27-11-785-1000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048

HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.
Hazard statement Not available.
Precautionary statement
Prevention Not available.
Response Not available.
Storage Not available.
Disposal Not available.

Other hazards which do not result in classification

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Hazardous components

| Chemical name | Common name and synonyms | CAS number | % |
|---------------|--------------------------|------------|-----|
| 2-pyrrolidone | | 616-45-5 | <15 |

| Non-hazardous components | | | |
|--------------------------|--------------------------|------------|-------|
| Chemical name | Common name and synonyms | CAS number | % |
| Water | | 7732-18-5 | 75-85 |
| Carbon black | | 1333-86-4 | <5 |
| Isopropyl alcohol | | 67-63-0 | <2.5 |

Composition comments This ink supply contains an aqueous ink formulation.

Carbon black is present only in a bound form in this preparation.

4. First-aid measures

| | |
|---|---|
| Inhalation | Move to fresh air. If symptoms persist, get medical attention. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. |
| Ingestion | If ingestion of a large amount does occur, seek medical attention. |
| Most important symptoms/effects, acute and delayed | Contact with skin and eyes may result in irritation. |
| Indication of immediate medical attention and special treatment needed | Not available. |

5. Fire-fighting measures

| | |
|--|--|
| Suitable extinguishing media | CO2, water, dry chemical, or foam |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | None known. |
| Special protective equipment and precautions for firefighters | None established. |
| Specific methods | None established. |
| General fire hazards | Contact with skin and eyes may result in irritation. |

6. Accidental release measures

| | |
|--|---|
| Personal precautions, protective equipment and emergency procedures | Wear appropriate personal protective equipment. |
| Methods and materials for containment and cleaning up | Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. |
| Environmental precautions | Do not let product enter drains. Do not flush into surface water or sanitary sewer system. |

7. Handling and storage

| | |
|---|---|
| Precautions for safe handling | Avoid contact with skin, eyes and clothing. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep away from excessive heat or cold. |

8. Exposure controls/personal protection

Occupational exposure limits

South Africa. Recommended Exposure Limits (RELs) Regulations for Hazardous Chemical Substances, Table 2

| Components | Type | Value |
|---------------------------------|------|----------------------|
| Carbon black (CAS 1333-86-4) | STEL | 7 mg/m3 |
| | TWA | 3.5 mg/m3 |
| Isopropyl alcohol (CAS 67-63-0) | STEL | 1225 mg/m3 |
| | | 500 ppm |
| | TWA | 980 mg/m3 400 ppm |

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Exposure limits have not been established for this product.

South Africa RELs Table 2: Skin designation

Isopropyl alcohol (CAS 67-63-0)

Can be absorbed through the skin.

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

Hand protection Recommended gloves: Nitrile 4 mil minimum thickness.

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Not available.

Color Black.

Odor Not available.

Odor threshold Not available.

pH 7.8 - 8.4

Melting point/freezing point Not available.

Initial boiling point and boiling range 200 °F (93.33 °C)

Flash point 131.0 - 136.0 °F (55.0 - 57.8 °C) Pensky-Martens Closed Cup

Evaporation rate Not determined

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not determined

Vapor density Not available.

Solubility(ies)

Solubility (water) Soluble in water

Partition coefficient (n-octanol/water) Not determined

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity > 2 cp

Other information

No ignition, sustained combustion or flashing detected using the Sustained Combustibility Test (method in US 49CFR173, Appendix H).

No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous Goods Regulations Section 3.3.1.3.

Bulk density 1 - 1.2 gm/ml

Oxidizing properties Not determined

Specific gravity 1 - 1.2

VOC < 116.6 g/l

10. Stability and reactivity

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions Will not occur.

| | |
|---|---|
| Conditions to avoid | Not available. |
| Incompatible materials | Incompatible with strong bases and oxidizing agents. |
| Hazardous decomposition products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|--|
| Inhalation | Under normal conditions of intended use, this material is not expected to be an inhalation hazard. |
| Skin contact | Contact with skin may result in mild irritation. |
| Eye contact | Contact with eyes may result in mild irritation. |
| Ingestion | Health injuries are not known or expected under normal use. |

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

| Components | Species | Test Results |
|------------------------------|---------|---------------|
| 2-pyrrolidone (CAS 616-45-5) | | |
| Acute | | |
| Oral | | |
| LD50 | Rat | > 5000 mg/kg |
| Carbon black (CAS 1333-86-4) | | |
| Acute | | |
| Oral | | |
| LD50 | Rat | > 10000 mg/kg |

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Aquatic toxicity Not expected to be harmful to aquatic organisms.

Ecotoxicity

| Product | Species | Test Results |
|--|--|--|
| CB947Series | | |
| Aquatic | | |
| <i>Acute</i> | | |
| Fish | LC50 | Fathead minnow (<i>Pimephales promelas</i>) > 750 mg/l, 96 hours |
| Components | Species | Test Results |
| 2-pyrrolidone (CAS 616-45-5) | | |
| Aquatic | | |
| Crustacea | EC50 | Water flea (<i>Daphnia pulex</i>) 13.21 mg/l, 48 hours |
| Isopropyl alcohol (CAS 67-63-0) | | |
| Aquatic | | |
| Fish | LC50 | Bluegill (<i>Lepomis macrochirus</i>) > 1400 mg/l, 96 hours |
| <i>Acute</i> | | |
| Algae | EC50 | Algae > 1000 mg/l, 72 hours |
| Crustacea | EC50 | Daphnia 13299 mg/l, 48 hours |
| Fish | LC50 | Fathead minnow (<i>Pimephales promelas</i>) 9460 mg/l, 96 hours |
| Persistence and degradability | No data is available on the degradability of this product. | |
| Bioaccumulative potential | Not available. | |
| Partition coefficient n-octanol / water (log Kow) | | |
| 2-pyrrolidone | | -0.85 |
| Isopropyl alcohol | | 0.05 |
| Mobility in soil | Not available. | |
| Other adverse effects | Not available. | |

13. Disposal considerations

| | |
|--|---|
| Disposal instructions | Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
| Waste from residues / unused products | Not available. |
| Contaminated packaging | No special precautions. |

14. Transport information

| | |
|-------------|-----------------------------------|
| DOT | Not regulated as dangerous goods. |
| IATA | Not regulated as dangerous goods. |
| IMDG | Not regulated as dangerous goods. |
| ADR | Not regulated as dangerous goods. |

| | |
|----------------------------|--|
| Further information | Not a dangerous good under DOT, IATA, ADR, IMDG, or RID. No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous Goods Regulations Section 3.3.1.3. No ignition, sustained combustion or flashing detected using the sustained combustibility test (method in US CFR173, Appendix H). |
|----------------------------|--|

15. Regulatory information**Safety, health and environmental regulations specific for the product in question****Hazardous Substances Act, 1973 (Act No. 15 of 1973)**

Not listed.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Issue date 06-Nov-2016

Revision date 28-Oct-2018

Version # 04

Disclaimer This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision information Physical & Chemical Properties: Multiple Properties

Physical and chemical properties: Other information

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |