



MATERIAL SAFETY DATA SHEET

1. Chemical Product and Company Identification

Material name C9381A
Use of the preparation Inkjet printing
Version # 02
Revision date 26-Jun-2008
CAS # N/A
Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199

General information telephone number
HP Customer Care Line 1-800-474-6836
(Toll-free) 1-800-474-6836
(Direct) 1-208-323-2551

Date prepared Jun 26, 2008
MSDS number 264815

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.
Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with skin may result in irritation.
2-pyrrolidone
Contact with skin may result in irritation.
Aliphatic diol
Contact with skin may result in irritation.
Substituted diol
Contact with skin may result in irritation.
Substituted naphthalenesulfonate salt # 13
Contact with skin may result in irritation.
Tetraethylene glycol
Contact with skin may result in irritation.



MATERIAL SAFETY DATA SHEET

Eye contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with eyes may result in irritation.

2-pyrrolidone
Contact with eyes may result in irritation.

Aliphatic diol
Contact with eyes may result in irritation.

Substituted diol
Contact with eyes may result in irritation.

Substituted naphthalenesulfonate salt # 13
Contact with eyes may result in irritation.

Tetraethylene glycol
Contact with eyes may cause irritation.

Inhalation

1-(2-hydroxyethyl)-2-pyrrolidone
Inhalation may result in respiratory irritation.

2-pyrrolidone
Inhalation may result in respiratory irritation.

Aliphatic diol
Inhalation may result in respiratory irritation.

Substituted naphthalenesulfonate salt # 13
Inhalation may result in respiratory irritation.

Tetraethylene glycol
Inhalation may result in respiratory irritation.

Ingestion

1-(2-hydroxyethyl)-2-pyrrolidone
Ingestion may result in nausea, vomiting and diarrhea.

2-pyrrolidone
Ingestion may result in nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of this ink.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.



MATERIAL SAFETY DATA SHEET

3. Composition / Information on Ingredients

Component/Substance	CAS Number	% By Weight
Black ink		
Water	7732-18-5	> 70
2-pyrrolidone	616-45-5	< 20
Modified Carbon Black #11		< 5
Substituted diol	Proprietary	< 5
Tetraethylene glycol	112-60-7	< 5
Yellow ink		
Water	7732-18-5	> 70
Aliphatic diol	Proprietary	< 10
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 10
2-pyrrolidone	616-45-5	< 7.5
Substituted naphthalenesulfonate salt # 13	Proprietary	< 5

Composition comments

This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Inhalation	Remove to fresh air. If symptoms persist, get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Flash point and method	> 200 °F (> 93.3 °C); Setaflash Closed Tester
Hazardous combustion products	Refer to section 10.
Flammable properties	None known.
Extinguishing media	
Suitable extinguishing media	Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	None known.
Unusual fire and explosion hazard	None known.
Special firefighting procedures	None established.

6. Accidental Release Measures

Personal precautions	Wear appropriate personal protective equipment.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
Methods for containment	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.



MATERIAL SAFETY DATA SHEET

Methods for cleaning up	Soak up with inert absorbent material.
Other information	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage

Handling	Avoid contact with skin, eyes and clothing.
Storage	Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls/Personal Protection

Exposure guidelines	Exposure limits have not been established for this product.
Personal protective equipment	
General	Use personal protective equipment to minimize exposure to skin and eye.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Color	Black and Yellow
Odor threshold	Not available
Physical state	Not available
pH	7.1 - 9.7
Melting point	Not available
Freezing point	Not available
Boiling point	Not determined
Flash point	> 200 °F (> 93.3 °C); Setaflash Closed Tester
Evaporation rate	Not determined
Flammability	Not available.
Flammability limits in air, upper, % by volume	Not available
Flammability limits in air, lower, % by volume	Not determined
Vapor pressure	Not determined
Vapor density	> 1 (air = 1.0)
Specific gravity	1 - 1.2
Relative density	Not available
Solubility in water	Soluble in water
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
VOC	< 3 %
Viscosity	> 2 cp



MATERIAL SAFETY DATA SHEET

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Possibility of hazardous reactions	Will not occur.

11. Toxicological Information

Not available

12. Ecological Information

Aquatic toxicity	<i>Black ink</i> LC50/96h/Fathead minnows => 750 mg/L <i>Yellow ink</i> LC50/96h/Fathead minnows => 750 mg/L
Persistence and degradability	Not available

13. Disposal Considerations

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
------------------------------	---

14. Transportation Information

Department of Transportation (DOT) Requirements

Not regulated as hazardous goods.

IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
UN number	None
Packing group	N/A
Packaging exceptions	None

15. Regulatory Information

US federal regulations	US TSCA 12(b): Contains sodium nitrite (CASRN 7632-00-0), subject to export notification requirements.
CERCLA (Superfund) reportable quantity	None
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No



MATERIAL SAFETY DATA SHEET

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

International regulations All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

State regulations

16. Other Information

HMIS® ratings Health: 1
Flammability: 2
Physical hazard: 0

NFPA ratings Health: 1
Flammability: 2
Instability: 0

Issue date Jun 26 2008 2:41AM

Revision 2

Replaces sheet dated Mar 28 2008 9:16AM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

MSDS sections updated 3. Hazards Identification: Chronic health effects



MATERIAL SAFETY DATA SHEET

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds