



SAFETY DATA SHEET

1. Identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Product identifier	C5094Series
Other means of identification	None.
Recommended use of the chemical and restrictions on use	
Recommended use	Inkjet printing
Restrictions on use	Not available.
Details of manufacturer or importer	
	HP PPS Australia Pty Ltd 353 Burwood Hwy L1 Forest Hill, Victoria, Australia 3131
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.

Label elements, including precautionary statements

Hazard symbol(s)	None.
Signal word	None.
Hazard statement(s)	Not available.
Precautionary statement(s)	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.

Other hazards which do not result in classification Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

GHS Supplemental information Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

3. Composition/information on ingredients

Substance

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Water	7732-18-5	70-90
Hydroxy alkylated lactam	Proprietary	<7.5
Alkyldiol	Proprietary	<5
Black Pigment	Proprietary	<1

Composition comments

This ink supply contains an aqueous ink formulation.
This product was evaluated according to the criteria of the Australia Work Health and Safety Regulations (WHS Regulations).

Carbon black is present only in a bound form in this preparation.

4. First-aid measures

Description of necessary first aid measures

Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.

Personal protection for first-aid responders Not available.

Symptoms caused by exposure Not available.

Medical attention and special treatment Not available.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	None known.

Specific hazards arising from the chemical Not available.

Special protective equipment and precautions for fire fighters Not available.

Hazchem code None.

Specific methods None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear appropriate personal protective equipment.

For emergency responders Not available.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Other issues relating to spills and releases Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container.
Dispose of in compliance with federal, state, and local regulations.
See also section 13 Disposal considerations.

7. Handling and storage

Precautions for safe handling	Avoid contact with skin, eyes and clothing.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
------------	------	-------

Black Pigment	TWA	3 mg/m3
---------------	-----	---------

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Type	Value
------------	------	-------

Black Pigment	TWA	3 mg/m3
---------------	-----	---------

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
------------	------	-------	------

Black Pigment	TWA	3 mg/m3	Inhalable fraction.
---------------	-----	---------	---------------------

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
------------	------	-------

Black Pigment	STEL	7 mg/m3
	TWA	3.5 mg/m3

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Exposure limits have not been established for this product.
Appropriate engineering controls	Use in a well ventilated area.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection	Not available.
----------------------------	----------------

Skin protection

Hand protection	Not available.
------------------------	----------------

Other	Not available.
--------------	----------------

Respiratory protection	Not available.
-------------------------------	----------------

Thermal hazards	Not available.
------------------------	----------------

Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
-------------------------	--

9. Physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Not available.
Color	Grey, Dark Grey, Black.
Odor	Not available.
Odor threshold	Not available.
pH	9.4
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 230.0 °F (> 110.0 °C)
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not determined

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not determined
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not determined
Decomposition temperature	Not available.
Viscosity	Not available.
Other physical and chemical parameters	
Oxidizing properties	Not determined
VOC	< 96 g/l

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Not available.
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on possible routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.

Symptoms related to exposure Not available.

Acute toxicity Based on available data, the classification criteria are not met.

Components	Species	Test Results
-------------------	----------------	---------------------

Black Pigment

Acute

Oral

LD50

Rat

> 10000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.
Non irritant in rabbit (OECD 404)

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity	Based on available data, the classification criteria are not met. Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Carbon black is present only in a bound form in this preparation.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other information	Complete toxicity data are not available for this specific formulation

12. Ecological information

Ecotoxicity

Product	Species	Test Results
C5094Series		
Aquatic		
<i>Acute</i>		
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>) > 750 mg/l, 96 hours
Persistence and degradability	Not available.	
Bioaccumulative potential	Not available.	
Mobility in soil	Not available.	
Other adverse effects	Not available.	

13. Disposal considerations

Disposal methods	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
-------------------------	---

14. Transport information

DOT

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	Not available.

IATA

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.

IMDG

UN number Not available.
 UN proper shipping name Not Regulated
 Transport hazard class(es)
 Class Not available.
 Subsidiary risk -
 Packing group Not available.
 Transport hazard class(es)
 Marine pollutant No
 EmS Not available.
 Special precautions for user Not available.

ADR

UN number Not available.
 UN proper shipping name Not Regulated
 Transport hazard class(es)
 Class Not available.
 Subsidiary risk -
 Hazard No. (ADR) Not available.
 Tunnel restriction code Not available.
 Packing group Not available.
 Environmental hazards No
 Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information**Safety, health and environmental regulations****National regulations****High Volume Industrial Chemicals (HVIC)**

Black Pigment (CAS Proprietary) 10000 - 99999 TONNES See the regulation for additional information.
 Water (CAS 7732-18-5) 1000 - 9999 TONNES See the regulation for additional information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Issue date	29-Jun-2018
Revision date	19-Jan-2020
Other information	This SDS was prepared in compliance with the NOHSC document "National Code of Practice for the Preparation of Material Safety Data Sheets", 2003.
Disclaimer	<p>This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.</p> <p>This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.</p>
Revision information	1. Product and Company Identification: Product and Company Identification Hazard(s) identification: Other hazards which do not result in classification Composition / Information on Ingredients: Ingredients Composition/information on ingredients: Composition comments Toxicological information: Carcinogenicity Transport information: Further information

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds