



# SAFETY DATA SHEET

## 1. Identification

<b>Important information</b>	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
<b>Product identifier</b>	4UV05Series
<b>Other means of identification</b>	None.
<b>Recommended use of the chemical and restrictions on use</b>	
<b>Recommended use</b>	Inkjet printing
<b>Restrictions on use</b>	Not available.
<b>Details of manufacturer or importer</b>	
	HP PPS Australia Pty Ltd 353 Burwood Hwy L1 Forest Hill, Victoria, Australia 3131 +61 282781039
<b>HP Inc. health effects line</b>	
<b>Australia Local Telephone Number</b>	+61 1 800 686 957
<b>(Toll-free within the US)</b>	1-800-457-4209
<b>(Direct)</b>	1-760-710-0048
<b>HP Inc. Customer Care Line</b>	
<b>(Toll-free within the US)</b>	1-800-474-6836
<b>(Direct)</b>	1-208-323-2551
<b>Email:</b>	hpcustomer.inquiries@hp.com

## 2. Hazard(s) identification

### Classification of the hazardous chemical

<b>Physical hazards</b>	Not classified.
<b>Health hazards</b>	Not classified.
<b>Environmental hazards</b>	Not classified.

### Label elements, including precautionary statements

<b>Hazard symbol(s)</b>	None.
<b>Signal word</b>	None.
<b>Hazard statement(s)</b>	Not available.
<b>Precautionary statement(s)</b>	
<b>Prevention</b>	Not available.
<b>Response</b>	Not available.
<b>Storage</b>	Not available.
<b>Disposal</b>	Not available.

**Other hazards which do not result in classification** Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

**Supplemental information**

Contains 1,2-Benzisothiazolin-3-one and mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

---

**3. Composition/information on ingredients****Mixture**

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Water	7732-18-5	60-80
1,2-butanediol	584-03-2	<20
Black Pigment	Proprietary	<5
2-pyrrolidone	616-45-5	<3

**Composition comments**

This ink supply contains an aqueous ink formulation.  
This product was evaluated according to the criteria of the Australia Work Health and Safety Regulations (WHS Regulations).  
Carbon black is present only in a bound form in this preparation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

---

**4. First-aid measures****Description of necessary first aid measures**

<b>Inhalation</b>	Move to fresh air. If symptoms persist, get medical attention.
<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
<b>Ingestion</b>	If ingestion of a large amount does occur, seek medical attention.

**Personal protection for first-aid responders** Not available.

**Symptoms caused by exposure** Not available.

**Medical attention and special treatment** Not available.

---

**5. Fire-fighting measures****Extinguishing media**

<b>Suitable extinguishing media</b>	Dry chemical, CO <sub>2</sub> , water spray or regular foam.
<b>Unsuitable extinguishing media</b>	None known.

**Specific hazards arising from the chemical** Not available.

**Special protective equipment and precautions for fire fighters** Not available.

**Hazchem code** None.

**Specific methods** None established.

---

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

<b>For non-emergency personnel</b>	Wear appropriate personal protective equipment.
------------------------------------	---

<b>For emergency responders</b>	Not available.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
<b>Methods and materials for containment and cleaning up</b>	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
<b>Other issues relating to spills and releases</b>	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid contact with skin, eyes and clothing.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep out of the reach of children. Keep away from excessive heat or cold.

## 8. Exposure controls and personal protection

### Control parameters

### Occupational exposure limits

#### Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
Black Pigment	TWA	3 mg/m3

#### Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Type	Value
Black Pigment	TWA	3 mg/m3

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.

#### UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Black Pigment	STEL	7 mg/m3
	TWA	3.5 mg/m3

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Exposure guidelines</b>	Exposure limits have not been established for this product.
<b>Appropriate engineering controls</b>	Use in a well ventilated area.

### Individual protection measures, for example personal protective equipment (PPE)

**Eye/face protection** Not available.

#### Skin protection

**Hand protection** Not available.

**Other** Not available.

**Respiratory protection** Not available.

**Thermal hazards** Not available.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

Under extreme work place conditions, ink vapors may condense outside of the printing system. The Waste Profile Datasheet for your printer at <https://hpllatexknowledgecenter.com/applications/wasteprofiles> contains more information on how to properly handle and dispose of the condensate.

## 9. Physical and chemical properties

<b>Appearance</b>	liquid
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Black.
<b>Odor</b>	Not available.

<b>Odor threshold</b>	Not available.
<b>pH</b>	8.4
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	343.0 °F (172.8 °C) Pensky-Martens Closed Cup estimated
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other physical and chemical parameters</b>	
<b>Oxidizing properties</b>	Not determined
<b>VOC</b>	< 266 g/l EPA method 24

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	Will not occur.
<b>Conditions to avoid</b>	Not available.
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents.
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

### Information on possible routes of exposure

<b>Inhalation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
<b>Skin contact</b>	Contact with skin may result in mild irritation.
<b>Eye contact</b>	Contact with eyes may result in mild irritation.
<b>Ingestion</b>	Health injuries are not known or expected under normal use.

**Symptoms related to exposure** Not available.

**Acute toxicity** Based on available data, the classification criteria are not met.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
2-pyrrolidone (CAS 616-45-5)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg

Components	Species	Test Results
Black Pigment		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	> 10000 mg/kg
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.	
<b>Serious eye damage/irritation</b>	Not classified as an irritant according to, OECD 405.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Skin sensitization</b>	Non-sensitizer- Local Lymph Node Assay (OECD 429).	
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.	
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.	
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.	
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.	
	2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).	
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.	
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.	
<b>Other information</b>	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.	

## 12. Ecological information

### Ecotoxicity

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
<b>Aquatic</b>		
Crustacea	EC50 Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
<b>Persistence and degradability</b>	Not available.	
<b>Bioaccumulative potential</b>		
<b>Partition coefficient n-octanol / water (log Kow)</b>		
2-pyrrolidone	-0.85	
<b>Mobility in soil</b>	Not available.	
<b>Other adverse effects</b>	Not available.	

## 13. Disposal considerations

<b>Disposal methods</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
-------------------------	---

---

## 14. Transport information

### DOT

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	Not available.

### IATA

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.

### IMDG

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for user	Not available.

### ADR

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

---

## 15. Regulatory information

### Safety, health and environmental regulations

#### National regulations

##### Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

##### Australia Medicines & Poisons Appendix B

Poisons schedule number not allocated.

##### Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.

##### Australia Medicines & Poisons Appendix E

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix F**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix G**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix H**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix I**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix J**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix K**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 10**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 2**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 3**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 4**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 5**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 6**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 7**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 8**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 9**

Poisons schedule number not allocated.

**High Volume Industrial Chemicals (HVIC)**

Black Pigment (CAS Proprietary)

10000 - 99999 TONNES See the regulation for additional information.

Water (CAS 7732-18-5)

1000 - 9999 TONNES See the regulation for additional information.

**Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)**

Not listed.

**National Pollutant Inventory (NPI) substance reporting list**

Not listed.

**Prohibited Carcinogenic Substances**

Not regulated.

**Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)**

Not listed.

**Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)**

Not listed.

**Restricted Carcinogenic Substances**

Not regulated.

**International regulations**

The components of this product are reported in the following inventories: United States of America, European Union, Switzerland, Canada, Australia and New Zealand.

**Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

Not applicable.

**Montreal Protocol**

Not applicable.

**Basel Convention**

Not applicable.

---

**16. Other information**

<b>Issue date</b>	26-Jan-2021
<b>Other information</b>	This SDS was prepared in compliance with the NOHSC document "National Code of Practice for the Preparation of Material Safety Data Sheets", 2003.
<b>Disclaimer</b>	<p>This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.</p> <p>This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.</p>

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds