



# MATERIAL SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Material name** Ch136A  
**Recommended use** Inkjet printing.  
**Synonym(s)** ColorSpan 0901147-002  
**Chemical family** Acrylate/Polymer/Pigment Blend  
**CAS #** Mixture  
**Company identification** Hewlett-Packard Australia Pty Ltd  
31-41 Joseph Street  
Blackburn  
Victoria 3130  
Australia  
Telephone + 61 3 8877-8000  
  
Hewlett-Packard health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-503-494-7199  
HP Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomerinquiries@hp.com  
Poison Information Centre telephone number 131 126 (24 hours)

## 2. HAZARDS IDENTIFICATION

**Classification** Xi, R36/38, R52/53  
**Risk phrases** R36/38 Irritating to eyes and skin.  
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
**Safety phrases** S24/25 Avoid contact with skin and eyes.  
S61 Avoid release to the environment. Refer to special instructions/ Safety data sheets.  
**Acute health effects**  
**Skin contact** Avoid contact with skin.  
Contact causes skin irritation.  
**Eye contact** Irritating to eyes.  
**Inhalation** Avoid breathing vapours or mists of this product. Inhalation of vapours or mists of the product may be irritating to the respiratory system.  
**Ingestion** Ingestion is not expected to be a primary route of exposure for this product under normal use conditions. Harmful if swallowed.  
**Potential health effects**  
**Routes of exposure** Potential routes of exposure under normal use conditions are skin, eye contact and inhalation.  
**Physical hazards** Not classified as a physical hazard.  
**Health hazards** Irritating to eyes and skin.  
**Environmental hazards** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Acrylic Acid, Monoalkyl, Alkylaryl Ester	3076-04-8	10-30
Multifunctional Acrylate	84170-74-1	10-30
N-vinylcaprolactam	2235-00-9	10-30
Substituted Phosphine Oxide	75980-60-8	1-5
2-Benzoyl-2-Dimethylamino-4-Morpholinobutyrophenone	119313-12-1	0-1



# MATERIAL SAFETY DATA SHEET

---

## 4. FIRST AID MEASURES

<b>Inhalation</b>	Move person to fresh air immediately. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
<b>Skin contact</b>	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. If irritation persists get medical attention.
<b>Eye contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth out with water. Give several glasses of water. If swallowed, do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

---

## 5. FIRE-FIGHTING MEASURES

<b>Flash point and method</b>	> 95 °C (> 203 °F) closed cup;
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do it without risk. Avoid runoff into storm sewers and ditches which lead to waterways.
<b>Suitable extinguishing media</b>	Dry chemical, foam, carbon dioxide. Do not use water. Use water to cool fire-exposed containers and to protect personnel.
<b>Extinguishing media which must not be used for safety reasons</b>	Do not use a solid water stream as it may scatter and spread fire.
<b>Unusual fire &amp; explosion hazards</b>	Burning may produce thick, irritating smoke.
<b>Hazardous combustion products</b>	Carbon monoxide and carbon dioxide.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Specific methods</b>	Use a water spray to cool fully closed containers.

---

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Avoid contact with skin Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Use personal protective equipment to minimize exposure to skin and eye. In the case of vapour formation use a respirator with an approved filter.
<b>Environmental precautions</b>	Do not flush into surface water or sanitary sewer system.
<b>Methods for cleaning up</b>	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

---

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
<b>Storage</b>	Keep containers tightly closed in a cool, well-ventilated place. Store away from strong oxidizers. Do not store near acids. Keep away from heat, sparks, and flame. Keep away from direct sunlight. Keep out of the reach of children.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Additional exposure data</b>	No exposure standard allocated
---------------------------------	--------------------------------



# MATERIAL SAFETY DATA SHEET

## Personal protective equipment

<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
<b>Eye protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
<b>Skin and body protection</b>	Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves.
<b>Hygiene measures</b>	Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Not available.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Magenta
<b>Odor</b>	Characteristic.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	> 1
<b>Boiling point</b>	> 100 °C (> 212 °F) (@ 760mmHg)
<b>Freezing point</b>	Not available.
<b>Melting point</b>	Not available.
<b>Solubility (water)</b>	< 0.1 g/g
<b>Specific gravity</b>	1.02 - 1.1
<b>Relative density</b>	Not available.
<b>Flash point</b>	> 95 °C (> 203 °F) closed cup;
<b>Flammability limits in air, upper, % by volume</b>	Not available.
<b>Flammability limits in air, lower, % by volume</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>VOC</b>	< 95 g/l
<b>Evaporation rate</b>	< 0.05 BuAc
<b>Viscosity</b>	10 - 30 cP

---

## 10. STABILITY AND REACTIVITY

<b>Chemical stability</b>	Stable at normal conditions.
<b>Conditions to avoid</b>	Heat, flames and sparks. Exposure to sunlight.
<b>Incompatible materials</b>	Not available.
<b>Hazardous decomposition products</b>	Carbon monoxide and carbon dioxide.
<b>Hazardous polymerization</b>	Hazardous polymerisation may occur.

---

## 11. TOXICOLOGICAL INFORMATION

<b>Chronic toxicity</b>	Prolonged exposure causes local irritation of skin and mucous membranes, especially to the eyes.
<b>Teratogenicity</b>	None known.



# MATERIAL SAFETY DATA SHEET

**Further information**

Complete toxicity data are not available for this specific formulation.

---

## 12. ECOLOGICAL INFORMATION

**Aquatic toxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

---

## 13. DISPOSAL CONSIDERATIONS

**Disposal instructions**

Do not allow this material to drain into sewers/water supplies.  
Dispose of in compliance with federal, state, and local regulations.

---

## 14. TRANSPORT INFORMATION

**ADG**

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**IATA**

Not regulated as dangerous goods.

**General**

not regulated

---

## 15. REGULATORY INFORMATION

Not available.

---

## 16. OTHER INFORMATION

**Manufacturer**

Hewlett-Packard  
11311 K-Tel Drive  
Minnetonka, MN 55343 US  
Product Information 1-800-925-0563

**List of relevant R phrases**

R22 Harmful if swallowed.  
R36 Irritating to eyes.  
R36/37/38 Irritating to eyes, respiratory system and skin.  
R36/38 Irritating to eyes and skin.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R62 Possible risk of impaired fertility.

**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Revision date**

02-28-2009



# MATERIAL SAFETY DATA SHEET

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-term exposure limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds