



# SAFETY DATA SHEET

## 1. Identification

|  |   |  |
|--|---|--|
| <b>Important information</b>                                   | *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. *** |  |
| <b>Product identifier</b>                                      | G0Y98Series   |  |
| <b>Other means of identification</b>                           |   |  |
| <b>Synonyms</b>  | HP FB794 Light Magenta Scitex Ink Cartridge   |  |
| <b>Recommended use of the chemical and restrictions on use</b> |   |  |
| <b>Recommended use</b>   | Inkjet printing.  |  |
| <b>Restrictions on use</b>                                     | Not available.  |  |
| <b>Details of manufacturer or importer</b>                     | HP PPS Australia Pty Ltd<br>Rhodes Corporate Park Building F<br>Level 5, 1 Homebush Bay Drive<br>Rhodes<br>NSW 2138<br>Australia<br>+61 2 8278 4492   |  |
| <b>HP Inc. health effects line</b>                             |   |  |
| <b>Australia Local Telephone Number</b>                        | +61 1 800 686 951   |  |
| <b>(Toll-free within the US)</b>                               | 1-800-457-4209  |  |
| <b>(Direct)</b>  | 1-760-710-0048  |  |
| <b>HP Inc. Customer Care Line</b>                              |   |  |
| <b>(Toll-free within the US)</b>                               | 1-800-474-6836  |  |
| <b>(Direct)</b>  | 1-208-323-2551  |  |
| <b>Email:</b>  | hpcustomer.inquiries@hp.com   |  |

## 2. Hazard(s) identification

### Classification of the hazardous chemical

|                              |  |   |
|------------------------------|--|---|
| <b>Physical hazards</b>      | Not classified.  |   |
| <b>Health hazards</b>        | Skin corrosion/irritation                              | Category 2                              |
|                              | Serious eye damage/eye irritation                      | Category 1                              |
|                              | Sensitization, skin                                    | Category 1                              |
|                              | Reproductive toxicity (the unborn child)               | Category 2                              |
|                              | Specific target organ toxicity, single exposure        | Category 3 respiratory tract irritation |
|                              | Specific target organ toxicity, repeated exposure      | Category 1 (liver, respiratory system)  |
| <b>Environmental hazards</b> | Hazardous to the aquatic environment, long-term hazard | Category 2                              |

### Label elements, including precautionary statements

**Hazard symbol(s)**

Corrosion

Health hazard

Exclamation mark

Environment

**Signal word**

Danger

**Hazard statement(s)**

Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging the unborn child. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

**Precautionary statement(s)****Prevention**

Wear protective gloves/protective clothing/eye protection/face protection. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

**Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical attention/advice. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash before reuse. Collect spillage.

**Storage**

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards which do not result in classification**

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).

**Supplemental information**

None.

**3. Composition/information on ingredients****Mixture**

| Identity of chemical ingredients                 | CAS number and other unique identifiers | Concentration of ingredients |
|--|---|------------------------------|
| 2-phenoxyethyl acrylate                          | Proprietary                             | <40                          |
| N-vinylcaprolactam                               | Proprietary                             | <25                          |
| Carboxylic Acids, Esters                         | Proprietary                             | <15                          |
| Benzophenone                                     | 119-61-9                                | <7.5                         |
| Difunctional acrylic monomer                     | Proprietary                             | <7.5                         |
| Acrylate ester 5                                 | Proprietary                             | <5                           |
| Alkyl Acrylate Ester                             | Proprietary                             | <5                           |
| Substituted Phosphine Oxide                      | Proprietary                             | <5                           |
| Glycerol, propoxylated, esters with acrylic acid | Proprietary                             | <2.5                         |
| 2,6-di-tert-butyl-.alpha.-dimethylamino-p-cresol | 88-27-7                                 | <1                           |
| Butylhydroxytoluene                              | 128-37-0                                | <1                           |
| Triphenylphosphine                               | 603-35-0                                | <1                           |

**Composition comments**

This product was evaluated according to the criteria of the Australia Work Health and Safety Regulations (WHS Regulations). Carbon black is present only in a bound form in this preparation.

---

## 4. First-aid measures

### Description of necessary first aid measures

|   |   |
|---|---|
| <b>Inhalation</b>                                   | Move to fresh air. If symptoms persist, get medical attention.  |
| <b>Skin contact</b>                                 | Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.  |
| <b>Eye contact</b>                                  | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. |
| <b>Ingestion</b>                                    | If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.                                       |
| <b>Personal protection for first-aid responders</b> | Not available.  |
| <b>Symptoms caused by exposure</b>                  | Not available.  |
| <b>Medical attention and special treatment</b>      | Not available.  |

---

## 5. Fire-fighting measures

### Extinguishing media

|   |  |
|---|--|
| <b>Suitable extinguishing media</b>                                   | Dry powder. Carbon dioxide (CO <sub>2</sub> ). Water may be ineffective.                     |
| <b>Unsuitable extinguishing media</b>                                 | Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire. |
| <b>Specific hazards arising from the chemical</b>                     | Not available.   |
| <b>Special protective equipment and precautions for fire fighters</b> | Not available.   |
| <b>Fire fighting equipment/instructions</b>                           | Avoid runoff into storm sewers and ditches which lead to waterways.                          |
| <b>Hazchem code</b>   | None.  |

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

|  |   |
|--|---|
| <b>For non-emergency personnel</b>                           | Wear appropriate personal protective equipment. Do not touch or walk through spilled material.  |
| <b>For emergency responders</b>                              | Not available.  |
| <b>Environmental precautions</b>                             | Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| <b>Methods and materials for containment and cleaning up</b> | Not available.  |
| <b>Other issues relating to spills and releases</b>          | Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.                             |

---

## 7. Handling and storage

|   |   |
|---|---|
| <b>Precautions for safe handling</b>                                | Avoid contact with skin, eyes and clothing.   |
| <b>Conditions for safe storage, including any incompatibilities</b> | Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage. |

---

## 8. Exposure controls and personal protection

### Control parameters

### Occupational exposure limits

#### Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

| Components                         | Type | Value                |
|------------------------------------|------|----------------------|
| Butylhydroxytoluene (CAS 128-37-0) | TWA  | 10 mg/m <sup>3</sup> |

---

**Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)**

| Components                         | Type | Value    |
|------------------------------------|------|----------|
| Butylhydroxytoluene (CAS 128-37-0) | TWA  | 10 mg/m3 |

**US. ACGIH Threshold Limit Values**

| Components                         | Type | Value   | Form                          |
|------------------------------------|------|---------|-------------------------------|
| Butylhydroxytoluene (CAS 128-37-0) | TWA  | 2 mg/m3 | Inhalable fraction and vapor. |

**UK. EH40 Workplace Exposure Limits (WELs)**

| Components                         | Type | Value    |
|------------------------------------|------|----------|
| Butylhydroxytoluene (CAS 128-37-0) | TWA  | 10 mg/m3 |

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

| Components                         | Type | Value    | Form                                   |
|------------------------------------|------|----------|--|
| Butylhydroxytoluene (CAS 128-37-0) | TWA  | 10 mg/m3 | Vapor and aerosol, inhalable fraction. |
| Triphenylphosphine (CAS 603-35-0)  | TWA  | 5 mg/m3  | Inhalable fraction.                    |

|   |   |
|---|---|
| <b>Biological limit values</b>          | No biological exposure limits noted for the ingredient(s).  |
| <b>Exposure guidelines</b>              | Exposure limits have not been established for this product. |
| <b>Appropriate engineering controls</b> | Not available.  |

**Individual protection measures, for example personal protective equipment (PPE)**

|                               |  |
|-------------------------------|--|
| <b>Eye/face protection</b>    | Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended. |
| <b>Skin protection</b>        |  |
| <b>Hand protection</b>        | Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.                           |
| <b>Other</b>                  | Wear appropriate chemical resistant clothing.  |
| <b>Respiratory protection</b> | Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.                     |
| <b>Thermal hazards</b>        | Not available.   |

|                         |  |
|-------------------------|--|
| <b>Hygiene measures</b> | Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink. |
|-------------------------|--|

**9. Physical and chemical properties****Appearance**

|                       |               |
|-----------------------|---------------|
| <b>Physical state</b> | Liquid.       |
| <b>Form</b>           | Liquid.       |
| <b>Color</b>          | Light Magenta |

**Odor** Characteristic.

**Odor threshold** Not available.

**pH** 7.3 - 7.7 Metler Toledo pH Meter. Temperature 25°C

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** Not available.

**Flash point** > 199.9 °F (> 93.3 °C) Calculated

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

**Upper/lower flammability or explosive limits**

|                                       |                |
|---------------------------------------|----------------|
| <b>Flammability limit - lower (%)</b> | Not available. |
| <b>Flammability limit - upper (%)</b> | Not available. |
| <b>Explosive limit - lower (%)</b>    | Not available. |
| <b>Explosive limit - upper (%)</b>    | Not available. |

**Vapor pressure** Not available.

**Vapor density** Not available.

**Solubility(ies)**

**Solubility (water)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Viscosity** 9.3 - 10.6 cP Brookfield Viscometer Temperature 50°C

**Other physical and chemical parameters**

|                        |                                |
|------------------------|--------------------------------|
| <b>Chemical family</b> | Acrylate/Polymer/Pigment Blend |
| <b>VOC</b>             | 0.2 g/L Calculated             |

---

**10. Stability and reactivity**

**Reactivity** Not available.

**Chemical stability** Stable under normal storage conditions.

**Possibility of hazardous reactions** Hazardous polymerization can occur with decreased inhibitor content.

**Conditions to avoid** Exposure to sunlight.

**Incompatible materials** Incompatible with strong bases and oxidizing agents. alkaline metals

**Hazardous decomposition products** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

---

**11. Toxicological information****Information on possible routes of exposure**

**Inhalation** Inhalation may result in mild irritation to the respiratory system.

**Skin contact** Causes skin irritation. May cause sensitization by skin contact.

**Eye contact** Causes serious eye damage.

**Ingestion** Ingestion is not a likely route of exposure.

**Symptoms related to exposure** Not available.

**Acute toxicity** Based on available data, the classification criteria are not met.

| <b>Components</b> | <b>Species</b> | <b>Test Results</b> |
|-------------------|----------------|---------------------|
|-------------------|----------------|---------------------|

N-vinylcaprolactam

**Acute****Dermal**

|      |        |            |
|------|--------|------------|
| LD50 | Rabbit | 1700 mg/kg |
|------|--------|------------|

**Inhalation**

|      |     |            |
|------|-----|------------|
| LC50 | Rat | > 1.6 mg/l |
|------|-----|------------|

**Oral**

|      |     |            |
|------|-----|------------|
| LD50 | Rat | 1114 mg/kg |
|------|-----|------------|

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory or skin sensitization**

**Respiratory sensitization** Based on available data, the classification criteria are not met.

**Skin sensitization** May cause sensitization by skin contact.

|   |   |
|---|---|
| <b>Germ cell mutagenicity</b>                                 | Based on available data, the classification criteria are not met.                           |
| <b>Carcinogenicity</b>  | Based on available data, the classification criteria are not met.                           |
| <b>ACGIH Carcinogens</b>                                      |   |
| Butylhydroxytoluene (CAS 128-37-0)                            | A4 Not classifiable as a human carcinogen.  |
| <b>IARC Monographs. Overall Evaluation of Carcinogenicity</b> |   |
| Benzophenone (CAS 119-61-9)                                   | 2B Possibly carcinogenic to humans.   |
| Butylhydroxytoluene (CAS 128-37-0)                            | 3 Not classifiable as to carcinogenicity to humans.   |
| <b>Reproductive toxicity</b>                                  | Suspected of damaging the unborn child.   |
| <b>Specific target organ toxicity - single exposure</b>       | May cause irritation to the respiratory system.   |
| <b>Specific target organ toxicity - repeated exposure</b>     | Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. |
| <b>Aspiration hazard</b>                                      | Based on available data, the classification criteria are not met.                           |
| <b>Other information</b>                                      | Complete toxicity data are not available for this specific formulation                      |

## 12. Ecological information

**Aquatic toxicity** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

### Ecotoxicity

| Components                                   |   | Species                         | Test Results                   |  |
|--|---|---------------------------------|--------------------------------|--|
| 2-phenoxyethyl acrylate<br><i>Acute</i>      | EC10  | Desmodesmus subcapitatus        | 0.71 mg/l, 72 h (DIN 38412 L9) |  |
|  | EC50  | Desmodesmus subcapitatus        | 4.44 mg/l, 72 h (DIN 38412 L9) |  |
|  | LC50  | Leuciscus idus                  | 10 mg/l, 96 h (DIN 38 412)     |  |
|  | NOEC  | Desmodesmus subcapitatus        | 0.71 mg/l, 72 h (DIN 38412 L9) |  |
|  | <b>Aquatic</b><br><i>Acute</i><br>Crustacea | EC50                            | Daphnia magna                  | 1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C) |
| Difunctional acrylic monomer<br><i>Acute</i> | EC10  | Pseudokirchneriella subcapitata | 2.3 mg/l, 72 h (OECD 201)      |  |
|  | EC50  | Pseudokirchneriella subcapitata | 11 mg/l, 72 h (OECD 201)       |  |
|  | <b>Aquatic</b><br><i>Acute</i><br>Crustacea | EC50                            | Daphnia Magna                  | 37 mg/l, 48 h (OECD 202)                                   |
| Substituted Phosphine Oxide<br><i>Acute</i>  | Fish  | LC50                            | Danio rerio                    | 2.7 mg/l, 96 h (OECD 203)                                  |
|  |   | EC50                            | Desmodesmus subspicatus        | > 260 µg/l, 72 h (OECD 201)                                |
|  |   | LC50                            | Danio rerio                    | > 90 µg/l, 96 h (OECD 203)                                 |
|  |   | NOEC                            | Desmodesmus subspicatus        | > 260 µg/l, 72 h (OECD 201)                                |
|  | <b>Aquatic</b><br><i>Acute</i><br>Crustacea | EC50                            | Daphnia magna                  | > 1175 µg/l, 48 h (OECD 202)                               |
| <i>Chronic</i><br>Crustacea                  | NOEC  | Daphnia magna                   | >= 8.1 µg/l, 21 d (OECD 211)   |  |
| <b>Persistence and degradability</b>         | Not available.                              |                                 |                                |  |

**Bioaccumulative potential****Bioconcentration factor (BCF)**

Substituted Phosphine Oxide

5, (similar to OECD 305 C)

**Mobility in soil** Not available.**Other adverse effects** Not available.

---


**13. Disposal considerations**

**Disposal methods** Do not dispose of together with general office waste.  
Do not allow this material to drain into sewers/water supplies.  
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.  
Ensure collection and disposal with an appropriately licensed waste contractor.

---

**14. Transport information****DOT****UN number** Not available.**UN proper shipping name** Not Regulated**Transport hazard class(es)****Class** Not available.**Subsidiary risk** -**Packing group** Not available.**Environmental hazards****Marine pollutant** No**Special precautions for user** Not available.**DOT Supplemental Information** DOT Classification only applies to shipments within the US and Puerto Rico.**IATA****UN number** UN3082**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)**Transport hazard class(es)****Class** 9**Subsidiary risk** -**Packing group** III**Environmental hazards** Yes**Special precautions for user** Not available.**IATA Supplemental Information** When shipping ≤ 5L inner packaging, Special Provision A197 may apply.**IMDG****UN number** UN3082**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT**Transport hazard class(es)****Class** 9**Subsidiary risk** -**Packing group** III**Transport hazard class(es)****Marine pollutant** Yes**EmS** F-A, S-F**Special precautions for user** Not available.**IMDG Supplemental Information** When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.**ADR****UN number** UN3082**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)**Transport hazard class(es)****Class** 9**Subsidiary risk** -**Hazard No. (ADR)** Not available.**Tunnel restriction code** Not available.**Packing group** III**Environmental hazards** Yes**Special precautions for user** Not available.**ADR Supplemental Information** When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



Marine pollutant



Further information

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## 15. Regulatory information

Safety, health and environmental regulations

National regulations

**Australia Medicines & Poisons Appendix A**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix B**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix D**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix E**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix F**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix G**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix H**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix I**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix J**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix K**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 10**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 2**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 3**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 4**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 5**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 6**

Poisons schedule number not allocated.



**Australia Medicines & Poisons Schedule 7**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 8**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 9**

Poisons schedule number not allocated.

**High Volume Industrial Chemicals (HVIC)**

Not listed.

**Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)**

Not listed.

**National Pollutant Inventory (NPI) substance reporting list**

Not listed.

**Prohibited Carcinogenic Substances**

Not regulated.

**Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)**

Not listed.

**Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)**

Not listed.

**Restricted Carcinogenic Substances**

Not regulated.

**International regulations**

The components of this product are reported in the following inventories: USA, European Union, Canada, Japan, China, Australia, Korea.

**Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

Not applicable.

**Montreal Protocol**

Not applicable.

**Basel Convention**

Not applicable.

---

**16. Other information**

**Issue date** 15-Feb-2018

**Revision date** 26-Mar-2021

**Other information** This SDS was prepared in compliance with the NOHSC document "National Code of Practice for the Preparation of Material Safety Data Sheets", 2003.

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

## Explanation of abbreviations

|               |   |
|---------------|---|
| <b>ACGIH</b>  | American Conference of Governmental Industrial Hygienists           |
| <b>CAS</b>    | Chemical Abstracts Service  |
| <b>CERCLA</b> | Comprehensive Environmental Response Compensation and Liability Act |
| <b>CFR</b>    | Code of Federal Regulations   |
| <b>COC</b>    | Cleveland Open Cup  |
| <b>DOT</b>    | Department of Transportation  |
| <b>EPCRA</b>  | Emergency Planning and Community Right-to-Know Act (aka SARA)       |
| <b>IARC</b>   | International Agency for Research on Cancer                         |
| <b>NIOSH</b>  | National Institute for Occupational Safety and Health               |
| <b>NTP</b>    | National Toxicology Program   |
| <b>OSHA</b>   | Occupational Safety and Health Administration                       |
| <b>PEL</b>    | Permissible Exposure Limit  |
| <b>RCRA</b>   | Resource Conservation and Recovery Act                              |
| <b>REC</b>    | Recommended   |
| <b>REL</b>    | Recommended Exposure Limit  |
| <b>SARA</b>   | Superfund Amendments and Reauthorization Act of 1986                |
| <b>STEL</b>   | Short-Term Exposure Limit   |
| <b>TCLP</b>   | Toxicity Characteristics Leaching Procedure                         |
| <b>TLV</b>    | Threshold Limit Value   |
| <b>TSCA</b>   | Toxic Substances Control Act  |
| <b>VOC</b>    | Volatile Organic Compounds  |