

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or CP514 Series

designation of the mixture

Registration number

HP Scitex FB221 Black Ink **Synonyms**

Issue date 05-Sep-2013

Version number 03

Revision date 28-Jul-2016 Supersedes date 06-Dec-2013

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing Uses advised against None known. **Company identification** HP Belgium BVBA

> Hermeslaan 1B, Floor B1 Diegem, Belgium 1831 Telephone 32 2 729 71 11

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Emergency numbe +32 (0) 70245245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Category 4 Acute toxicity, oral

Skin corrosion/irritation H315 - Causes skin irritation. Category 2

Serious eye damage/eye irritation Category 2

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

Carcinogenicity Category 2

Specific target organ toxicity - single Category 3 respiratory tract irritation H335 - May cause respiratory

exposure irritation.

Environmental hazards

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1-vinylhexahydro-2H-azepin-2-one, 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one,

Acrylate Ester, Acrylate ester, Acrylated Oligoamine Resin, Black pigment, Diphenyl

(2,4,6-trimethylbenzoyl) phosphine oxide, Fragrance, Neopentylglycol propoxylate diacrylate,

Photo Initiator

Hazard pictograms



Signal word Danger

Material name: CP514 Series SDS Belgium 1/9

Hazard statements

H317 May H360 May	ses skin irritation. cause an allergic skin reaction. damage fertility. damage the unborn child.
H335 May H373 May	cause respiratory irritation. cause damage to organs (liver, nose) through prolonged or repeated exposure. mful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe fume/gas/mist/vapors/spray.

P271 - Use only outdoors or in a well-ventilated area.

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment.

Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention. P308 + P313 - IF exposed or concerned: Get medical attention/advice.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

P312 - Call a POISON CENTER/doctor/physician if you feel unwell. P362 - Take off contaminated clothing and wash before reuse.

Storage P405 - Store locked up.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

None.

2.3. Other hazards

Diphenyl (2,4,6-trimethylbenzoyl) phosphineoxide - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk.

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	9/	CAS-No. / I No.	EC REACH Registration No.	Index No.	Notes
Acrylate ester	<2	25 Proprietary	-	-	
Classification: S	kin Sens. 1;H317,	Eye Irrit. 2;H319			
Neopentylglycol propoxylat	e diacrylate <2	5 84170-74-	1 01-2119970213-43-XXXX	-	
Classification: S	kin Sens. 1B;H317	- 7, Aquatic Chronic 2	;H411		

Material name: CP514 Series SDS Belgium

Chemical name % CAS-No. / EC **REACH Registration No.** Index No. **Notes** No. 2235-00-9 1-vinylhexahydro-2H-azepin-2-one <20 218-787-6 Classification: Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Sens. 1B;H317, Eye Irrit. 2;H319, STOT RE 1;H372 Acrylate Ester <20 **Proprietary Classification:** Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335, Aquatic Chronic 2;H411 2-methyl-1-(4-methylthiophenyl)-2-m 71868-10-5 606-041-00-6 <5 orpholinopropan-1-one 400-600-6 **Classification:** Acute Tox. 4;H302, Repr. 1B;H360FD, Aquatic Chronic 2;H411 Acrylated Oligoamine Resin < 2.5 **Proprietary** Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319 **Proprietary** Black pigment < 2.5 01-2119384822-32-XXXX Classification: Diphenyl (2,4,6-trimethylbenzoyl) < 2.5 75980-60-8 015-203-00-X phosphine oxide 278-355-8 **Classification:** Skin Sens. 1B;H317, Repr. 2;H361f, Aquatic Chronic 2;H411 Photo Initiator < 2.5 **Proprietary** Classification: Fragrance <1 **Proprietary Classification:**

Composition comments

Carbon black is present only in a bound form in this preparation.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

Not available.

Not available.

needed

Material name: CP514 Series SDS Belgium

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Water.

Not available.

Unsuitable extinguishing

media

5.2. Special hazards arising from the substance or

mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

Avoid runoff into storm sewers and ditches which lead to waterways.

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

Special fire fighting

procedures

Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

For emergency responders

Not available.

6.2. Environmental

precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also

section 13 Disposal considerations.

6.3. Methods and material for

containment and cleaning up

6.4. Reference to other sections

Not available.

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near

an open flame, heat or other sources of ignition.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values.

Value Components **Type TWA** Black pigment (CAS 3.5 mg/m3 Proprietary)

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Not available.

procedures

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Workers	Dermal	0.7 mg/kg	Systemic long term
		Inhalation	4.9 mg/m3	Systemic long term
		Inhalation	0.17 mg/m3	Local long term
Acrylate ester (CAS Proprietary)	Workers	Dermal	0.8 mg/kg	Systemic long term
		Inhalation	16.2 mg/m3	Systemic short term
Black pigment (CAS Proprietary)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term

Material name: CP514 Series SDS Belgium

		Inhalation	11.75 mg/m3	Systemic long term	
dicted no effect concentrations (PNECs)					
Components	Туре	Route	Value	Form	
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Not applicable	Freshwater	0.1 mg/l		
		Intermittant	1 mg/l	Releases	
		Marine water	0.01 mg/l		
		Sediment	0.829 mg/kg	Freshwater	
		Sediment	0.0829 mg/kg	Marine water	
		Soil	0.107 mg/kg		
		STP	262 mg/l	Sewage Treatment Plan	
Acrylate ester (CAS Proprietary)	Not applicable	Freshwater	0.00195 mg/l		
		Intermittant	0.0195 mg/l	Releases	
		Marine water	0.000195 mg/l		
		Sediment	0.0082 mg/kg	Freshwater	
		Sediment	0.00082 mg/kg	Marine water	
		Soil	0.00587 mg/kg		
		STP	10 mg/l	Sewage Treatment Plan	
Black pigment (CAS Proprietary)	Not applicable	Freshwater	5 mg/l		
		Marine water	5 mg/l		
Neopentylglycol propoxylate diacrylate (CAS 84170-74-1)	Not applicable	Freshwater	0.0027 mg/l		
		Intermittant	0.027 mg/l	Releases	
		Marine water	0.00027 mg/l		
		Sediment	0.188 mg/kg	Freshwater	
		Sediment	0.018 mg/kg	Marine water	
		Soil	0.036 mg/kg		
		STP	0.2 mg/l	Sewage Treatment Plan	

Route

Dermal

.

Type

Value

3.33 mg/kg

Form

Systemic long term

8.2. Exposure controls

Components

84170-74-1)

Neopentylglycol propoxylate diacrylate (CAS Workers

Appropriate engineering

Not available.

controls

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency

showers are recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. - Other Wear appropriate chemical resistant clothing.

Respiratory protection

Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Color Black.

Odor Characteristic. **Odor threshold** Not available. Not applicable. Melting point/freezing point Not available.

Material name: CP514 Series

Initial boiling point and

boiling range

Not available.

Flash point > 149.0 °F (> 65.0 °C) Closed Cup

Evaporation rate Not applicable. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit -

upper (%)

Not available.

Not available.

Vapor pressure Not applicable. **Relative density** Not available. Solubility(ies) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not applicable. **Viscosity Explosive properties** Not available. Not available. Oxidizing properties

9.2. Other information No relevant additional information available.

VOC (Weight %) < 95 g/L

SECTION 10: Stability and reactivity

Not available. 10.1. Reactivity

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous Hazardous polymerization can occur with decreased inhibitor content.

reactions

10.4. Conditions to avoid Exposure to sunlight.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon 10.6. Hazardous

decomposition products dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

Not available. **General information** 11.1. Information on toxicological effects

Skin corrosion/irritation Not available. Serious eye damage/eye

irritation

Not available.

Not available. Respiratory sensitization Skin sensitization Not available. Germ cell mutagenicity Not available.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group Carcinogenicity

> 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains

bound within a product matrix, specifically, rubber, ink, or paint.

IARC Monographs. Overall Evaluation of Carcinogenicity

Black pigment (CAS Proprietary) 2B Possibly carcinogenic to humans.

Reproductive toxicity Not available. Specific target organ toxicity Not available.

- single exposure

Not available.

Specific target organ toxicity

- repeated exposure

Aspiration hazard Not available.

Material name: CP514 Series SDS Belgium

Components Species Test Results

Black pigment (CAS Proprietary)

Acute Oral

LD50 > 8000 mg/kg Rat

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

SECTION 12: Ecological information

Aquatic toxicity Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity No toxicity data noted for the ingredient(s).

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

potential

Not available.

Partition coefficient

n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF)

Not available. Not available.

12.4. Mobility in soil 12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available. Not available. **EU** waste code

Disposal methods/information Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Material name: CP514 Series SDS Belgium Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (CAS 71868-10-5)

Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8)

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulationsAll chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

Not available.

National regulations

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

ReferencesNot available. **Information on evaluation**Not available.

Information on evaluation method leading to the classification of mixture

Revision information Composition/Information on Ingredients

SECTION 16: Other information: Disclaimer

Training information Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Issue date 05-Sep-2013

Material name: CP514 Series SDS Belgium

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Manufacturer information HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US (Direct) +972 (9) 892-4628

Material name: CP514 Series SDS Belgium

Safe Use of Mixture Information (SUMI)

--

UV digital printing inks: UV01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll
Diek managament magazura	

Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.