



# SAFETY DATA SHEET

## 1. Identification

<b>Important information</b>	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
<b>Name of the substance or mixture (trade name)</b>	CH833 Series
<b>Synonyms</b>	HP Scitex TJ210 Black Ink
<b>Major recommended uses for the substance or mixture</b>	Inkjet printing
<b>Specific restrictions for use of the substance or mixture</b>	Not available.
<b>Manufacturer/Importer/Distributor information</b>	
	HP Brasil Indústria e Comércio de Equipamentos Eletrônicos Ltda. Al. Xingu, 350 – andar 8 Barueri, São Paulo, Brazil 06.455-030
<b>Telephone</b>	Telefone 55 (11) 4197.8907
<b>HP Inc. health effects line (Direct)</b>	+55 11 4349 1907 Access code 9519
<b>HP Inc. Customer Care Line (Toll-free within the US)</b>	
<b>(Direct)</b>	1-800-474-6836 1-208-323-2551
<b>Email:</b>	hpcustomer.inquiries@hp.com

## 2. Hazards identification

### Classification of the substance or mixture

<b>Physical hazards</b>	Flammable liquids	Category 4
<b>Health hazards</b>	Acute toxicity, oral	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 1B
	Specific target organ toxicity, repeated exposure	Category 1
<b>Environmental hazards</b>	Hazardous to the aquatic environment, long-term hazard	Category 2

### GHS labeling elements, including precautionary statements

#### Hazard symbol(s)



#### Signal word

Danger

#### Hazard statement(s)

May be harmful if swallowed. Combustible liquid. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility. May damage the unborn child. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

### Precautionary statement(s)

<b>Prevention</b>	Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Avoid release to the environment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling.
<b>Response</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of soap and water. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF exposed or concerned: Get medical attention/advice. Collect spillage. In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish. If eye irritation persists: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Get medical attention/advice if you feel unwell. Take off contaminated clothing and wash before reuse.
<b>Storage</b>	Store locked up. Store in a well-ventilated place. Keep cool.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards which do not result in classification** Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

**GHS Supplemental information** None.

### 3. Composition/information on ingredients

#### Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Difunctional acrylic monomer	Proprietary	<25
Acrylate ester 4	Proprietary	<20
Vinylcaprolactam	Proprietary	<20
Acrylate ester 2	Proprietary	<15
Acrylic acid ester	Proprietary	<7.5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	Proprietary	<5
Thioxanthone derivative	Proprietary	<5
Black Pigment	Proprietary	<2.5
Propiophenone derivative	Proprietary	<2.5
Glycerol, propoxylated, esters with acrylic acid	Proprietary	<1

**Composition comments** Carbon black is present only in a bound form in this preparation.

### 4. First-aid measures

#### First-aid measures

<b>Inhalation</b>	If dust from the material is inhaled, remove the affected person immediately to fresh air.  Move to fresh air in case of accidental inhalation of vapors or decomposition products. If breathing is difficult, give oxygen. Oxygen or artificial respiration if needed. Consult a physician for specific advice.
<b>Skin contact</b>	Wash the skin immediately with soap and water. In case of contact with molten product, cool rapidly with water and seek immediate medical attention. Do not attempt to remove molten product from skin because skin will tear easily.
<b>Eye contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
<b>Ingestion</b>	If swallowed, do NOT induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.

<b>Most important symptoms/effects, acute and delayed</b>	No experiences of acute or chronic damages in humans have been made yet.
<b>Personal protection for first-aid responders</b>	Risk of skin burn caused by hot melt. Do not leave the victim unattended. Remove victim immediately from source of exposure. Victim to lie down in the recovery position, cover and keep him warm.
<b>Notes to physician</b>	Not available.

## 5. Fire-fighting measures

<b>Means of fire extinguishing</b>	
<b>Suitable extinguishing media</b>	Dry powder. Carbon dioxide (CO <sub>2</sub> ). Water may be ineffective.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Not available.
<b>Special fire fighting procedures</b>	Avoid runoff into storm sewers and ditches which lead to waterways.
<b>Protective measures taken by firefighting crews</b>	Avoid runoff into storm sewers and ditches which lead to waterways.

## 6. Control measures for spills and leaks

<b>Personal precautions, protective equipment and emergency procedures</b>	
<b>To be taken by those who are not involved in rendering emergency services</b>	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
<b>To be taken by those who are involved in rendering emergency services</b>	Not available.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
<b>Methods and materials for containment and cleaning up</b>	Not available.
<b>Other issues relating to spills and releases</b>	Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid contact with skin, eyes and clothing.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

## 8. Exposure controls/personal protection

<b>Control parameters</b>			
<b>Occupational exposure limits</b>			
<b>Brazil.OELs. (NR - 15, Annex 11) Hazardous Chemical Agents for which Occupational Exposure and Inspection Limits have been Established</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	
Black Pigment	TWA	3.5 mg/m <sup>3</sup>	
<b>US. ACGIH Threshold Limit Values</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Black Pigment	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).		
<b>Exposure guidelines</b>	Exposure limits have not been established for this product.		
<b>Appropriate engineering controls</b>	Not available.		
<b>Personal protective measures</b>			
<b>Eyes and face protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.		

---

<b>Skin protection</b>	
<b>Hand protection</b>	Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
<b>Thermal hazards</b>	Not available.
<b>Hygiene measures</b>	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

---

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Black.
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling temperature range</b>	Not available.
<b>Flash point</b>	149.0 °F (65.0 °C) Closed Cup EPA Method 1020
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	13.5 - 14.5 cP Brookfield Viscometer (± 0.5) Temperature 40°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading.
<b>Other physical and chemical parameters</b>	
<b>VOC</b>	3.87 g/L Method 24/ASTM D403-93

---

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Chemical stability</b>	Stable under normal storage conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization can occur with decreased inhibitor content.
<b>Conditions to avoid</b>	Exposure to sunlight.
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents. alkaline metals
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Inhalation may result in mild irritation to the respiratory system.
<b>Skin contact</b>	Causes skin irritation. May cause sensitization by skin contact.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	May be harmful if swallowed.

**Symptoms** Not available.

**Acute toxicity** May be harmful if swallowed. May be harmful in contact with skin.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Black Pigment		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	> 10000 mg/kg
<b>Skin irritation and corrosion</b>	Causes skin irritation.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Skin sensitization</b>	May cause sensitization by skin contact.	
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.	
<b>Carcinogenicity</b>	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Carbon black is present only in a bound form in this preparation. Based on available data, the classification criteria are not met.	
<b>Toxic to reproduction</b>	May damage fertility. May damage the unborn child.	
<b>Specific target organ toxicity - single exposure</b>	May cause irritation to the respiratory system.	
<b>Specific target organ toxicity - repeated exposure</b>	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.	
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.	
<b>Other information</b>	Complete toxicity data are not available for this specific formulation	

## 12. Ecological information

<b>Aquatic toxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.
<b>Ecotoxicity</b>	No ecotoxicity data noted for the ingredient(s).
<b>Persistence and degradability</b>	Not available.
<b>Bioaccumulative potential</b>	
<b>Partition coefficient n-octanol / water (log Kow)</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>Mobility in soil</b>	Not available.
<b>Other adverse effects</b>	Not available.

## 13. Considerations on final disposal

### Recommended methods for final destination


<b>Residual waste</b>	Not available.
<b>Contaminated packaging</b>	Not available.

**Local disposal regulations** Do not dispose of together with general office waste.  
Do not allow this material to drain into sewers/water supplies.  
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.  
Ensure collection and disposal with an appropriately licensed waste contractor.


## 14. Transport information

<b>DOT</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Not available.
<b>DOT Supplemental Information</b>	DOT Classification only applies to shipments within the US and Puerto Rico.
<b>IATA</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.
<b>IATA Supplemental Information</b>	When shipping ≤ 5L inner packaging, Special Provision A197 may apply.
<b>IMDG</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Transport hazard class(es)</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-F
<b>Special precautions for user</b>	Not available.
<b>IMDG Supplemental Information</b>	When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.
<b>ADR</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Hazard No. (ADR)</b>	Not available.
<b>Tunnel restriction code</b>	Not available.
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.

ADR; DOT; IATA; IMDG



## Marine pollutant



---

## 15. Regulatory information

### Federal regulations

**Brazil. Controlled products that must be reported to the Army (Decree No. 3655, Annex 1, as amended)**

Not applicable.

**Brazil. Drug precursors (Ordinance No. 1.274)**

Not applicable.

**Brazil. Ozone depleting substances (Decree No. 99.280, Annexes A, B, C and E, as amended)**

Not applicable.

**Brazil. Use and physiological effects of chemical products (Decree No. 3665, Annex 3)**

Not applicable.

**POPs (Decree No. 5.472 promulgates the Stockholm Convention on persistent organic pollutants)**

Not listed.

### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### Montreal Protocol

Not applicable.

#### Stockholm Convention

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Kyoto protocol

Not applicable.

#### Basel Convention

Not applicable.

---

## 16. Other information

**Significant information, yet not specifically related to the previous sections** Not available.

### Revision information

This document has undergone significant changes and should be reviewed in its entirety.

### Other information

This Safety Data Sheet for Chemical Products (FISPQ) was prepared in compliance with ABNT NBR 14725:2005.

### Disclaimer

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

---

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds