



SAFETY DATA SHEET

1. Identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Name of the substance or mixture (trade name)	CN945 Series
Synonyms	HP Scitex XL300 Supreme Light Black Ink
Major recommended uses for the substance or mixture	Inkjet printing.
Specific restrictions for use of the substance or mixture	Not available.
Manufacturer/Importer/Distributor information	
	HP Brasil Indústria e Comércio de Equipamentos Eletrônicos Ltda. Al. Xingu, 350 – andar 8 Barueri, São Paulo, Brazil 06.455-030
Telephone	Telefone 55 (11) 4197.8907
HP Inc. health effects line (Direct)	+55 11 4349 1907 Access code 9519
HP Inc. Customer Care Line (Toll-free within the US)	
(Direct)	1-800-474-6836 1-208-323-2551
Email:	hpcustomer.inquiries@hp.com

2. Hazards identification

Classification of the substance or mixture

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	

GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word

Danger

Hazard statement(s)

Combustible liquid. Harmful in contact with skin. May be harmful if swallowed. Harmful if inhaled. Causes serious eye damage.

Precautionary statement(s)

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Response

In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse.

Storage	Keep cool.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.
GHS Supplemental information	None.

3. Composition/information on ingredients

Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
2-butoxyethyl acetate	112-07-2	<70
2-methoxy-1-methylethyl acetate	Proprietary	<15
Cyclohexanone	108-94-1	<10
Black Pigment	Proprietary	<1

Composition comments Carbon black is present only in a bound form in this preparation.

4. First-aid measures

First-aid measures

Inhalation	Move person to fresh air immediately. If symptoms persist, get immediate medical attention.
Skin contact	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
Ingestion	Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Most important symptoms/effects, acute and delayed	Not available.
Notes to physician	Not available.

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing media	Suitable extinguishing media: sand, carbon dioxide (CO ₂), and dry chemical.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not available.
Special fire fighting procedures	Move containers from fire area if you can do it without risk.
Protective measures taken by firefighting crews	Firefighters should wear full protective clothing including self contained breathing apparatus. Avoid runoff into storm sewers and ditches which lead to waterways.

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services	Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition. Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.
To be taken by those who are involved in rendering emergency services	Not available.
Environmental precautions	Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up	Not available.
Other issues relating to spills and releases	Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions for safe handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
Conditions for safe storage, including any incompatibilities	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Brazil. OELs (Ordinance No. 3214, 6/8/78, NR-15, Annex 11 (amended through ACGIH))

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	50 ppm

Brazil.OELs. (NR - 15, Annex 11) Hazardous Chemical Agents for which Occupational Exposure and Inspection Limits have been Established

Components	Type	Value
2-butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm
Black Pigment	TWA	3.5 mg/m3
Cyclohexanone (CAS 108-94-1)	TWA	20 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
2-butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm	
Black Pigment	TWA	3 mg/m3	Inhalable fraction.
Cyclohexanone (CAS 108-94-1)	STEL	50 ppm	
	TWA	20 ppm	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Cyclohexanone (CAS 108-94-1)	80 mg/l	1,2-Cyclohexanediol, with hydrolysis	Urine	*
	8 mg/l	Cyclohexanol, with hydrolysis	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines

Brazil OELs: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

US. ACGIH Threshold Limit Values

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

Appropriate engineering controls Not available.

Personal protective measures

Eyes and face protection Wear safety glasses; chemical goggles (if splashing is possible).
Eye wash fountain and emergency showers are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

Hygiene measures Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.
Launder contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Physical state Not available.

Form Liquid.

Color Black.

Odor Solvent.

Odor threshold Not available.

pH 5.8 - 6.2 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available.

Initial boiling point and boiling temperature range Not available.

Flash point ≥ 149.0 °F (≥ 65.0 °C) Closed Cup EPA Method 1020

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 9.8 - 11 cP Brookfield Viscometer (± 0.5) Temperature 22°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading

Other physical and chemical parameters

VOC < 916 g/L Calculated

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable at normal conditions.

Possibility of hazardous reactions None known.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Not available.

Hazardous decomposition products Not available.

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contact Harmful in contact with skin.

Eye contact Causes serious eye damage.

Ingestion Ingestion is not a likely route of exposure.

Symptoms Not available.

Acute toxicity	May be harmful if swallowed. Harmful if inhaled. Harmful in contact with skin.	
Components	Species	Test Results
Black Pigment		
Acute		
Oral		
LD50	Rat	> 10000 mg/kg
Skin irritation and corrosion	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization		
Respiratory sensitization	Based on available data, the classification criteria are not met.	
Skin sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Carbon black is present only in a bound form in this preparation.	
ACGIH Carcinogens		
Cyclohexanone (CAS 108-94-1)		A3 Confirmed animal carcinogen with unknown relevance to humans.
IARC Monographs. Overall Evaluation of Carcinogenicity		
Cyclohexanone (CAS 108-94-1)		3 Not classifiable as to carcinogenicity to humans.
Toxic to reproduction	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Other information	. Complete toxicity data are not available for this specific formulation	

12. Ecological information

Ecotoxicity	No ecotoxicity data noted for the ingredient(s).	
Persistence and degradability	Not available.	
Bioaccumulative potential		
Partition coefficient n-octanol / water (log Kow)		
Cyclohexanone		0.81
Bioconcentration factor (BCF)	Not available.	
Mobility in soil	Not available.	
Other adverse effects	Not available.	

13. Considerations on final disposal

Recommended methods for final destination		
Residual waste	Not available.	
Contaminated packaging	Not available.	
Local disposal regulations	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.	

14. Transport information

DOT	
UN number	NA1993
UN proper shipping name	Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate, cyclohexanone) -Not regulated in quantities less than 119 gallons
Transport hazard class(es)	
Class	Combustible
Subsidiary risk	-
Packing group	III
Special precautions for user	Not available.
DOT Supplemental Information	DOT Classification only applies to shipments within the US and Puerto Rico.
IATA	
Not regulated as dangerous goods.	
IMDG	
Not regulated as dangerous goods.	
ADR	
Not regulated as dangerous goods.	

15. Regulatory information

Federal regulations

Brazil. Controlled products that must be reported to the Army (Decree No. 3655, Annex 1, as amended)

Not applicable.

Brazil. Drug precursors (Ordinance No. 1.274)

Cyclohexanone (CAS 108-94-1)

Brazil. Ozone depleting substances (Decree No. 99.280, Annexes A, B, C and E, as amended)

Not applicable.

Brazil. Use and physiological effects of chemical products (Decree No. 3665, Annex 3)

Not applicable.

POPs (Decree No. 5.472 promulgates the Stockholm Convention on persistent organic pollutants)

Not listed.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not specifically related to the previous sections Not available.

Revision information Identification: Important information
Hazards identification: Other hazards which do not result in classification
Composition / Information on Ingredients: Ingredients
Composition/information on ingredients: Composition comments
Physical & Chemical Properties: Multiple Properties
Toxicological information: Carcinogenicity
HazReg Data: Europe - EU

Other information This Safety Data Sheet for Chemical Products (FISPQ) was prepared in compliance with ABNT NBR 14725:2005.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds