



# SAFETY DATA SHEET

## 1. Identification

**Name of the substance or mixture (trade name)** CP792Series

**Synonyms** HP DS100 Specialty Textile Light Cyan Scitex Ink

**Recommended use and Limitations on use**

**Recommended use** Inkjet printing

**Issue date** 29-Aug-2014

**Revision date** 14-Mar-2017

**Version #** 02

**Company identification** HP Brasil Indústria e Comércio de Equipamentos Eletrônicos Ltda.  
Av. Tambore, 74  
Barueri, Sao Paulo, Brazil 06460-000  
Telephone 55 (11) 4197.8000

HP Inc. health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Inc. Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. Hazards identification

### Classification of the substance or mixture

**Physical hazards** Not classified.

**Health hazards** Not classified.

**Environmental hazards** Not classified.

### GHS labeling elements, including precautionary statements

**Hazard symbol(s)**



**Signal word** Warning

**Hazard statement** Combustible liquid. Harmful in contact with skin.

### GHS labeling elements, including precautionary statements

**Prevention** P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Response** P370 + P378 - In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P312 - Call a POISON CENTER/doctor/physician if you feel unwell.  
P363 - Wash contaminated clothing before reuse.

**Storage** P403 + P235 - Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3. Composition/information on ingredients

**Substance or mixture** Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Ethylene Glycol, Monobutyl Ether Acetate	112-07-2	<100
Ethylacetate	141-78-6	<2.5

---

## 4. First-aid measures

### First-aid measures

<b>Inhalation</b>	Move to fresh air. If symptoms persist, get medical attention.
<b>Skin contact</b>	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation persists get medical attention. Remove and isolate contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes before reuse.
<b>Eye contact</b>	In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. If irritation persists get medical attention.
<b>Ingestion</b>	If swallowed, seek medical advice immediately and show this container or label.
<b>Most important symptoms/effects, acute and delayed</b>	Not available.
<b>Notes to physician</b>	Treat symptomatically.

---

## 5. Fire-fighting measures

<b>Flash point</b>	> 145.0 °F (> 62.8 °C) Closed Cup
<b>Means of fire extinguishing</b>	
<b>Suitable extinguishing media</b>	CO2, water, dry chemical, or foam
<b>Unsuitable extinguishing media</b>	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
<b>Specific hazards arising from the chemical</b>	Not available.
<b>Special fire fighting procedures</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Protective measures taken by firefighting crews</b>	Not available.
<b>Specific hazards arising from combustion</b>	Not available.
<b>Specific methods</b>	Water mist may be used to cool closed containers.

---

## 6. Control measures for spills and leaks

### Personal precautions, protective equipment and emergency procedures

<b>To be taken by those who are not involved in rendering emergency services</b>	Not available.
<b>Environmental precautions</b>	Not available.
<b>Emergency procedures</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
<b>Methods and materials for containment and cleaning up</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
<b>Other issues relating to spills and releases</b>	Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.

---

## 7. Handling and storage

### Handling

<b>Technical measures</b>	Wear personal protective equipment.
<b>Precautions</b>	Not available.
<b>Safe handling advice</b>	Use this product with adequate ventilation. Avoid breathing vapors or mists of this product. Avoid contact with skin, eyes and clothing.

### Storage

<b>Technical measures</b>	Keep away from heat, sparks and open flame. Keep containers tightly closed in a dry, cool and well-ventilated place.
---------------------------	---

<b>Suitable storage conditions</b>	Not available.
<b>Incompatible materials</b>	Not available.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### Brazil.OELs. (NR - 15, Annex 11) Hazardous Chemical Agents for which Occupational Exposure and Inspection Limits have been Established

Components	Type	Value
Ethylacetate (CAS 141-78-6)	TWA	1090 mg/m3 310 ppm
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
Ethylacetate (CAS 141-78-6)	TWA	400 ppm
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm

**Occupational exposure limits** No exposure limits noted for ingredient(s).

### Control parameters

**Exposure guidelines** None established.

**Appropriate engineering controls** Use in a well ventilated area.  
Ensure adequate ventilation, especially in confined areas. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.

### Personal protective measures

**Eyes and face protection** Avoid contact with eyes  
Wear safety glasses; chemical goggles (if splashing is possible).

#### Skin protection

**Hand protection** Recommended gloves: Nitrile 6 mil minimum thickness.

**Other** Use personal protective equipment to minimize exposure to skin and eye.

**Respiratory protection** Not available.

**Thermal hazards** Not available.

## 9. Physical and chemical properties

### Appearance

**Physical state** Not available.

**Color** Light Cyan

**Odor** Not available.

**Odor threshold** Not available.

**pH** Not applicable.

**Melting point/freezing point** Not determined.

**Initial boiling point and boiling temperature range** Not determined.

**Flash point** > 145.0 °F (> 62.8 °C) Closed Cup

**Evaporation rate** Not determined.

**Flammability (solid, gas)** Not available.

### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Explosive limit - lower (%)** Not available.

<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not determined.
<b>Relative density</b>	0.94 g/cm <sup>3</sup> @ 20 Degrees C
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other physical and chemical parameters</b>	
<b>Specific gravity</b>	0.94 @ 20 Degrees C
<b>VOC (Weight %)</b>	< 850 g/L

---

## 10. Stability and reactivity

<b>Chemical stability</b>	Stable at normal conditions
<b>Reactivity</b>	Not available.
<b>Conditions to avoid</b>	Not available.
<b>Incompatible materials</b>	strong oxidizing agents Strong acids and strong alkalis. oxidizing agents
<b>Hazardous decomposition products</b>	None known.
<b>Possibility of hazardous reactions</b>	Will not occur.

---

## 11. Toxicological information

<b>Acute toxicity</b>	Harmful in contact with skin.
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.
<b>Respiratory or skin sensitization</b>	
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met.
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>ACGIH Carcinogens</b>	
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	A3 Confirmed animal carcinogen with unknown relevance to humans.
<b>Toxic to reproduction</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.
<b>Other information</b>	Complete toxicity data are not available for this specific formulation

---

## 12. Ecological information

### Ecotoxicity

Components	Species	Test Results
Ethylacetate (CAS 141-78-6)		
<b>Aquatic</b>		
Fish	LC50	Indian catfish (Heteropneustes fossilis) 200.32 - 225.42 mg/l, 96 hours

**Persistence and degradability** Not available.

### Bioaccumulative potential

**Partition coefficient  
n-octanol / water (log  
Kow)**

Ethylacetate 0.73

**Bioconcentration factor  
(BCF)** Not available.

**Mobility in soil** Not available.

**Other adverse effects** Not available.

---

## 13. Considerations on final disposal

### Recommended methods for final destination

**Residual waste** Not available.

**Contaminated packaging** Not available.

**Local disposal  
regulations** Do not dispose of together with general office waste.  
Do not allow this material to drain into sewers/water supplies.  
Dispose of waste material according to Local, State, Federal, and Provincial Environmental  
Regulations.  
Ensure collection and disposal with an appropriately licensed waste contractor.

---

## 14. Transport information

### International regulations

#### DOT

**UN number** NA1993

**UN proper shipping name** Combustible liquid n.o.s. (butyl cellosolve acetate) -Not regulated in quantities less than 119  
gallons

**Transport hazard class(es)**

**Class** Combustible

**Subsidiary risk** -

**Packaging group** III

**Special precautions for  
user** Not available.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

---

## 15. Regulatory information

### Federal regulations

**Brazil. Controlled products that must be reported to the Army (Decree No. 3655, Annex 1, as amended)**

Not applicable.

**Brazil. Drug precursors (Ordinance No. 1.274)**

Ethylacetate (CAS 141-78-6)

**Brazil. Ozone depleting substances (Decree No. 99.280, Annexes A, B, C and E, as amended)**

Not applicable.

**Brazil. Use and physiological effects of chemical products (Decree No. 3665, Annex 3)**

Not applicable.

**POPs (Decree No. 5.472 promulgates the Stockholm Convention on persistent organic pollutants)**

Not listed.

### International regulations

**Montreal Protocol**

Not applicable.

**Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

Not applicable.

**Basel Convention**

Not applicable.

---

**16. Other information**

<b>Major recommended uses for the substance or mixture</b>	Inkjet printing
<b>Specific restrictions for use of the substance or mixture</b>	Not available.
<b>Significant information, yet not specifically related to the previous sections</b>	Not available.
<b>Legends and abbreviations</b>	Not available.
<b>Issue date</b>	29-Aug-2014
<b>Revision date</b>	14-Mar-2017
<b>Version #</b>	02
<b>Revision Information</b>	This document has undergone significant changes and should be reviewed in its entirety.
<b>Disclaimer</b>	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
<b>Manufacturer information</b>	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US (Direct) +972 (9) 892-4628

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds