



SAFETY DATA SHEET

1. Product and Company Identification

Product identifier CD405 Series
Issue date 22-May-2015
Revision date 16-Aug-2016
Version # 03
Product use Inkjet printing
Synonym(s) HP DS100 Specialty Textile Light Yellow Scitex Ink
Company identification HP Canada Co.
5150 Spectrum Way, Floor 6
Mississauga, Ontario, Canada L4W 5G1
Telephone 1-905-206-4725
or 1-888-447-4636

HP Inc. health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Physical hazards Flammable liquids Category 4
Health hazards Acute toxicity, dermal Category 4
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements



Signal word Warning
Hazard statement Combustible liquid. Harmful in contact with skin.
Precautionary statement
Prevention P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response P370 + P378 - In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish.
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
P312 - Call a POISON CENTER/doctor/physician if you feel unwell.
P363 - Wash contaminated clothing before reuse.
Storage P403 + P235 - Store in a well-ventilated place. Keep cool.
Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Ethylene Glycol, Monobutyl Ether Acetate	112-07-2	<100

4. First Aid Measures

First aid procedures
Eye contact In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. If irritation persists get medical attention.

Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation persists get medical attention. Remove and isolate contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes before reuse.
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.
Notes to physician	Treat symptomatically.

5. Fire Fighting Measures

Flash point	> 145.0 °F (> 62.8 °C) (Closed Cup)
Flammable properties	None known.
Extinguishing media	
Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
Fire fighting equipment/instructions	Firefighters should wear full protective clothing including self contained breathing apparatus.
Specific methods	Water mist may be used to cool closed containers.
Explosion data	
Sensitivity to static discharge	Not available.
Sensitivity to mechanical impact	Not available.
Hazardous combustion products	Carbon monoxide and carbon dioxide.

6. Accidental Release Measures

Methods for cleaning up	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Other information	Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.

7. Handling and Storage

Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	131 mg/m3
		20 ppm

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)
Components Type Value

Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm
---	-----	--------

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)
Components Type Value

Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm
---	-----	--------

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	None established.
Engineering controls	Use in a well ventilated area. Ensure adequate ventilation, especially in confined areas. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.
Personal protective equipment	
Eye/face protection	Avoid contact with eyes Wear safety glasses; chemical goggles (if splashing is possible).
Skin protection	Use personal protective equipment to minimize exposure to skin and eye.
Respiratory protection	Not available.
Hand protection	Recommended gloves: Nitrile 6 mil minimum thickness.

9. Physical & Chemical Properties

Appearance	
Physical state	Not available.
Color	Light yellow.
Odor	Not available.
Odor threshold	Not available.
pH	Not applicable.
Vapor pressure	Not determined.
Boiling point	Not determined.
Melting point/Freezing point	Not determined.
Solubility (water)	Not available.
Specific gravity	0.94 @ 20 Degrees C
Flash point	> 145.0 °F (> 62.8 °C) (Closed Cup)
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.
VOC	< 850 g/L
Evaporation rate	Not determined.
Partition coefficient (n-octanol/water)	Not available.

10. Chemical Stability & Reactivity Information

Chemical stability	Stable at normal conditions
Conditions to avoid	Not available.
Incompatible materials	strong oxidizing agents Strong acids and strong alkalis. oxidizing agents
Hazardous decomposition products	None known.
Possibility of hazardous reactions	Will not occur.

11. Toxicological Information

Acute effects	Harmful in contact with skin.
Skin irritation and corrosion	Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Skin sensitization Based on available data, the classification criteria are not met.

Respiratory sensitization Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

ACGIH Carcinogens
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2) A3 Confirmed animal carcinogen with unknown relevance to humans.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Complete toxicity data are not available for this specific formulation

Toxicological data

Product	Species	Test Results
CD405 Series		
Acute		
<i>Oral</i>		
LD50	Rat	2400 mg/kg
Components		
Species		
Test Results		
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	1500 mg/kg
<i>Oral</i>		
LD50	Rat	2400 mg/kg
<i>Other</i>		
LD50	Mouse	754 mg/kg

12. Ecological Information

Ecotoxicity This product has not been tested for ecological effects.

Environmental effects Not available.

Persistence and degradability Not available.

Ecotoxicological data No ecotoxicity data noted for the ingredient(s).

13. Disposal Considerations

Disposal instructions Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

14. Transport Information

DOT

UN number NA1993

UN proper shipping name Combustible liquid n.o.s. (butyl cellosolve acetate) -Not regulated in quantities less than 119 gallons

Transport hazard class(es)

Class Combustible

Subsidiary risk -

Packaging group III

Special precautions for user Not available.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

15. Regulatory Information

Canadian regulations This product contains one or several components listed in the Canadian NDSL list.

16. Other Information

HMIS® ratings Health: 2
Flammability: 2
Physical hazard: 1

NFPA ratings Health: 2
Flammability: 2
Instability: 1

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Prepared by HP Chemical Compliance & Toxicology Department

Issue date 22-May-2015

Revision date 16-Aug-2016

Version # 03

This data sheet contains changes from the previous version in section(s): 8. Exposure Controls / Personal Protection: Hand protection

Manufacturer information HP Inc.
1501 Page Mill Road
Palo Alto, CA 94304-1112 US
(Direct) +972 (9) 892-4628

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds