



SAFETY DATA SHEET

1. Product and Company Identification

Product identifier CH131Series
Issue date 29-Aug-2013
Revision date 09-Aug-2015
Version # 06
Product use Inkjet printing.
CAS # Mixture
Synonym(s) HP Scitex FB240 Magenta Ink
Company identification HP Canada Co.
5150 Spectrum Way, Floor 6
Mississauga, Ontario, Canada L4W 5G1
Telephone 1-905-206-4725
or 1-888-447-4636

HP health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Physical hazards Not classified.
Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1
Sensitization, skin Category 1
Reproductive toxicity Category 2
Specific target organ toxicity, repeated exposure Category 1
Environmental hazards Hazardous to the aquatic environment, long-term hazard Category 2
OSHA defined hazards Not classified.
Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging fertility. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P270 - Do not eat, drink or smoke when using this product.
P264 - Wash hands thoroughly after handling.
P273 - Avoid release to the environment.

| | |
|-----------------|--|
| Response | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention. P308 + P313 - IF exposed or concerned: Get medical attention/advice. P391 - Collect spillage. P362 - Take off contaminated clothing and wash before reuse. |
| Storage | P405 - Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |

Other hazards Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Proprietary initiator - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

3. Composition / Information on Ingredients

| Components | CAS # | Percent |
|--|-------------|---------|
| 2-Phenoxy-ethyl acrylate | 48145-04-6 | <40 |
| Carboxylic Acids, Esters | 3076-04-8 | <25 |
| N-vinylcaprolactam | 2235-00-9 | <25 |
| Alkyl Acrylate Ester #2 | Proprietary | <10 |
| Alkyl Acrylate Ester #1 | Proprietary | <5 |
| Multi-Functional Acrylate Ester | Proprietary | <5 |
| Proprietary initiator | Proprietary | <5 |
| 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone | 119313-12-1 | <1 |
| Benzophenone | 119-61-9 | <1 |

4. First Aid Measures

First aid procedures

| | |
|---------------------|---|
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention. |
| Inhalation | Move to fresh air. If symptoms persist, get medical attention. |
| Ingestion | If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. |

5. Fire Fighting Measures

| | |
|---|--|
| Flash point | > 212.0 °F (> 100.0 °C) Closed Cup |
| Flammable properties | None known. |
| Extinguishing media | |
| Suitable extinguishing media | Dry powder. Carbon dioxide (CO2). Water may be ineffective. |
| Unsuitable extinguishing media | Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire. |
| Fire fighting equipment/instructions | Avoid runoff into storm sewers and ditches which lead to waterways. |
| Explosion data | |
| Sensitivity to static discharge | Not available. |
| Sensitivity to mechanical impact | Not available. |
| Hazardous combustion products | Not available. |

6. Accidental Release Measures

| | |
|----------------------------------|---|
| Personal precautions | Wear appropriate personal protective equipment. Do not touch or walk through spilled material. |
| Environmental precautions | Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| Methods for cleaning up | Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. |
| Other information | Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations. |

7. Handling and Storage

| | |
|-----------------|---|
| Handling | Avoid contact with skin, eyes and clothing. |
| Storage | Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage. |

8. Exposure Controls / Personal Protection

| | |
|--------------------------------------|--|
| Occupational exposure limits | No exposure limits noted for ingredient(s). |
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | Exposure limits have not been established for this product. |
| Engineering controls | Not available. |
| Personal protective equipment | |
| Eye/face protection | Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended. |
| Skin protection | Wear appropriate chemical resistant clothing. |
| Respiratory protection | Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. |
| Hand protection | Wear appropriate chemical resistant gloves. |

9. Physical & Chemical Properties

| | |
|---|------------------------------------|
| Appearance | |
| Physical state | Liquid. |
| Color | Magenta |
| Odor | Characteristic. |
| Odor threshold | Not available. |
| pH | Not available. |
| Vapor pressure | Not available. |
| Boiling point | Not available. |
| Melting point/Freezing point | Not available. |
| Solubility (water) | Not available. |
| Specific gravity | Not available. |
| Flash point | > 212.0 °F (> 100.0 °C) Closed Cup |
| Flammability limits in air, upper, % by volume | Not available. |
| Flammability limits in air, lower, % by volume | Not available. |
| Auto-ignition temperature | Not available. |
| VOC | < 95 g/L |
| Evaporation rate | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Other data | |
| Chemical family | Acrylate/Polymer/Pigment Blend |

10. Chemical Stability & Reactivity Information

| | |
|-------------------------------|--|
| Chemical stability | Stable under normal storage conditions. |
| Conditions to avoid | Exposure to sunlight. |
| Incompatible materials | Incompatible with strong bases and oxidizing agents. alkaline metals |

| | |
|---|---|
| Hazardous decomposition products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |
| Possibility of hazardous reactions | Hazardous polymerization can occur with decreased inhibitor content. |

11. Toxicological Information

| | |
|---|---|
| Acute effects | Based on available data, the classification criteria are not met. |
| Skin irritation and corrosion | Causes skin irritation. |
| Serious eye damage/eye irritation | Causes serious eye damage. |
| Respiratory or skin sensitization | |
| Skin sensitization | May cause sensitization by skin contact. |
| Respiratory sensitization | Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |
| IARC Monographs. Overall Evaluation of Carcinogenicity | |
| Benzophenone (CAS 119-61-9) | 2B Possibly carcinogenic to humans. |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| Reproductive toxicity | Suspected of damaging fertility. |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - repeated exposure | Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| Further information | Complete toxicity data are not available for this specific formulation |

| Toxicological data | | |
|-----------------------------|----------------|---------------------|
| Components | Species | Test Results |
| Benzophenone (CAS 119-61-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | 2895 mg/kg |
| <i>Other</i> | | |
| LD50 | Mouse | 727 mg/kg |

12. Ecological Information

| | |
|--------------------------------------|--|
| Environmental effects | Not available. |
| Aquatic toxicity | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects. |
| Persistence and degradability | Not available. |

| Ecotoxicological data | | |
|------------------------------|----------------|---|
| Components | Species | Test Results |
| Benzophenone (CAS 119-61-9) | | |
| Aquatic | | |
| Fish | LC50 | Fathead minnow (<i>Pimephales promelas</i>) 9.64 - 12.31 mg/l, 96 hours |

13. Disposal Considerations

| | |
|------------------------------|--|
| Disposal instructions | Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor. |
|------------------------------|--|

14. Transport Information

| | |
|-------------------------------------|---|
| DOT | Not regulated as dangerous goods. |
| DOT supplemental information | DOT Classification only applies to shipments within the US and Puerto Rico. |
| IATA | |
| UN number | UN3082 |
| UN proper shipping name | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates) |

Transport hazard class(es)

Class 9
Subsidiary risk -
Packing group III
Environmental hazards Yes
Special precautions for user Not available.

IATA supplemental information

When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

IMDG

UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
Transport hazard class(es)
Class 9
Subsidiary risk -
Packing group III
Environmental hazards
Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.

IMDG supplemental information

When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

ADR


Proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Hazard class 9
UN number 3082
Packing group III
Marine pollutant Yes

ADR supplemental information

When shipping ≤ 5L containers, ADR 375 may apply.

IATA; IMDG

ADR



15. Regulatory Information

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other Information

HMIS® ratings

Health: 2*
Flammability: 1
Physical hazard: 1

NFPA ratings

Health: 2
Flammability: 1
Instability: 1

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Prepared by

HP

Issue date

29-Aug-2013

Revision date

09-Aug-2015

Version

06

This data sheet contains changes from the previous version in section(s):

16. Other Information: Disclaimer

Manufacturer information

HP
1501 Page Mill Road
Palo Alto, CA 94304-1112 US
Product Information 1-800-925-0563

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |