



# SAFETY DATA SHEET

## 1. Identification

### Important information

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. \*\*\*

### Product identifier

CP814Series

### Other means of identification

#### Synonyms

HP HDR230 Cyan Scitex Ink Cartridge

### Recommended use

Inkjet printing

### Recommended restrictions

None known.

### Manufacturer/Importer/Supplier/Distributor information

HP Canada Co.  
5150 Spectrum Way, Floor 6  
Mississauga, Ontario, Canada L4W 5G1  
888-206-0291

### Telephone

### HP Inc. health effects line

#### (Toll-free within the US)

1-800-457-4209

#### (Direct)

1-760-710-0048

### HP Inc. Customer Care

#### Line

#### (Toll-free within the US)

1-800-474-6836

#### (Direct)

1-208-323-2551

#### Email:

hpcustomer.inquiries@hp.com

### Emergency Telephone

1-760-710-0048

### Number

### Supplier

Not available.

## 2. Hazard identification

### Physical hazards

Not classified.

### Health hazards

Skin corrosion/irritation

Category 2

Sensitization, skin

Category 1

Reproductive toxicity (fertility, the unborn child)

Category 2

Specific target organ toxicity, repeated exposure

Category 1 (liver, respiratory system)

### Environmental hazards

Hazardous to the aquatic environment, long-term hazard

Category 2

### OSHA defined hazards

Not classified.

### Label elements



### Signal word

Danger

### Hazard statement

Suspected of damaging fertility. Suspected of damaging the unborn child. Causes skin irritation. May cause an allergic skin reaction. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

## Precautionary statement

### Prevention

Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

### Response

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical attention/advice. Call a POISON CENTER/doctor/physician if you feel unwell. Get medical attention/advice if you feel unwell. Collect spillage. Wash contaminated clothing before reuse.

### Storage

Store locked up.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other hazards

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

### Supplemental information

None.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-phenoxyethyl acrylate		48145-04-6	10-30
Oxybis(methyl-2,1-ethanediyl) diacrylate		57472-68-1	10-30
Propylidynetrimethanol, ethoxylated esters with acrylic acid		28961-43-5	7-13
Dodecyl acrylate		2156-97-0	5-10
Propoxylated glycerol triacrylate		52408-84-1	5-10
1-vinylhexahydro-2H-azepin-2-one		2235-00-9	1-5
2-Propenoic acid-1,6-hexanediylester, polymer with disubstituted alkane		67906-98-3	1-5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide		75980-60-8	1-5
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide		162881-26-7	1-5
Propoxylated Neopentyl Glycol Diacrylate		84170-74-1	1-5
1,6-Hexanediol Diacrylate		13048-33-4	0.1-1
CUPRATE (1-), [29H, -31H-PHTHALOCYANINE-CSULFO NATO (3 -) - N29, N30, N31, N32], VODIK, COMPD. S 1-DODECANAMINOM (1: 1)		73455-75-1	0.1-1
Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester		55818-57-0	0.1-1

### Composition comments

The components of this product have been evaluated in accordance with the hazard criteria of the Canada Hazardous Products Regulations (HPR).

## 4. First-aid measures

### Inhalation

Move to fresh air. If symptoms persist, get medical attention.

### Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

### Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

### Ingestion

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.

### Most important symptoms/effects, acute and delayed

Not available.

---

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Dry powder. Carbon dioxide (CO <sub>2</sub> ). Water may be ineffective.
<b>Unsuitable extinguishing media</b>	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
<b>Specific hazards arising from the chemical</b>	Not applicable.
<b>Special protective equipment and precautions for firefighters</b>	Not available.
<b>Fire fighting equipment/instructions</b>	Avoid runoff into storm sewers and ditches which lead to waterways.

---

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
<b>Methods and materials for containment and cleaning up</b>	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

---

## 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid contact with skin, eyes and clothing.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

---

## 8. Exposure controls/personal protection

<b>Occupational exposure limits</b>	No exposure limits noted for ingredient(s).
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Exposure guidelines</b>	Exposure limits have not been established for this product.
<b>Appropriate engineering controls</b>	Not available.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.
<b>Other</b>	Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
<b>Thermal hazards</b>	Not available.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

---

## 9. Physical and chemical properties

<b>Appearance</b>	
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Cyan
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.

---

<b>Flash point</b>	> 287.6 °F (> 142.0 °C) Pensky-Martens Closed Cup EPA Method 1020 Estimated
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	12.5 - 13.5 cP Cone and Plate Rheometer, Temperature 50°C. C60/1° Sensor. Values recorded at 4000 1/s.
<b>Other information</b>	For other VOC regulatory data/information see Section 15.
<b>VOC</b>	18 g/l Method 24/ASTM D5409-93 Estimated

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Chemical stability</b>	Stable under normal storage conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization can occur with decreased inhibitor content.
<b>Conditions to avoid</b>	Exposure to sunlight.
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents. alkaline metals
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Inhalation may result in mild irritation to the respiratory system.
<b>Skin contact</b>	Causes skin irritation. May cause sensitization by skin contact.
<b>Eye contact</b>	Contact with eyes may result in mild irritation.
<b>Ingestion</b>	Ingestion is not a likely route of exposure.

**Symptoms related to the physical, chemical and toxicological characteristics** Not available.

### Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	1700 mg/kg
<b>Inhalation</b>		
LC50	Rat	> 1.6 mg/l
<b>Oral</b>		
LD50	Rat	1114 mg/kg

<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met. Non-corrosive. Not a known irritant. (OECD 437)
<b>Respiratory or skin sensitization</b>	
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.
<b>Skin sensitization</b>	May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Suspected of damaging fertility. Suspected of damaging the unborn child.
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure</b>	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.
<b>Further information</b>	Complete toxicity data are not available for this specific formulation

## 12. Ecological information

**Aquatic toxicity** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

### Ecotoxicity

Components		Species	Test Results
2-phenoxyethyl acrylate (CAS 48145-04-6)			
<i>Acute</i>			
	EC10	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
	EC50	Desmodesmus subcapitatus	4.44 mg/l, 72 h (DIN 38412 L9)
	LC50	Leuciscus idus	10 mg/l, 96 h (DIN 38 412)
	NOEC	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
CUPRATE (1-), [29H, - 31H-PHTHALOCYANINE-CSULFONATO (3 -) - N29, N30, N31, N32], VODIK, COMPD. S 1-DODECANAMINOM (1: 1) (CAS 73455-75-1)			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	0.569 mg/l, 48 h (OECD 202)
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8)			
<i>Acute</i>			
	EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
Dodecyl acrylate (CAS 2156-97-0)			
<i>Acute</i>			
	ErC50	Pseudokirchneriella subcapitata	> 0.274 µg/l, 72 h (OECD 201)
	LC50	Leuciscus idus	460 mg/l, 96 h (DIN 38 412, part L 15, 1982)
	NOEC	Leuciscus idus	215 mg/l, 96 h (DIN 38 412, part L 15, 1982)
<i>Chronic</i>			
	LOEC	Daphnia magna	> 0.25 µg/l, 21 d (OECD 211)

Components	Species	Test Results	
<b>Aquatic</b>			
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.25 µg/l, 21 d (OECD 211)
Fish	LOEC	Danio rerio	> 1 µg/l, 36 d (OECD 210)
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide (CAS 162881-26-7)			
<i>Acute</i>			
	EC50	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
	LC50	Danio rerio	> 90 µg/l, 96 h (OECD 203)
	NOEC	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 1175 µg/l, 48 h (OECD 202)
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	>= 8.1 µg/l, 21 d (OECD 211)
Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester (CAS 55818-57-0)			
<i>Acute</i>			
	EC50	Pseudokirchneriella subcapitata	105 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	> 0.082 mg/l, 96 h (OECD 203)
	NOEC	Pseudokirchneriella subcapitata	29 mg/l, 72 h (OECD 201)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 16 mg/l, 48 h (OECD 202)
	NOEC	Daphnia magna	> 16 mg/l, 48 h (OECD 202)
<i>Chronic</i>			
Crustacea	EC10	Daphnia magna	> 0.51 mg/l, 21 d (OECD 211)
	NOEC	Daphnia magna	> 0.51 mg/l, 21 d (OECD 211)
Fish	EC10	Pimephales promelas	0.43 mg/l, 33 d (OECD 210)
	NOEC	Pimephales promelas	0.25 mg/l, 33 d (OECD 210)
Propoxylated Neopentyl Glycol Diacrylate (CAS 84170-74-1)			
<i>Acute</i>			
	EC10	Pseudokirchneriella subcapitata	2.3 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	11 mg/l, 72 h (OECD 201)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia Magna	37 mg/l, 48 h (OECD 202)
Fish	LC50	Danio rerio	2.7 mg/l, 96 h (OECD 203)
<b>Persistence and degradability</b>	Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester: inherently biodegradable (42%, 28D, OECD 301F)		
<b>Bioaccumulative potential</b>	Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester: No bioaccumulation observed, logPow = 3.8		
<b>Bioconcentration factor (BCF)</b>			
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance Control Law, Japan)		
Dodecyl acrylate	2.34, (EPA Epiwin (v.4.11))		
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5, (similar to OECD 305 C)		
<b>Mobility in soil</b>	Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester: log Koc = 3.55 (25°C, OECD 121)		
<b>Other adverse effects</b>	Not available.		

---

### 13. Disposal considerations

<b>Disposal instructions</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
<b>Waste from residues / unused products</b>	Not available.
<b>Contaminated packaging</b>	Not available.

---

### 14. Transport information

#### DOT

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Not available.

**DOT Supplemental Information** DOT Classification only applies to shipments within the US and Puerto Rico.

#### IATA

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.


#### IMDG

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Transport hazard class(es)</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-F
<b>Special precautions for user</b>	Not available.


#### ADR

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Hazard No. (ADR)</b>	Not available.
<b>Tunnel restriction code</b>	Not available.
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.

ADR; DOT; IATA; IMDG



Marine pollutant



---

## 15. Regulatory information

### Canadian regulations

#### Controlled Drugs and Substances Act

Not regulated.

#### Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### Greenhouse Gases

Not listed.

#### Precursor Control Regulations

Not regulated.

### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### Stockholm Convention

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Kyoto protocol

Not applicable.

#### Montreal Protocol

Not applicable.

#### Basel Convention

Not applicable.

### Other information

US EPA Method 24 VOC content (less water, less exempt compounds) = 18 g/L (U.S. requirement, not for emissions)

---

## 16. Other information

### Issue date

15-Feb-2018

### Revision date

22-Apr-2021

### Version #

07

### Other information

This SDS was prepared in accordance with Canada Controlled Product Regulations.



## Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

## Revision information

3. Composition / Information on Ingredients: Disclosure Overrides

Toxicological information: Acute toxicity

Ecological information: Persistence / degradability

Ecological information: Bioaccumulative potential

Ecological information: Mobility in soil

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds