



SAFETY DATA SHEET

Section 1: Identification of the chemical product and of the supplier

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Identification of the chemical product	CN983 Series
Recommended use of the chemical and restrictions on use	
Recommended use	Inkjet printing.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
	HP Inc Chile Comercial Limitada Mariano Sanchez Fontecilla 310, Piso 13 Santiago, Chile 7550296
Telephone:	56-2-333-0978
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com

Section 2: Hazards identification

Classification according to GHS

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Combustible liquid. Harmful in contact with skin. Harmful if inhaled. Causes serious eye damage. May be harmful if swallowed.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
Response	In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse.
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety signs according to NCh1411/4



Other hazards Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.
Supplemental information None.

Section 3: Composition/information on ingredients

Mixture

Hazardous components

Systematic chemical name	Common or generic name	Concentration range	CAS number
2-butoxyethyl acetate		<80	112-07-2
Propylene glycol monomethyl ether acetate		<15	Proprietary
Cyclohexanone		<7.5	108-94-1

Non-hazardous components

Systematic chemical name	Common or generic name	Concentration range	CAS number
Black Pigment		<5	Proprietary

Section 4: First-aid measures

Inhalation Move person to fresh air immediately.
If symptoms persist, get immediate medical attention.

Skin contact In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse.
Get medical attention, if needed.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately.

Ingestion Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.
Get medical attention immediately.

Expected acute effects Not available.

Expected delayed effects Not available.

Most important symptoms/effects Not available.

Special notes for treating physician Not available.

Section 5: Fire-fighting measures

Extinguishing media Suitable extinguishing media: sand, carbon dioxide (CO2), and dry chemical.

Inappropriate extinguishing media Not available.

Products formed during combustion and thermal degradation Not available.

Specific associated hazards Not applicable.

Specific extinguishing methods Not available.

Precautions for emergency personnel and/or firefighters Move containers from fire area if you can do it without risk.

Section 6: Accidental release measures

Personal precautions Avoid contact with skin. Avoid inhalation of vapors or mists.
Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition.
Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.

Protective equipment Not available.

Emergency procedures Dispose of in compliance with federal, state, and local regulations.

Environmental precautions	Do not flush into surface water or sanitary sewer system.
Methods and material for containment, confinement, and/or abatement	Not available.
Methods and materials for clean-up	
Recovery	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Neutralization	Not available.
Final disposal	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
Additional measures for preventing disasters	Not available.

Section 7: Handling and storage

Handling

Precautions for safe handling	Use this product with adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.
Operational and technical measures	Wear personal protective equipment.
Other precautions	Not available.
Prevention of contact	Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse.

Storage

Conditions for safe storage	Not available.
Technical measures	Keep away from heat, sparks and open flame. Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible substances and mixtures	Not available.
Materials for containers and/or packaging	Not available.

Section 8: Exposure controls/personal protection

Maximum permissible concentration

Chile. OELs. Decree No. 594, arts. 61 & 66: Regulating Basic Health and Environmental Conditions in the Workplace and Setting Permissible Levels of Exposure to Chemical and Physical Agents

Components	Type	Value
Black Pigment	LPP	3.1 mg/m ³
Cyclohexanone (CAS 108-94-1)	TWA	87.5 mg/m ³ 22 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
2-butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm	
Black Pigment	TWA	3 mg/m ³	Inhalable fraction.
Cyclohexanone (CAS 108-94-1)	STEL	50 ppm	
	TWA	20 ppm	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Cyclohexanone (CAS 108-94-1)	80 mg/l	1,2-Cyclohexanediol, with hydrolysis	Urine	*
	8 mg/l	Cyclohexanol, with hydrolysis	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines

OELs. Decree No. 594, arts. 61 & 66: Regulating Basic Health and Environmental Conditions in the Workplace and Setting Permissible Levels of Exposure to Chemical and Physical Agents

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

Individual protection measures, such as personal protective equipment

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Hand protection Recommended gloves: Nitrile 6 mil minimum thickness.

Eye protection Wear safety glasses; chemical goggles (if splashing is possible).
Eye wash fountain and emergency showers are recommended.

Skin and body protection Wear appropriate chemical resistant clothing.

Engineering measures Not available.

General hygiene considerations

Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing.
When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.
Launder contaminated clothing before reuse.

Section 9: Physical and chemical properties

Appearance

Physical state Not available.

Form Liquid.

Color Black.

Odor Solvent.

pH 5.8 - 6.2 Metler Toledo pH Meter

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point ≥ 149.0 °F (≥ 65.0 °C) Closed Cup EPA Method 1020

Explosivity limits Not available.

Vapor pressure Not available.

Density 1.00 g/cm³

Solubility(ies)

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Odor threshold Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Viscosity 13 - 13.8 cP Brookfield Viscometer T 22C Spindle #18 (S18) RPM 100

Section 10: Stability and reactivity

Chemical stability Stable at normal conditions.

Possibility of hazardous reactions None known.

Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Not available.
Hazardous decomposition products	Not available.

Section 11: Toxicological information

Information on toxicological effects

Acute toxicity May be harmful if swallowed. Harmful if inhaled. Harmful in contact with skin.

Components	Species	Test Results
Black Pigment		
Acute		
Oral		
LD50	Rat	> 10000 mg/kg
Cyclohexanone (CAS 108-94-1)		
Acute		
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 6.2 mg/l, 4 Hours

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Carbon black is present only in a bound form in this preparation.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Related symptoms Not available.

Section 12: Ecological information

Ecotoxicity No ecotoxicity data noted for the ingredient(s).

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Section 13: Disposal considerations

Remains/residues Not available.

Contaminated container, packaging and contaminated materials Not available.

Disposal instructions Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

Section 14: Transport information

DOT	
UN number	NA1993
UN proper shipping name	Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate, cyclohexanone) -Not regulated in quantities less than 119 gallons
Transport hazard class(es)	
Class	Combustible
Subsidiary risk	-
Packing group	III
Special precautions for user	Not available.
DOT Supplemental Information	DOT Classification only applies to shipments within the US and Puerto Rico.
IATA	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
IMDG	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for user	Not available.
ADR	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
Further information	Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

Section 15: Regulatory information

National regulations

Controlled chemical substances susceptible to manufacturing of narcotics and psychotropic drugs, Lists I, II, III (Decree 1358, published April 17, 2007)

Cyclohexanone (CAS 108-94-1)

Prohibited Substances (Reg. 594/1999, art. 65, as of Nov. 8, 2012)

Not listed.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

Section 16: Other information

Revision information

Not applicable.

References

Not available.

Disclaimer

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds