

# SAFETY DATA SHEET

1. Identification

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

1/7

being taken by HP. \*\*\*

Name of the substance or

mixture (trade name)

Major recommended uses for

the substance or mixture

Specific restrictions for use of the substance or mixture

Inkjet printing. For use only in inkjet printing

Not available.

C9491Series

Manufacturer/Importer/Distributor information

**HP Colombia SAS** Company identification

Carrera 7 No 99-53 Torre B Pisos 7

Bogota, Colombia

**Telephone** (57) 1 639 0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

Line

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

Fmail: hpcustomer.inquiries@hp.com

## 2. Hazards identification

## Classification of the substance or mixture

**Physical hazards** Not classified. Not classified. **Health hazards Environmental hazards** Not classified.

#### GHS labeling elements, including precautionary statements

Hazard symbol(s) None. None. Signal word

Hazard statement(s) Not available.

Precautionary statement(s)

Not available. Prevention Not available Response Not available. Storage Disposal Not available.

Other hazards which do not

result in classification

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use

conditions.

Complete toxicity data are not available for this specific formulation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not

present this carcinogenic risk.

**GHS Supplemental information** None.

## 3. Composition/information on ingredients

Mixture

12163 Version #: 04 Issue date: 14-Jun-2018 Revision date: 20-Dec-2019

| Common chemical name or technical name | CAS number  | Concentration or<br>concentration<br>range |
|--|-------------|--|
| Water                                  | 7732-18-5   | 70-80                                      |
| Cyclo Amide                            | Proprietary | <15  |
| Black Pigment                          | Proprietary | <5   |
| Diethylene glycol                      | 111-46-6    | <5   |
| Trade secret colorant                  | Proprietary | <1   |

Composition comments

Product name: C9491Series

This ink supply contains an aqueous ink formulation.

Carbon black is present only in a bound form in this preparation.

#### 4. First-aid measures

First-aid measures

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Not available.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

Most important

symptoms/effects, acute and

delayed

Notes to physician Not available

# 5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Unusual fire & explosion

hazards

Hydrogen fluoride, a corrosive and toxic gas, and other potentially hazardous fluorine-containing compounds may be released upon combustion.

Specific hazards arising from

the chemical

Not available.

Protective measures taken by

firefighting crews

Not available.

Specific methods

None established.

**Hazardous combustion** 

products

Refer to section 10.

# 6. Control measures for spills and leaks

## Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services

Wear appropriate personal protective equipment.

To be taken by those who are involved in rendering emergency services

Not available.

**Environmental precautions** Methods and materials for

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand containment and cleaning up or diatomaceous earth, commercial sorbents, or recover using pumps.

Other issues relating to spills and releases

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and storage

Precautions for safe handling Avoid contact with skin, eyes and clothing.

3/7

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

## 8. Exposure controls/personal protection

#### **Control parameters**

| Occupational | AVNOSTIFA | limite       |
|--------------|-----------|--------------|
| Occupational | exposure  | IIIIIIIIIIII |

| 110 | ACCILI | Thusabald | 1 : :4 1 | 1/-1   |
|-----|--------|-----------|----------|--------|
| US. | ACGIR  | Threshold | Limit    | vaiues |

| Components    | Туре | Value   | Form                |
|---------------|------|---------|---------------------|
| Black Pigment | TWA  | 3 mg/m3 | Inhalable fraction. |

Chile. OELs (Reg. 594/1999, arts. 61 & 66, as amended on Jan 24, 2015)

Components Type Value

Black Pigment TWA 3.1 mg/m3

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace Components

Type

Value

Form

Black Pigment TWA 3 mg/m3 Inhalable fraction.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

ComponentsTypeValueFormBlack PigmentTWA3 mg/m3Inhalable fraction.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace

voi kpiace

Components

ComponentsTypeValueFormBlack PigmentTWA3 mg/m3Inhalable fraction.

Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el

Value

Ambiente de Trabajo)

 Components
 Type
 Value

 Black Pigment
 TWA
 3.5 mg/m3

Venezuela. OELs. (COVENIN 2253: Permissible Environmental Concentration Limits for Chemical Substances in

Workplaces and Biological Exposure Indices)

Black Pigment TWA 3.5 mg/m3

Type

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Exposure limits have not been established for this product.

Appropriate engineering N

controls

Not available.

Personal protective measures

**Eyes and face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Use protective gloves made of: Nitrile rubber.

Personal protective equipment

**General** Use personal protective equipment to minimize exposure to skin and eye.

Personal protective measures

Other Wear appropriate chemical resistant clothing.

Respiratory protection Not available.

Thermal hazards Not available.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Not available.
Color Black.
Odor Not available.
Odor threshold Not available.

4/7

12163 Version #: 04 Issue date: 14-Jun-2018 Revision date: 20-Dec-2019

**pH** 8 - 10

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

temperature range

> 230.0 °F (> 110.0 °C)

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%

Flash point

Not available.

Flammability limit - upper

(%)

Not available.

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other physical and chemical parameters

Oxidizing properties Not determined

Specific gravity 1 - 1.1 VOC < 180 g/l

#### 10. Stability and reactivity

**Reactivity** Not available.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

None known.

Conditions to avoid Not available.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons., fluorinated hydrocarbons and hydrogen

fluoride.

#### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contactContact with skin may result in mild irritation.Eye contactContact with eyes may result in mild irritation.IngestionIngestion is not a likely route of exposure.

Symptoms Not available.

**Acute toxicity** Based on available data, the classification criteria are not met.

Components Species Test Results

Black Pigment

Acute Oral

LD50 Rat

> 10000 mg/kg

12163 Version #: 04 Issue date: 14-Jun-2018 Revision date: 20-Dec-2019

5/7

Components **Species Test Results** Diethylene glycol (CAS 111-46-6) Acute **Dermal** LD50 Rabbit 11890 mg/kg Inhalation Aerosol LC50 Rat > 4.6 mg/l, 4 Hours Oral LD50 Rat 12565 mg/kg

Trade secret colorant

**Acute** Oral

Product name: C9491Series

LD50 Rat > 2000 mg/kg

Skin irritation and corrosion Based on available data, the classification criteria are not met.

Non irritant in rabbit (OECD 404)

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met. Respiratory sensitization Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

**ACGIH Carcinogens** 

Black Pigment (CAS Proprietary) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Black Pigment (CAS Proprietary)

A3 Animal carcinogen.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Black Pigment (CAS Proprietary) Group A3 Confirmed animal carcinogen with unknown relevance

to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Black Pigment (CAS Proprietary) 2B Possibly carcinogenic to humans.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the

Workplace

Black Pigment (CAS Proprietary) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Venezuela. OELs. (COVENIN 2253: Permissible Environmental Concentration Limits for Chemical Substances in Workplaces and Biological Exposure Indices)

Black Pigment (CAS Proprietary) A4 Not classifiable as a human carcinogen.

Toxic to reproduction Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Specific target organ toxicity -

single exposure

Specific target organ toxicity repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met. Other information Complete toxicity data are not available for this specific formulation

# 12. Ecological information

**Aquatic toxicity** No information available.

6/7

12163 Version #: 04 Issue date: 14-Jun-2018 Revision date: 20-Dec-2019

**Ecotoxicity** No information available.

Product Species Test Results

C9491Series

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 Hours

Persistence and degradability

Not available.

Bioaccumulative potential

Partition coefficient

Not available.

n-octanol / water (log Kow)

Bioconcentration factor

(BCF)

Not available.

Mobility in soilNot available.Other adverse effectsNot available.

## 13. Considerations on final disposal

# Recommended methods for final destination

Residual waste Not available.

Contaminated packaging Not available.

Local disposal regulations Do not allow this material to drain into sewers/water supplies. Dispose of waste material according

to Local, State, Federal, and Provincial Environmental Regulations.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## 15. Regulatory information

#### Federal regulations

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)

Not listed.

Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)

Not regulated.

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

**Montreal Protocol** 

Not applicable.

Stockholm Convention

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

## 16. Other information

Significant information, yet not specifically related to the previous sections

Not available

#### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds