9380 Version #: 04 Issue date: 19-Feb-2019 Revision date: 01-Jun-2020



SAFETY DATA SHEET

1. Identification

*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

1/7

being taken by HP. ***

Name of the substance or

mixture (trade name)

Major recommended uses for

the substance or mixture

Specific restrictions for use of the substance or mixture

Inkjet printing

C1892Series

Not available.

Manufacturer/Importer/Distributor information

HP Colombia SAS Company identification

Carrera 7 No 99-53 Torre B Pisos 7

Bogota, Colombia

Telephone (57) 1 639 0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

HP Inc. Customer Care

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

Fmail: hpcustomer.inquiries@hp.com

2. Hazards identification

Classification of the substance or mixture

Physical hazards Not classified. Not classified. Health hazards **Environmental hazards** Not classified.

GHS labeling elements, including precautionary statements

Hazard symbol(s) None. None. Signal word

Hazard statement(s) Not available.

Precautionary statement(s)

Not available. Prevention Not available. Response Not available. Storage **Disposal** Not available.

Other hazards which do not result in classification

Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation. None of the other ingredients in this preparation are classified as carcinogens

according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

2/7

9380 Version #: 04 Issue date: 19-Feb-2019 Revision date: 01-Jun-2020

3. Composition/information on ingredients

Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Water	7732-18-5	80-95
Tetraethylene glycol	112-60-7	<7.5
Black Pigment	Proprietary	<5
2-pyrrolidone	616-45-5	<3

Composition comments

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

4. First-aid measures

First-aid measures

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

ymptoms/enects, acute and

Notes to physician Not available

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Not available.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not available.

Protective measures taken by

firefighting crews

Not available.

Specific methods None established.

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services

Wear appropriate personal protective equipment.

Dry chemical, CO2, water spray or regular foam.

To be taken by those who are involved in rendering emergency services

Not available.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Other issues relating to spills and releases

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and storage

Precautions for safe handling Avoid contact with skin, eyes and clothing.

3/7

Keep out of the reach of children. Keep away from excessive heat or cold. Conditions for safe storage,

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

including any incompatibilities

US. A	CGIH	Threshold	Limit	Values
-------	------	------------------	-------	---------------

Components	Туре	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace Form Components Value

Black Pigment TWA 3 mg/m3 Inhalable fraction.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Form Components Value **Type Black Pigment** TWA 3 mg/m3 Inhalable fraction.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the

Workplace

Components Value **Form** Type **Black Pigment TWA** 3 mg/m3 Inhalable fraction.

Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el

Ambiente de Trabajo)

Components Value Type **Black Pigment** TWA 3.5 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product. **Exposure guidelines**

Use in a well ventilated area. Appropriate engineering controls Provide adequate ventilation.

Personal protective measures

Eyes and face protection

Not required under intended use.

Skin protection

Not available. **Hand protection**

Protected gloves not required under intended use. Other

Respiratory protection For use other than intended use (such as in the event of a large spill), goggles and respirators may

be required.

Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Not available. Black. Color

Not available. Odor **Odor threshold** Not available. 7.8 - 8.4pН Not available. Melting point/freezing point

Initial boiling point and boiling

Not determined

temperature range

> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup Flash point

Not determined **Evaporation rate** Not available. Flammability (solid, gas)

Product name: C1892Series SDS COLOMBIA SA

4/7

9380 Version #: 04 Issue date: 19-Feb-2019 Revision date: 01-Jun-2020

Upper/lower flammability or explosive limits

Flammability limit - lower

Not determined

Not available.

Not available.

(%)

Flammability limit - upper

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not determined

Vapor density Solubility(ies)

Solubility (water)Soluble in waterPartition coefficientNot available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity>= 2 cp

Other physical and chemical parameters

Oxidizing properties Not determined Percent volatile 7.9 % estimated

VOC < 40 g/l

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms Not available.

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

<u>Acute</u> Oral

LD50 Rat > 5000 mg/kg

Black Pigment

Acute Oral

LD50 Rat > 10000 mg/kg

Skin irritation and corrosion

Serious eye damage/eye

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

5/7 9380 Version #: 04 Issue date: 19-Feb-2019 Revision date: 01-Jun-2020

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Black Pigment (CAS Proprietary)

A3 Animal carcinogen.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Black Pigment (CAS Proprietary)

Group A3 Confirmed animal carcinogen with unknown relevance

to humans.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the

Workplace

Black Pigment (CAS Proprietary)

A3 Confirmed animal carcinogen with unknown relevance to

humans.

Toxic to reproduction

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Complete toxicity data are not available for this specific formulation Other information

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity

Product Species Test Results

C1892Series

Aquatic Acute

Fish

LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

Components **Species Test Results**

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Persistence and degradability

Bioaccumulative potential

Partition coefficient

n-octanol / water (log Kow)

-0.85 2-pyrrolidone

Bioconcentration factor

(BCF)

Not available.

Not available

Not available. Mobility in soil Not available. Other adverse effects

13. Considerations on final disposal

Recommended methods for final destination

Not available. Residual waste Contaminated packaging Not available.

Local disposal regulations Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

6/7

14. Transport information

DOT

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

ADR

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information

Federal regulations

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)

Not listed.

Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)

Not regulated.

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

9380 Version #: 04 Issue date: 19-Feb-2019 Revision date: 01-Jun-2020 7 / 7

Rotterdam Convention

Not applicable. **Kyoto protocol**

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not specifically related to the

previous sections

Not available.

Revision information

1. Product and Company Identification: Alternate Trade Names

Hazards identification: Supplemental information

3. Composition / Information on Ingredients: Disclosure Overrides Composition/information on ingredients: Composition comments

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds