9455 Version #: 04 Issue date: 23-Feb-2019 Revision date: 31-Mar-2021



# SAFETY DATA SHEET

### 1. Identification

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

1/8

being taken by HP. \*\*\*

Name of the substance or

mixture (trade name)

C5078Series

Major recommended uses for

the substance or mixture Specific restrictions for use of Inkjet printing

the substance or mixture

Not available.

## Manufacturer/Importer/Distributor information

**HP Colombia SAS** Company identification

Carrera 7 No 99-53 Torre B Pisos 7

Bogota, Colombia

**Telephone** (57) 1 639 0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

Fmail: hpcustomer.inquiries@hp.com

# 2. Hazards identification

# Classification of the substance or mixture

**Physical hazards** Not classified. Not classified. Health hazards **Environmental hazards** Not classified.

### GHS labeling elements, including precautionary statements

Hazard symbol(s) None. None. Signal word

Hazard statement(s) Not available.

Precautionary statement(s)

Not available. Prevention Not available. Response Not available. Storage **Disposal** Not available.

Other hazards which do not result in classification

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Supplemental information 2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the

unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an

animal study. See Section 11.

2/8

9455 Version #: 04 Issue date: 23-Feb-2019 Revision date: 31-Mar-2021

# 3. Composition/information on ingredients

#### **Mixture**

Common chemical name or technical name	CAS number	Concentration or concentration range
Water	7732-18-5	75-85
Ethoxylated glycerol	Proprietary	<10
Black Pigment	Proprietary	<5
Hydroxy alkylated lactam	Proprietary	<5
2-pyrrolidone	616-45-5	<3
Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol	9014-85-1	<0.1

**Composition comments** 

This ink supply contains an aqueous ink formulation.

Carbon black is present only in a bound form in this preparation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

### 4. First-aid measures

First-aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Not available.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

CO2, water, dry chemical, or foam

Most important

symptoms/effects, acute and

delayed

Notes to physician Not available.

## 5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not available.

Protective measures taken by

firefighting crews

Not available.

Specific methods None established.

## 6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency

services

Wear appropriate personal protective equipment.

To be taken by those who are involved in rendering emergency services

Not available.

**Environmental precautions** 

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

3/8

Other issues relating to spills

and releases

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

# 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

### 8. Exposure controls/personal protection

### **Control parameters**

#### Occupational exposure limits

**US. ACGIH Threshold Limit Values** 

Components	Туре	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace Components

Type

Value

Form

Black Pigment TWA 3 mg/m3 Inhalable fraction.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

ComponentsTypeValueFormBlack PigmentTWA3 mg/m3Inhalable fraction.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the

Workplace

ComponentsTypeValueFormBlack PigmentTWA3 mg/m3Inhalable fraction.

Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el

Ambiente de Trabajo)

 Components
 Type
 Value

 Black Pigment
 TWA
 3.5 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Exposure limits have not been established for this product.

Appropriate engineering

controls

Not available.

Personal protective measures

Eyes and face protection

Not available

Skin protection

Hand protection Not available.

Other Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available.

Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

## **Appearance**

**Physical state** Liquid. Not available. **Form** Color Black Odor Not available. **Odor threshold** Not available. 78-88 pН Melting point/freezing point Not available. Initial boiling point and boiling Not determined

temperature range

Product name: C5078Series SDS COLOMBIA SA

4/8

9455 Version #: 04 Issue date: 23-Feb-2019 Revision date: 31-Mar-2021

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup Flash point

Not available.

Not determined **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not determined

Flammability limit - lower

Flammability limit - upper

(%)

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not determined Vapor pressure Not available. Vapor density

Solubility(ies)

Soluble in water Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** >= 2 cp**Viscosity** 

Other physical and chemical parameters

**Oxidizing properties** Not determined 3.3 % estimated Percent volatile VOC < 20 g/l Estimated

# 10. Stability and reactivity

Reactivity Not available.

Stable under recommended storage conditions. Chemical stability

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation.

Ingestion Health injuries are not known or expected under normal use.

Not available. **Symptoms** 

**Acute toxicity** Based on available data, the classification criteria are not met.

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

**Acute** Oral

LD50 Rat > 5000 mg/kg

**Black Pigment** 

**Acute** Oral

LD50 Rat > 10000 mg/kg

Skin irritation and corrosion

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Not classified as an irritant according to, OECD 405.

9455 Version #: 04 Issue date: 23-Feb-2019 Revision date: 31-Mar-2021 5 / 8

Respiratory or skin sensitization

**Respiratory sensitization**Based on available data, the classification criteria are not met. **Skin sensitization**Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Black Pigment (CAS Proprietary)

A3 Animal carcinogen.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Black Pigment (CAS Proprietary)

Group A3 Confirmed animal carcinogen with unknown relevance

to humans.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the

Workplace

Black Pigment (CAS Proprietary)

A3 Confirmed animal carcinogen with unknown relevance to

humans.

**Toxic to reproduction** Based on available data, the classification criteria are not met.

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

### 12. Ecological information

**Ecotoxicity** 

Product Species Test Results

C5078Series

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Persistence and degradability Not available.

Bioaccumulative potential

Partition coefficient

n-octanol / water (log Kow)

2-pyrrolidone -0.85

**Bioconcentration factor** 

(BCF)

Not available.

Mobility in soil Not available.

Other adverse effects Not available.

Product name: C5078Series SDS COLOMBIA SA

9455 Version #: 04 Issue date: 23-Feb-2019 Revision date: 31-Mar-2021

## 13. Considerations on final disposal

### Recommended methods for final destination

Residual waste Not available.

Contaminated packaging Not available.

Local disposal regulations Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

6/8

is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport information

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

**IATA** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**IMDG** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

**ADR** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

**Environmental hazards** No

Special precautions for user Not available.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## 15. Regulatory information

**Federal regulations** 

7/8

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)

Not listed.

Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

**Montreal Protocol** 

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

### 16. Other information

Significant information, yet not specifically related to the previous sections

**Revision information** 

Disclaimer

Not available.

3. Composition / Information on Ingredients: Disclosure Overrides

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Product name: C5078Series SDS COLOMBIA SA 8/8 9455 Version #: 04 Issue date: 23-Feb-2019 Revision date: 31-Mar-2021

#### **Explanation of abbreviations**

American Conference of Governmental Industrial Hygienists **ACGIH** 

CAS Chemical Abstracts Service

Comprehensive Environmental Response Compensation and Liability Act **CERCLA** 

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

Resource Conservation and Recovery Act **RCRA** 

**REC** Recommended

REL Recommended Exposure Limit

Superfund Amendments and Reauthorization Act of 1986 **SARA** 

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

Threshold Limit Value TLV

Toxic Substances Control Act **TSCA** VOC Volatile Organic Compounds