



# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Identification of the substance/preparation** C9439Series  
**Use of the substance/preparation** Inkjet printing  
**Issue date** 18-Mar-2015  
**Revision date** 08-Sep-2015  
**Version #** 02  
**CAS #** Mixture  
**Company identification** HP Colombia SAS  
Carrera 7 No 99-53 Torre B Pisos 7  
Bogota, Colombia  
Telephone (57) 1 639 0000  
  
HP health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

**Physical hazards** Not classified.  
**Health hazards** Not classified.  
**Environmental hazards** Not classified.

### GHS label elements

**Signal word** None.  
**Hazard symbols** None.  
**Hazard statement** None.

### Precautionary statement

**Prevention** None.  
**Response** None.  
**Storage** None.  
**Disposal** None.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS #	Percent
Water	7732-18-5	80-90
Alkyldiol	Proprietary	<7.5
2-pyrrolidone	616-45-5	<5
Diethylene glycol	111-46-6	<5
Carbon black	1333-86-4	<1

**Composition comments** This ink supply contains an aqueous ink formulation.  
  
Carbon black is present only in a bound form in this preparation.

## 4. FIRST AID MEASURES

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.  
**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If material is ingested, immediately contact a physician or poison control center.

---

## 5. FIRE-FIGHTING MEASURES

**Flash point** > 230.0 °F (> 110.0 °C) Setaflash Closed Cup

**Suitable extinguishing media** CO<sub>2</sub>, water, dry chemical, or foam

**Extinguishing media which must not be used for safety reasons** None known.

**Unusual fire & explosion hazards** Combustion generates toxic fumes of fluorides; fluorine compounds;.

**Specific methods** None established.

**Hazardous combustion products** Refer to section 10.

---

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

---

## 7. HANDLING AND STORAGE

**Handling** Avoid contact with skin, eyes and clothing.

**Storage** Keep out of the reach of children. Keep away from excessive heat or cold.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational exposure limits

#### Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

### Recommended monitoring procedures

**Additional exposure data** Exposure limits have not been established for this product.

**Engineering measures to reduce exposure** Use in a well ventilated area.

### Personal protective equipment

**Skin and body protection** Not available.

**General** Use personal protective equipment to minimize exposure to skin and eye.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

**Physical state** Not available.

**Color** Light Grey

**Odor** Not available.

**pH** 9.4

**Melting point/Freezing point** Not available.

**Boiling point, initial boiling point, and boiling range** Not determined

**Flash point** > 230.0 °F (> 110.0 °C) Setaflash Closed Cup

**Auto-ignition temperature** Not determined

**Flammability limit - lower (%)** Not determined

<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not determined
<b>Evaporation rate</b>	Not determined
<b>Specific gravity</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Soluble in water
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Other data</b>	
<b>Oxidizing properties</b>	Not determined
<b>VOC (Weight %)</b>	< 63.7 g/l

## 10. STABILITY AND REACTIVITY

<b>Conditions to avoid</b>	Not available.
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. hydrogen fluoride, fluorinated hydrocarbons
<b>Stability</b>	Stable under recommended storage conditions.
<b>Materials to avoid</b>	Incompatible with strong bases and oxidizing agents.
<b>Hazardous polymerization</b>	Will not occur.

## 11. TOXICOLOGICAL INFORMATION

<b>Acute toxicity</b>	Based on available data, the classification criteria are not met.
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.
<b>Respiratory or skin sensitization</b>	
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met.
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

### Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Carbon black (CAS 1333-86-4) A3 Animal carcinogen.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Toxic to reproduction</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.
<b>Other information</b>	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

### Toxicological data

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg

Components	Species	Test Results
Carbon black (CAS 1333-86-4)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 8000 mg/kg
Diethylene glycol (CAS 111-46-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	11890 mg/kg
<i>Oral</i>		
LD50	Cat	3300 mg/kg
	Dog	9000 mg/kg
	Guinea pig	8700 mg/kg
	Mouse	13.3 g/kg
	Rabbit	26.9 g/kg
	Rat	12565 mg/kg
<i>Other</i>		
LD50	Mouse	9.6 g/kg
	Rabbit	2000 mg/kg
	Rat	7700 mg/kg
		7.7 g/kg

## 12. ECOLOGICAL INFORMATION

### Ecotoxicological data

Product	Species	Test Results
C9439Series (CAS Mixture)		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> ) > 750 mg/l, 96 hours

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
<b>Aquatic</b>		
Crustacea	EC50	Water flea ( <i>Daphnia pulex</i> ) 13.21 mg/l, 48 hours
Diethylene glycol (CAS 111-46-6)		
<b>Aquatic</b>		
Fish	LC50	Western mosquitofish ( <i>Gambusia affinis</i> ) > 32000 mg/l, 96 hours

**Environmental effects** Not available.

**Persistence / degradability** Not available.

### Bioaccumulation

#### Bioaccumulative potential

#### Octanol/water partition coefficient log Kow

2-pyrrolidone -0.85

**Mobility** Not available.

## 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

---

## 14. TRANSPORT INFORMATION

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

### ADR

Not regulated as dangerous goods.

### Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

---

## 15. REGULATORY INFORMATION

### Federal regulations

### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### Kyoto protocol

Not applicable.

#### Montreal Protocol

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Stockholm Convention

Not applicable.

---

## 16. OTHER INFORMATION

### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### Prepared by

HP

### Issue date

18-Mar-2015

### Revision date

08-Sep-2015

### Version #

02

### This data sheet contains changes from the previous version in section(s):

OTHER INFORMATION: Disclaimer

### Manufacturer information

HP  
1501 Page Mill Road  
Palo Alto, CA 94304-1112 US  
Direct 1-650-857-5020

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds