



# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Identification of the substance/preparation** CD401 Series

**Use of the substance/preparation** Inkjet printing

**Issue date** 16-Aug-2016

**Version #** 01

**Synonym(s)** HP DS100 Specialty Textile Yellow Scitex Ink

**Company identification** HP Colombia SAS  
Carrera 7 No 99-53 Torre B Pisos 7  
Bogota, Colombia  
Telephone (57) 1 639 0000

HP Inc. health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Inc. Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

**Physical hazards** Not classified.

**Health hazards** Not classified.

**Environmental hazards** Not classified.

### GHS label elements

**Signal word** Warning



**Hazard statement** Combustible liquid. Harmful in contact with skin.

### Precautionary statement

**Prevention** P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Response** P370 + P378 - In case of fire: Use sand, carbon dioxide (CO<sub>2</sub>) or dry chemical to extinguish.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P312 - Call a POISON CENTER/doctor/physician if you feel unwell.  
P363 - Wash contaminated clothing before reuse.

**Storage** P403 + P235 - Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS #	Percent
Ethylene Glycol, Monobutyl Ether Acetate	112-07-2	<90
Ethylacetate	141-78-6	<2.5

## 4. FIRST AID MEASURES

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

<b>Skin contact</b>	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation persists get medical attention. Remove and isolate contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes before reuse.
<b>Eye contact</b>	In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. If irritation persists get medical attention.
<b>Ingestion</b>	If swallowed, seek medical advice immediately and show this container or label.
<b>Notes to physician</b>	Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

<b>Flash point</b>	> 145.0 °F (> 62.8 °C) (Closed Cup)
<b>Suitable extinguishing media</b>	CO2, water, dry chemical, or foam
<b>Extinguishing media which must not be used for safety reasons</b>	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
<b>Unusual fire &amp; explosion hazards</b>	None known.
<b>Fire fighting equipment/instructions</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Specific methods</b>	Water mist may be used to cool closed containers.
<b>Hazardous combustion products</b>	Carbon monoxide and carbon dioxide.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Methods for cleaning up</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
--------------------------------	---

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
<b>Storage</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational exposure limits

#### Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Components	Type	Value
Ethylacetate (CAS 141-78-6)	TWA	400 ppm
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
Ethylacetate (CAS 141-78-6)	TWA	400 ppm
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
--------------------------------	--

### Recommended monitoring procedures

<b>Additional exposure data</b>	None established.
---------------------------------	-------------------

<b>Engineering measures to reduce exposure</b>	Use in a well ventilated area. Ensure adequate ventilation, especially in confined areas. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.
--	--

### Personal protective equipment

<b>Hand protection</b>	Recommended gloves: Nitrile 6 mil minimum thickness.
<b>Eye protection</b>	Avoid contact with eyes Wear safety glasses; chemical goggles (if splashing is possible).
<b>Skin and body protection</b>	Use personal protective equipment to minimize exposure to skin and eye.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Liquid.
<b>Physical state</b>	Not available.
<b>Color</b>	Yellow
<b>Odor</b>	Not available.
<b>pH</b>	Not applicable.
<b>Melting point/Freezing point</b>	Not determined.
<b>Boiling point, initial boiling point, and boiling range</b>	Not determined.
<b>Flash point</b>	> 145.0 °F (> 62.8 °C) (Closed Cup)
<b>Auto-ignition temperature</b>	Not available.
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Specific gravity</b>	0.94 @ 20 Degrees C
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Other data</b>	
<b>Relative density</b>	0.94 g/cm <sup>3</sup> @ 20 Degrees C
<b>VOC (Weight %)</b>	< 850 g/L

---

## 10. STABILITY AND REACTIVITY

<b>Conditions to avoid</b>	Not available.
<b>Hazardous decomposition products</b>	None known.
<b>Stability</b>	Stable at normal conditions
<b>Materials to avoid</b>	strong oxidizing agents Strong acids and strong alkalis. oxidizing agents
<b>Hazardous polymerization</b>	Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

<b>Acute toxicity</b>	Harmful in contact with skin.
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.
<b>Respiratory or skin sensitization</b>	
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met.
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace</b>	
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	A3 Animal carcinogen.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Toxic to reproduction</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.
<b>Other information</b>	Complete toxicity data are not available for this specific formulation

## Toxicological data

Product	Species	Test Results
CD401 Series		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	2400 mg/kg
<b>Components</b>		
<b>Species</b>		
<b>Test Results</b>		
Ethylacetate (CAS 141-78-6)		
<b>Acute</b>		
<i>Inhalation</i>		
LC50	Rat	16000 ppm, 6 Hours
LD50	Mouse	1500 ppm, 4 Hours
	Rabbit	2500 ppm, 4 Hours
	Rat	4000 ppm, 4 Hours
<i>Oral</i>		
LD50	Mouse	0.44 g/kg
	Rabbit	4.9 g/kg
	Rat	11.3 ml/kg
		5.6 g/kg
<i>Other</i>		
LD50	Cat	3 g/kg
	Guinea pig	3 g/kg
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	1500 mg/kg
<i>Oral</i>		
LD50	Rat	2400 mg/kg
<i>Other</i>		
LD50	Mouse	754 mg/kg

## 12. ECOLOGICAL INFORMATION

### Ecotoxicological data

Components	Species	Test Results
Ethylacetate (CAS 141-78-6)		
<b>Aquatic</b>		
Fish	LC50	Indian catfish (Heteropneustes fossilis) 200.32 - 225.42 mg/l, 96 hours
<b>Ecotoxicity</b>	This product has not been tested for ecological effects.	
<b>Environmental effects</b>	Not available.	
<b>Persistence / degradability</b>	Not available.	
<b>Bioaccumulation</b>		
<b>Bioaccumulative potential</b>		
<b>Octanol/water partition coefficient log Kow</b>		
Ethylacetate		0.73
<b>Mobility</b>	Not available.	

## 13. DISPOSAL CONSIDERATIONS

<b>Disposal instructions</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
------------------------------	--

---

## 14. TRANSPORT INFORMATION

<b>DOT</b>	
<b>UN number</b>	NA1993
<b>UN proper shipping name</b>	Combustible liquid n.o.s. (butyl cellosolve acetate) -Not regulated in quantities less than 119 gallons
<b>Transport hazard class(es)</b>	
<b>Class</b>	Combustible
<b>Subsidiary risk</b>	-
<b>Packaging group</b>	III
<b>Special precautions for user</b>	Not available.

**IATA**  
Not regulated as dangerous goods.

**IMDG**  
Not regulated as dangerous goods.

**ADR**  
Not regulated as dangerous goods.

---

## 15. REGULATORY INFORMATION

### Federal regulations

### International regulations

#### Kyoto protocol

Not applicable.

#### Montreal Protocol

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Stockholm Convention

Not applicable.

---

## 16. OTHER INFORMATION

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Prepared by** HP Chemical Compliance & Toxicology Department

**Issue date** 16-Aug-2016

**Version #** 01

**This data sheet contains changes from the previous version in section(s):** Product and Company Identification: Synonyms  
Composition / Information on Ingredients: Ingredients  
Exposure Controls / Personal Protection: OELs  
Physical & Chemical Properties: Multiple Properties  
14. Transport Information: Material Transportation Information  
Regulatory Information: United States  
HazReg Data: Pacific Rim

**Manufacturer information** HP Inc.  
1501 Page Mill Road  
Palo Alto, CA 94304-1112 US  
(Direct) +972 (9) 892-4628

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds