



# SAFETY DATA SHEET

## 1. Identification

<b>Important information</b>	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
<b>Name of the substance or mixture (trade name)</b>	CN751Series
<b>Synonyms</b>	HP Scitex MF10 Cleaner
<b>Major recommended uses for the substance or mixture</b>	Inkjet printing
<b>Specific restrictions for use of the substance or mixture</b>	Not available.
<b>Manufacturer/Importer/Distributor information</b>	
<b>Company identification</b>	HP Colombia SAS Carrera 7 No 99-53 Torre B Pisos 7 Bogota, Colombia
<b>Telephone</b>	(57) 1 639 0000
<b>HP Inc. health effects line</b>	
<b>(Toll-free within the US)</b>	1-800-457-4209
<b>(Direct)</b>	1-760-710-0048
<b>HP Inc. Customer Care Line</b>	
<b>(Toll-free within the US)</b>	1-800-474-6836
<b>(Direct)</b>	1-208-323-2551
<b>Email:</b>	hpcustomer.inquiries@hp.com

## 2. Hazards identification

<b>Classification of the substance or mixture</b>		
<b>Physical hazards</b>	Flammable liquids	Category 4
<b>Health hazards</b>	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
<b>Environmental hazards</b>	Not classified.	

### GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word

Warning

Hazard statement(s)

Combustible liquid. Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Precautionary statement(s)

**Prevention**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

**Response**

In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth. Wash contaminated clothing before reuse.

**Storage**

Store in a well-ventilated place. Keep cool.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards which do not result in classification** Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

**Supplemental information** None.

### 3. Composition/information on ingredients

#### Substance

Common chemical name or technical name	CAS number	Concentration or concentration range
2-Butoxyethyl acetate	112-07-2	100%

### 4. First-aid measures

#### First-aid measures

<b>Inhalation</b>	Move person to fresh air immediately. If symptoms persist, get immediate medical attention.
<b>Skin contact</b>	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed.
<b>Eye contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Most important symptoms/effects, acute and delayed** Not available.

**Notes to physician** Not available.

### 5. Fire-fighting measures

#### Means of fire extinguishing

<b>Suitable extinguishing media</b>	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
<b>Unsuitable extinguishing media</b>	Not available.

**Specific hazards arising from the chemical** Not available.

**Special fire fighting procedures** Move containers from fire area if you can do it without risk.

**Protective measures taken by firefighting crews** Firefighters should wear full protective clothing including self contained breathing apparatus. Avoid runoff into storm sewers and ditches which lead to waterways.

### 6. Control measures for spills and leaks

#### Personal precautions, protective equipment and emergency procedures

<b>To be taken by those who are not involved in rendering emergency services</b>	Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition. Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.
<b>To be taken by those who are involved in rendering emergency services</b>	Not available.

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

**Methods and materials for containment and cleaning up** Not available.

**Other issues relating to spills and releases** Dispose of in compliance with federal, state, and local regulations.

### 7. Handling and storage

**Precautions for safe handling** Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.  
Use with adequate ventilation.  
Wear personal protective equipment.

**Conditions for safe storage, including any incompatibilities** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

## 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

##### US. ACGIH Threshold Limit Values

Material	Type	Value
CN751Series	TWA	20 ppm
<b>Components</b>	<b>Type</b>	<b>Value</b>
2-Butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm

##### Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Material	Type	Value
CN751Series	TWA	20 ppm
<b>Components</b>	<b>Type</b>	<b>Value</b>
2-Butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm

##### Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)

Material	Type	Value
CN751Series	TWA	20 ppm
<b>Components</b>	<b>Type</b>	<b>Value</b>
2-Butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm

##### Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace

Material	Type	Value
CN751Series	TWA	20 ppm
<b>Components</b>	<b>Type</b>	<b>Value</b>
2-Butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm

##### Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el Ambiente de Trabajo)

Material	Type	Value
CN751Series	STEL	50 ppm
	TWA	131 mg/m3
		20 ppm
<b>Components</b>	<b>Type</b>	<b>Value</b>
2-Butoxyethyl acetate (CAS 112-07-2)	STEL	50 ppm
	TWA	131 mg/m3
		20 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls** Not available.

#### Personal protective measures

**Eyes and face protection** Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

#### Skin protection

**Hand protection** Recommended gloves: Nitrile 6 mil minimum thickness.

**Other** Wear appropriate chemical resistant clothing.

**Respiratory protection** Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

---

<b>Thermal hazards</b>	Not available.
<b>Hygiene measures</b>	Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse.

---

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Clear.
<b>Odor</b>	Solvent.
<b>Odor threshold</b>	Not available.
<b>pH</b>	2.2 - 3.8 Metler Toledo pH Meter. 10 g/l, H <sub>2</sub> O, 20 °C
<b>Melting point/freezing point</b>	-82.3 °F (-63.5 °C)
<b>Initial boiling point and boiling temperature range</b>	377.6 °F (192 °C)
<b>Flash point</b>	> 165.2 °F (> 74.0 °C) Tag Closed Cup Method D 56
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	0.4 hPa @ 20°C
<b>Vapor density</b>	6
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	2 %
<b>Partition coefficient (n-octanol/water)</b>	1.57
<b>Auto-ignition temperature</b>	645 °F (340.56 °C)
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	1.6 cP Brookfield Viscometer (± 0.5) Temperature 22°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading
<b>Other physical and chemical parameters</b>	
<b>Molecular formula</b>	C8-H16-O3
<b>Molecular weight</b>	160
<b>VOC</b>	< 940 g/L Calculated

---

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Chemical stability</b>	Stable at normal conditions.
<b>Possibility of hazardous reactions</b>	None known.
<b>Conditions to avoid</b>	Heat, flames and sparks.
<b>Incompatible materials</b>	This product may react with strong oxidizing agents. Reacts with air to form peroxides. oxidizing agents
<b>Hazardous decomposition products</b>	peroxides.

---

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Harmful if inhaled.
-------------------	---------------------

<b>Skin contact</b>	Harmful in contact with skin.
<b>Eye contact</b>	Contact with eyes may result in mild irritation.
<b>Ingestion</b>	Ingestion is not a likely route of exposure.
<b>Symptoms</b>	Not available.
<b>Acute toxicity</b>	Harmful if inhaled. Harmful if swallowed. Harmful in contact with skin.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
2-Butoxyethyl acetate (CAS 112-07-2)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	1500 mg/kg
<b>Skin irritation and corrosion</b>	Based on available data, the classification criteria are not met.	
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.	
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.	
<b>ACGIH Carcinogens</b>		
2-Butoxyethyl acetate (CAS 112-07-2)	A3 Confirmed animal carcinogen with unknown relevance to humans.	
<b>Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace</b>		
2-Butoxyethyl acetate (CAS 112-07-2)	A3 Animal carcinogen.	
<b>Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)</b>		
2-Butoxyethyl acetate (CAS 112-07-2)	Group A3 Confirmed animal carcinogen with unknown relevance to humans.	
<b>Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace</b>		
2-Butoxyethyl acetate (CAS 112-07-2)	A3 Confirmed animal carcinogen with unknown relevance to humans.	
<b>Toxic to reproduction</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.	
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.	
<b>Other information</b>	Complete toxicity data are not available for this specific formulation	

## 12. Ecological information

<b>Aquatic toxicity</b>	No information available.	
<b>Ecotoxicity</b>	No information available.	
<b>Persistence and degradability</b>	Not available.	
<b>Bioaccumulative potential</b>		
<b>Partition coefficient n-octanol / water (log Kow)</b>		
CN751Series		1.57
<b>Bioconcentration factor (BCF)</b>	Not available.	
<b>Mobility in soil</b>	Not available.	
<b>Other adverse effects</b>	Not available.	

## 13. Considerations on final disposal

<b>Recommended methods for final destination</b>		
<b>Residual waste</b>	Not available.	

---

<b>Contaminated packaging</b>	Not available.
<b>Local disposal regulations</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.

---

## 14. Transport information

<b>DOT</b>	
<b>UN number</b>	NA1993
<b>UN proper shipping name</b>	Combustible Liquid n.o.s. (Ethylene Glycol, Monobutyl Ether Acetate) - not regulated in quantities less than 119 gallons.
<b>Transport hazard class(es)</b>	
<b>Class</b>	Combustible
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Special precautions for user</b>	DOT Classification only applies to shipments within the US and Puerto Rico.
<b>IATA</b>	
<b>UN number</b>	Not available.
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	
<b>Class</b>	Not available.
<b>Subsidiary risk</b>	-
<b>Packing group</b>	Not available.
<b>Environmental hazards</b>	No
<b>Special precautions for user</b>	Not available.
<b>IMDG</b>	
<b>UN number</b>	Not available.
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	
<b>Class</b>	Not available.
<b>Subsidiary risk</b>	-
<b>Packing group</b>	Not available.
<b>Transport hazard class(es)</b>	
<b>Marine pollutant</b>	No
<b>EmS</b>	Not available.
<b>Special precautions for user</b>	Not available.
<b>ADR</b>	
<b>UN number</b>	Not available.
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	
<b>Class</b>	Not available.
<b>Subsidiary risk</b>	-
<b>Hazard No. (ADR)</b>	Not available.
<b>Tunnel restriction code</b>	Not available.
<b>Packing group</b>	Not available.
<b>Environmental hazards</b>	No
<b>Special precautions for user</b>	Not available.
<b>General information</b>	DOT Classification only applies to shipments within the US and Puerto Rico.

---

## 15. Regulatory information

### Federal regulations

**Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparagraph. f) of article 20 of Law 30 of 1986, as amended)**

Not listed.

**Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)**

Not regulated.

### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

---

**Montreal Protocol**

Not applicable.

**Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

Not applicable.

**Basel Convention**

Not applicable.

---

**16. Other information**

**Significant information, yet not specifically related to the previous sections** Not available.

**Revision information**

1. Product and Company Identification: EU Poison Center  
Identification: Important information  
Hazards identification: GHS Hazard Statements  
Hazards identification: Prevention  
Hazards identification: Response  
3. Composition / Information on Ingredients: Disclosure Overrides  
Physical & Chemical Properties: Multiple Properties  
Toxicological information: Acute toxicity  
Toxicological information: Inhalation  
Toxicological information: Skin contact  
HazReg Data: Europe - EU

**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

---

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds