

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

CP782C

of the mixture

Registration number

Synonyms HP HDR240 Light Magenta Scitex Ink

Issue date 15-Aug-2014

Version number 11

Revision date 23-Feb-2018 **Supersedes date** 19-Jul-2017

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

HP Deutschland GmbH Schickardstrasse 32 71034 Böblingen

Germany

Telephone 07031 140

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

+49 (0) 89 1 92 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

Reproductive toxicity Category 2 H361f - Suspected of damaging

fertility.

Specific target organ toxicity - single

exposure

Category 3 respiratory tract irritation

H335 - May cause respiratory

irritation.

Specific target organ toxicity - repeated Category 1

exposure

H372 - Causes damage to organs (liver, respiratory system) through

prolonged or repeated exposure.

Environmental hazards

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long-term aquatic hazard long lasting effects.

2.2. Label elements

Material name: CP782C SDS GERMANY

13475 Version #: 11 Revision date: 23-Feb-2018 Issue date: 15-Aug-2014

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1-vinylhexahydro-2H-azepin-2-one, 2-propenoic acid, reaction products with pentaerythritol,

2-propenoic acid-1,6-hexanediylester, polymer with 2-aminoethanol, Acrylic acid ester, Butyl

substituted ethyl acrylate, Diphenyl (2,4,6-trimethylbenzoyl) phosphine,

exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate, Pigment red, Propoxylated glycerol triacrylate, Reaction mass of Decyl acrylate and Octyl acrylate, Urethane acrylate oligomer A

Hazard pictograms



Signal word Danger

Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H361f Suspected of damaging fertility.
H335 May cause respiratory irritation.

H372 Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.
P201 Obtain special instructions before use.
P264 Wash hands thoroughly after handling.

Response

P337 + P313	If eye irritation persists: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P308 + P313	IF exposed or concerned: Get medical attention/advice.

P391 Collect spillage.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER/doctor/physician if you feel unwell.
P362 Take off contaminated clothing and wash before reuse.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Diphenyl (2,4,6-trimethylbenzoyl) phosphineoxide - In animal testing, risk of impaired fertility was

shown only after repeated ingestion of very high doses of this substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: CP782C SDS GERMANY

13475 Version #: 11 Revision date: 23-Feb-2018 Issue date: 15-Aug-2014

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes		
Acrylic acid ester		<40	48145-04-6 256-360-6	01-2119980532-35-XXXX	-			
Classification:	Skin Sens. 1/	A;H317, <i>A</i>	Aquatic Chronic 2;H41	1				
1-vinylhexahydro-2H-aze	pin-2-one	<25	2235-00-9 218-787-6	01-2119977109-27-XXXX	-			
Classification:	Acute Tox. 4; RE 1;H372	H302, Ad	cute Tox. 4;H312, Skir	skin Sens. 1B;H317, Eye Irrit. 2;H319, STOT				
exo-1,7,7-trimethylbicyclo 2-yl acrylate	[2.2.1]hept-	<15	5888-33-5 227-561-6	01-2119957862-25-XXXX	-			
Classification:	Skin Irrit. 2;H Chronic 1;H4		Sens. 1B;H317, Eye	Irrit. 2;H319, STOT SE 3;H33	5, Aquatic			
2-propenoic acid, reactior with pentaerythritol	n products	<5	1245638-61-2 -	-	-			
Classification:	Acute Tox. 4; Chronic 2;H4		kin Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H3	18, Aquatic			
Butyl substituted ethyl acr	rylate	<5	Proprietary	-	-			
Classification:	Skin Irrit. 2;H	315, Eye	Irrit. 2;H319, STOT S	E 3;H335				
Diphenyl (2,4,6-trimethylb	enzoyl)	<5	75980-60-8 278-355-8	01-2119972295-29-XXXX	015-203-00-X			
Classification:	Skin Sens. 18	B;H317, F	Repr. 2;H361f, Aquatio	c Chronic 2;H411				
Reaction mass of Decyl a Octyl acrylate	crylate and	<5	Not available -	-	-			
Classification:	Skin Irrit. 2;H Chronic 2;H4		Sens. 1B;H317, Eye	Irrit. 2;H319, STOT SE 3;H33	5, Aquatic			
Urethane acrylate oligomo	er A	<5	68412-43-1 270-188-9	-	-			
Classification:	Skin Irrit. 2;H	315, Eye	Irrit. 2;H319					
2-propenoic acid-1,6-hexa polymer with 2-aminoetha		<2.5	67906-98-3 -	-	-			
Classification:	Skin Irrit. 2;H	315, Eye	Irrit. 2;H319					
Pigment red		<1	Proprietary -	01-2119456804-33-XXXX	-			
Classification:	-							
Propoxylated glycerol tria	crylate	<1	52408-84-1 500-114-5	01-2119487948-12-0010	-			
Classification:			e Irrit. 2;H319					

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Not available.

4.3. Indication of any

immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

Unsuitable extinguishing

media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture Not available.

Not available.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Special fire fighting

Avoid runoff into storm sewers and ditches which lead to waterways.

procedures

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

For emergency responders

Not available.

6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also

section 13 Disposal considerations.

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other

Not available.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Workers	Dermal	0.7 mg/kg	Systemic long term
		Inhalation	4.9 mg/m3	Systemic long term
		Inhalation	0.17 mg/m3	Local long term
Acrylic acid ester (CAS 48145-04-6)	Workers	Dermal	1.5 mg/kg	Systemic long term
		Inhalation	77 mg/m3	Local long term
		Inhalation	10 mg/m3	Systemic long term
Diphenyl (2,4,6-trimethylbenzoyl) phosphine (CAS 75980-60-8)	Workers	Dermal	1 mg/kg	Systemic long term
		Inhalation	3.5 mg/m3	Systemic long term
exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate (CAS 5888-33-5)	Workers	Dermal	1.39 mg/kg	Systemic long term

Material name: CP782C SDS GERMANY

13475 Version #: 11 Revision date: 23-Feb-2018 Issue date: 15-Aug-2014

Components		Туре	Route	Value	Form
Propoxylated glycerol triacrylat 52408-84-1)	e (CAS	Workers	Dermal	1.92 mg/kg	Systemic long term
			Inhalation	16.22 mg/m3	Systemic long term
edicted no effect concentration	ns (PNECs)				
Components		Туре	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-2235-00-9)	one (CAS	Not applicable	Freshwater	0.1 mg/l	
			Intermittent	1 mg/l	Releases
			Marine water	0.01 mg/l	
			Sediment	0.829 mg/kg	Freshwater
			Sediment	0.0829 mg/kg	Marine water
			Soil	0.107 mg/kg	
			STP	262 mg/l	Sewage Treatment Plan
Acrylic acid ester (CAS 48145-	04-6)	Not applicable	Freshwater	0.002 mg/l	
			Intermittent	0.0121 mg/l	Releases
			Marine water	0.0002 mg/l	
			Sediment	0.02 mg/kg	Freshwater
			Sediment	0.002 mg/kg	Marine water
			Soil	0.006 mg/kg	
			STP	1.77 mg/l	Sewage Treatment Plan
Diphenyl (2,4,6-trimethylbenzo (CAS 75980-60-8)	yl) phosphine	Not applicable	Freshwater	0.00353 mg/l	
			Intermittent	0.0353 mg/l	Releases
			Marine water	0.0005353 mg/l	
			Sediment	0.29 mg/kg	Freshwater
			Sediment	0.029 mg/kg	Marine water
			Soil	0.0557 mg/kg	
exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate (CAS 5888-33-5)		Not applicable	Freshwater	0.00092 mg/l	
, , , , , , , , , , , , , , , , , , , ,			Intermittent	0.00704 mg/l	Releases
			Marine water	0.000092 mg/l	
			Sediment	0.145 mg/kg	Freshwater
			Sediment	0.0145 mg/kg	Marine water
			Soil	0.0285 mg/kg	
			STP	2 mg/l	Sewage Treatment Plar
Propoxylated glycerol triacrylate 52408-84-1)	te (CAS	Not applicable	Freshwater	0.00574 mg/l	cowago moaimoni nam
,			Intermittent	0.0574 mg/l	Releases
			Marine water	0.01697 mg/kg	
			Sediment	0.001697 mg/kg	Marine water
			Soil	0.00111 mg/kg	
			STP	10 mg/l	Sewage Treatment Plan
nogura guidalines	Evaceure lim	ite have not been so		•	9
posure guidelines	Exposure IIII	its have not been es	stabilisticu IOI (IIIS	product.	
. Exposure controls					
propriate engineering ntrols	Not available				
lividual protection measures, s General information	such as perso Not available		ipment		
Eye/face protection	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.				
Skin protection	- •				
- Hand protection	Recommende gloves.	ed gloves: Nitrile 6 r	nil minimum thickı	ness. Wear appropr	iate chemical resistant
Othor	•	rioto obomical resist	ant alothina		
- Other		riate chemical resist	~	r eter	Mark to a second second
Respiratory protection			case of insufficien	t ventilation wear su	itable respiratory equipme
Thormal honords	Not available				

Material name: CP782C SDS GERMANY

reuse. Keep away from food and drink.

Handle in accordance with good industrial hygiene and safety practice. Do not get this material in

your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

Not available.

Thermal hazards

Hygiene measures

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Form Liquid.

Color Light Magenta
Odor Characteristic.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point > 230.0 °F (> 110.0 °C) Closed Cup EPA Method 1020

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

er

(%)

Flammability limit - upper

Not available.

Not available.

(%)

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot available.Oxidizing propertiesNot available.

9.2. Other information

VOC 18 g/L Method 24/ASTM D5403-93

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Hazardous polymerization can occur with decreased inhibitor content.

10.4. Conditions to avoid Exposure to sunlight.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Eve contact Causes serious eye irritation.

Ingestion Ingestion is not a likely route of exposure.

Symptoms Not available.

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity**

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation. Caused moderate irritation in rabbit (OECD 405).

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Suspected of damaging fertility.

Specific target organ toxicity -

single exposure

May cause irritation to the respiratory system.

Specific target organ toxicity -

repeated exposure

Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Based on available data, the classification criteria are not met. **Aspiration hazard**

Mixture versus substance

information

Not available.

Other information

Complete toxicity data are not available for this specific formulation

SECTION 12: Ecological information

12.1. Toxicity No toxicity data noted for the ingredient(s).

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This

product has not been tested for ecological effects.

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential Not available Partition coefficient Not available

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT

and vPvR assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available Not available Contaminated packaging EU waste code Not available.

Disposal methods/information Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

SECTION 14: Transport information

DOT

UN3082 **UN number**

UN proper shipping name Transport hazard class(es) Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

9 Subsidiary risk Ш **Packing group Environmental hazards**

> Marine pollutant Yes

Special precautions for user Not available.

DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes

Special precautions for user Not available.

IMDG

UN number UN3082

UN proper shipping name

Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Transport hazard class(es)
Marine pollutant Yes

Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.

ADR

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)

Class 9 Subsidiary risk -


Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group III Environmental hazards Yes

Special precautions for user Not available.

ADR; DOT; IATA; IMDG



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, South Korea, New Zealand, and

China.

Not available.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further

rectifications and amendments).

National regulations

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

Water hazard class

VwVwS WGK2

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation. H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Composition / Information on Ingredients: Ingredients

Revision information Composition / Information on Ingredients: Ingredients

SECTION 15: Regulatory information: Other regulations SECTION 16: Other information: Information on evaluation method leading to the classification of

mixture

SECTION 16: Other information: References

GHS: Qualifiers

Training information Follow training instructions when handling this material.

Disclaimer This Safety Data Sheet document is provided without of

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Safe Use of Mixture Information (SUMI)

--

UV digital printing inks: UV01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll
Diek managament magazura	

Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.