

SAFETY DATA SHEET

1. Identification

*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Name of the substance or

mixture (trade name)

11-Mar-2019 Issue date **Revision date** 27-Apr-2021

Version # 07

Major recommended uses for the substance or mixture

Inkjet printing

2LL53Series

Specific restrictions for use of the substance or mixture

Can only be used for printing on soft signage and promotional items. Should not be applied to

clothing textiles.

Company identification HP Columbia SAS

Carrera 7 No 99-53 Torre B Pisos 7

Bogota, Columbia

(57) 1 639 0000 Telephone

HP Inc. health effect line

(Toll-free within US) 1-800-457-4209 1-760-710-0048 (Direct)

HP Inc. Customer Care

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

hpcustomer.inquiries@hp.com Email:

2. Hazards identification

Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

Environmental hazards Not classified.

GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word Warning

Hazard statement(s) May cause an allergic skin reaction.

Precautionary statement(s)

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing

dust/fume/mist/vapors. Contaminated work clothing should not be allowed out of the workplace.

Response IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Material name: 2LL53Series SDS ECUADOR

11234 Version #: 07 Revision date: 27-Apr-2021 Issue date: 11-Mar-2019

Supplemental information

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

3. Composition/information on ingredients

•			
Sub	stance	or m	INTIIRE

Mixture

		concentration range
Water	7732-18-5	75-80
Glycerol	56-81-5	<20
2-pyrrolidone	616-45-5	<2.5
Blue colorant	Proprietary	<2.5
Red colorant	Proprietary	<2.5
1,2-Benzisothiazolin-3-one (Benzisothiazolinone)	2634-33-5	<0.05
2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone)	2682-20-4	<0.05

Composition comments

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

4. First-aid measures

First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Not available.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Notes to physician Not available.

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

Specific haza the chemical

Not available.

Protective measures taken by

firefighting crews

Not available.

Specific methods None established.

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in

rendering emergency services

Wear appropriate personal protective equipment.

To be taken by those who are involved in rendering

Not available.

emergency services
Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Material name: 2LL53Series SDS ECUADOR

11234 Version #: 07 Revision date: 27-Apr-2021 Issue date: 11-Mar-2019

Other issues relating to spills and releases

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure controls/personal protection

Control parameters

No exposure limits noted for ingredient(s). Occupational exposure limits

Biological limit values No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product. **Exposure guidelines**

Appropriate engineering

controls

Use in a well ventilated area.

Personal protective measures

Wear safety glasses with side shields (or goggles). Eyes and face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Use personal protective equipment to minimize exposure to skin and eye. Other

Not available. Respiratory protection Thermal hazards Not available.

Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

9. Physical and chemical properties

Appearance

Physical state Liquid. Form Liquid. Color Black.

Not available. Odor **Odor threshold** Not available.

8.2 pН

Not available. Melting point/freezing point Initial boiling point and boiling Not available.

temperature range

336.0 °F (168.9 °C) Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Solubility(ies)

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

Other physical and chemical parameters

Oxidizing properties Not determined

VOC 9.47 %

Material name: 2LL53Series SDS ECUADOR

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Skin sensitization May cause sensitization by skin contact.

Respiratory sensitizationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Toxic to reproductionBased on available data, the classification criteria are not met.

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation

12. Ecological information

Ecotoxicity

Components		Species	Test Results
1,2-Benzisothiazolin-3-one	e (Benzisothiazolino	ne) (CAS 2634-33-5)	
Acute			
Other	EC50	Pseudokirchnerella subcapitata	70 - 150 μg/l, 72 h OECD (201)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	2.9 mg/l, 48 h (OECD 202)
Fish	LC50	Oncorhynchus mykiss	2.15 mg/l, 96 h (OECD 203)
		Sheepshead minnow (Cyprinodon variegatus)	16.7 mg/l, 96 h EPA 540/9-85-006
2-Methyl-2h-isothiazol-3-o	ne (Methylisothiazo	linone) (CAS 2682-20-4)	
Acute			
Other	EC50	Pseudokirchnerella subcapitata	0.138 - 0.22 mg/l, 120 h (OECD 201)
Chronic			
	NOEC	Pseudokirchneriella subcapitata	0.05 mg/l, 120 h (OECD 201)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	1.6 mg/l, 48 h (OECD 202)
	LC50	Daphnia magna	0.934 mg/l, 48 h (OECD 202)
Fish	LC50	Oncorhynchus mykiss	4.77 mg/l, 96 h (OECD 203)

Material name: 2LL53Series SDS ECUADOR

11234 Version #: 07 Revision date: 27-Apr-2021 Issue date: 11-Mar-2019

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Persistence and degradability Not available.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone -0.85 Glycerol -1.76

Bioconcentration factor

(BCF)

1,2-Benzisothiazolin-3-one (Benzisothiazolinone) 6.62, (OECD 305)

Species: Bluegill (Lepomis macrochirus)

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) 48.1, Viscera (1972)

Species: Bluegill (Lepomis macrochirus)

5.75, Carcass (1972)

Species: Bluegill (Lepomis macrochirus)

Mobility in soilNot available.Other adverse effectsNot available.

13. Considerations on final disposal

Recommended methods for final destination

Residual waste Not available.

Contaminated packaging Not available.

Local disposal regulations Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

International regulations

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group

Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

Material name: 2LL53Series SDS ECUADOR

EmS Not available. Special precautions for user Not available.

ADR

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

ADR

Basic shipping requirements:

Proper shipping name Not Regulated

Marine pollutant No

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information

Federal regulations

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not

specifically related to the

previous sections

Not available.

Issue date 11-Mar-2019
Revision date 27-Apr-2021

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Material name: 2LL53Series SDS ECUADOR

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: 2LL53Series SDS ECUADOR