

# SAFETY DATA SHEET

### 1. Identification

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

Name of the substance or mixture (trade name)

2LL57Series

Revision date 20-Mar-2019 09-Oct-2020

Version #

Major recommended uses for the substance or mixture

Inkjet printing

Specific restrictions for use of the substance or mixture

Can only be used for printing on soft signage and promotional items. Should not be applied to

clothing textiles.

Company identification HP-PPS Ecuador Cia. Ltda,

Avenida 12 de Octubre N24-739 y Avenida Cristóbal Colón, Edificio

Boreal, Torre A, Piso 11, Oficinas 1101 y 1102,

Quito, Pichincha, 170517, Ecuador

HP Inc. health effect line

(Toll-free within US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

### 2. Hazards identification

# Classification of the substance or mixture

Physical hazards Not classified.

**Health hazards** Sensitization, skin Category 1

**Environmental hazards** Not classified.

#### GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word Warning

**Hazard statement(s)** May cause an allergic skin reaction.

Precautionary statement(s)

**Prevention** Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing

dust/fume/mist/vapors. Contaminated work clothing should not be allowed out of the workplace.

**Response** IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Not available.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Material name: 2LL57Series SDS ECUADOR

11234 Version #: 05 Revision date: 09-Oct-2020 Issue date: 20-Mar-2019

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

# 3. Composition/information on ingredients

Sub	ıstar	ıce	or	mixtu	ıre

Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Water	7732-18-5	75-80
Glycerol	56-81-5	<20
2-pyrrolidone	616-45-5	<2.5
Blue colorant	Proprietary	<2.5
Red colorant	Proprietary	<2.5
1,2-Benzisothiazolin-3-one	2634-33-5	<0.05
2-methyl-2h-isothiazol-3-one	2682-20-4	<0.05

#### **Composition comments**

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

#### 4. First-aid measures

First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Not available.

Not available.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important

Notes to physician

symptoms/effects, acute and

delayed

# 5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Specific hazards arising from

None known.

the chemical

Not available.

Protective measures taken by

firefighting crews

Not available.

None established. Specific methods

#### 6. Control measures for spills and leaks

### Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency

services

Wear appropriate personal protective equipment.

To be taken by those who are involved in rendering emergency services

Not available

**Environmental precautions** 

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Material name: 2LL57Series SDS ECUADOR

11234 Version #: 05 Revision date: 09-Oct-2020 Issue date: 20-Mar-2019

Other issues relating to spills and releases

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

# 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

# 8. Exposure controls/personal protection

**Control parameters** 

No exposure limits noted for ingredient(s). Occupational exposure limits

**Biological limit values** No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product. **Exposure guidelines** 

Use in a well ventilated area.

Appropriate engineering

controls

Personal protective measures

Wear safety glasses with side shields (or goggles). Eyes and face protection

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Use personal protective equipment to minimize exposure to skin and eye. Other

Not available. Respiratory protection Thermal hazards Not available.

Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

### 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. Form Liquid. Color Black.

Not available. Odor **Odor threshold** Not available.

8.2 pН

Not available. Melting point/freezing point Initial boiling point and boiling Not available.

temperature range

336.0 °F (168.9 °C)

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flash point

Not available.

Flammability limit - upper

Not available.

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Solubility(ies)

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** 

Other physical and chemical parameters

**Oxidizing properties** Not determined

VOC 9.47 %

Material name: 2LL57Series SDS ECUADOR

### 10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Not available Conditions to avoid

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

# 11. Toxicological information

Based on available data, the classification criteria are not met. **Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Skin sensitization May cause sensitization by skin contact.

Respiratory sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Toxic to reproduction

> 2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met. Other information Complete toxicity data are not available for this specific formulation

#### 12. Ecological information

#### **Ecotoxicity**

(BCF)

Mobility in soil

Other adverse effects

Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Persistence and degradability	Not available.		
Bioaccumulative potential			
Partition coefficient			
n-octanol / water (log Kow)			
2-pyrrolidone		-0.85	
Glycerol		-1.76	
<b>Bioconcentration factor</b>	Not available.		

#### 13. Considerations on final disposal

Recommended methods for final destination Not available. Residual waste Not available. Contaminated packaging

Material name: 2LL57Series

11234 Version #: 05 Revision date: 09-Oct-2020 Issue date: 20-Mar-2019

Not available.

Not available.

### Local disposal regulations

Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport information

#### International regulations

DOT

**UN** number Not available. UN proper shipping name Not Regulated

Transport hazard class(es)

Not available. Class

Subsidiary risk

Not available. **Packing group** 

**Environmental hazards** 

Marine pollutant Nο

Special precautions for user Not available.

**IATA** 

Not available. **UN** number **UN** proper shipping name Not Regulated

Transport hazard class(es)

Not available. Class

Subsidiary risk

Not available. Packing group

**Environmental hazards** Nο

Special precautions for user Not available.

**IMDG** 

Not available. **UN** number **UN proper shipping name** Not Regulated

Transport hazard class(es)

Not available. Class

Subsidiary risk

Not available. **Packing group** 

Transport hazard class(es)

No Marine pollutant Not available. **EmS** 

Special precautions for user Not available.

**ADR** 

**UN** number Not available. UN proper shipping name Not Regulated

Transport hazard class(es)

Not available. Class

Subsidiary risk

Hazard No. (ADR) Not available. Not available. **Tunnel restriction code** Packing group Not available.

Nο **Environmental hazards** 

Special precautions for user Not available.

**ADR** 

Basic shipping requirements:

Proper shipping name Not Regulated

Marine pollutant

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

### 15. Regulatory information

# **Federal regulations**

Material name: 2LL57Series SDS ECUADOR

### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

**Montreal Protocol** 

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

### 16. Other information

Significant information, yet not

specifically related to the

previous sections

Not available.

20-Mar-2019 Issue date **Revision date** 09-Oct-2020

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

Recommended Exposure Limit RFI

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

Toxicity Characteristics Leaching Procedure **TCLP** 

**TLV** Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: 2LL57Series

11234 Version #: 05 Revision date: 09-Oct-2020 Issue date: 20-Mar-2019