

SAFETY DATA SHEET

1. Identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Name of the substance or

4UV38Series

mixture (trade name)
Issue date

26-Jan-2021 29-Jan-2021

Revision date Version #

23-Jan-20

Major recommended uses for

Major recommended uses for the substance or mixture Inkjet printing

Specific restrictions for use of the substance or mixture

Not available.

Company identification

HP-PPS Ecuador Cia. Ltda.

Avenida 12 de Octubre N24-739 y Avenida Cristóbal Colón, Edificio

Boreal, Torre A, Piso 11, Oficinas 1101 y 1102,

Quito, Pichincha, 170517, Ecuador

HP Inc. health effect line

(Toll-free within US)

1-800-457-4209

(Direct)

1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards identification

Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

GHS labeling elements, including precautionary statements

Hazard symbol(s) None.
Signal word None.

Hazard statement(s) Not available.

Precautionary statement(s)

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Other hazards which do not result in classification

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information 2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the

unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an

animal study. See Section 11.

Material name: 4UV38Series SDS ECUADOR

13548 Version #: 02 Revision date: 29-Jan-2021 Issue date: 26-Jan-2021

3. Composition/information on ingredients

Substance or mixture

Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Water	7732-18-5	60-80
1,2-butanediol	584-03-2	<20
Black Pigment	Proprietary	<5
2-pyrrolidone	616-45-5	<3

Composition comments

This ink supply contains an aqueous ink formulation.

Carbon black is present only in a bound form in this preparation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

4. First-aid measures

First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Not available.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Notes to physician Not available.

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not available.

Protective measures taken by

firefighting crews

Not available.

Specific methods None established.

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency

services

Wear appropriate personal protective equipment.

To be taken by those who are involved in rendering emergency services

Not available.

Environmental precautions

Methods and materials for containment and cleaning up

Other issues relating to spills and releases

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and storage

Precautions for safe handling
Avoid contact with skin, eyes and clothing

Material name: 4UV38Series SDS ECUADOR

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

US. ACGIH Threshold Limit Values

Form Components **Type** Value **Black Pigment TWA** 3 mg/m3 Inhalable fraction.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Form Components Value **Type** TWA **Black Pigment** 3 mg/m3 Inhalable fraction.

Biological limit values No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product. **Exposure guidelines**

Appropriate engineering

controls

Use in a well ventilated area.

Personal protective measures

Eyes and face protection

Not available.

Skin protection

Not available. **Hand protection** Other Not available. Respiratory protection Not available. Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Under extreme work place conditions, ink vapors may condense outside of the printing system.

The Waste Profile Datasheet for your printer at

https://hplatexknowledgecenter.com/applications/wasteprofiles contains more information on how

to properly handle and dispose of the condensate.

9. Physical and chemical properties

liquid **Appearance Physical state** Liquid. **Form** Liquid. Color Black.

Not available. Odor **Odor threshold** Not available.

8.4 рH

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

temperature range

343.0 °F (172.8 °C) Pensky-Martens Closed Cup estimated Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure Not available. Not available. Solubility(ies) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature**

Material name: 4UV38Series SDS ECUADOR

Not available. **Decomposition temperature Viscosity** Not available.

Other physical and chemical parameters

Oxidizing properties Not determined

< 266 g/I EPA method 24

10. Stability and reactivity

Reactivity Not available

Stable under recommended storage conditions. Chemical stability

Possibility of hazardous

reactions

Will not occur.

Not available. Conditions to avoid

Incompatible with strong bases and oxidizing agents. Incompatible materials

Hazardous decomposition

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

products

11. Toxicological information

Based on available data, the classification criteria are not met. **Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation

Serious eye damage/eye

Germ cell mutagenicity

irritation

Not classified as an irritant according to, OECD 405.

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Non-sensitizer- Local Lymph Node Assay (OECD 429). Skin sensitization

Based on available data, the classification criteria are not met. Respiratory sensitization

Carcinogenicity Based on available data, the classification criteria are not met.

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)

Black Pigment (CAS Proprietary) Group A3 Confirmed animal carcinogen with unknown relevance

to humans.

Based on available data, the classification criteria are not met. Toxic to reproduction

> 2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard** Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity

Components **Test Results** Species

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Persistence and degradability Not available.

Material name: 4UV38Series SDS ECUADOR

13548 Version #: 02 Revision date: 29-Jan-2021 Issue date: 26-Jan-2021

4/7

Bioaccumulative potential

Partition coefficient

n-octanol / water (log Kow)

-0.852-pyrrolidone

Bioconcentration factor

(BCF)

Not available.

Not available. Mobility in soil Other adverse effects Not available.

13. Considerations on final disposal

Recommended methods for final destination

Residual waste Not available. Contaminated packaging Not available.

Local disposal regulations Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

14. Transport information

International regulations

DOT

UN number Not available. **UN** proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Not available. **Packing group**

Environmental hazards

Marine pollutant

Special precautions for user Not available.

IATA

UN number Not available. **UN** proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards Nο

Special precautions for user Not available.

IMDG

Not available. **UN number UN** proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Not available. Packing group

Transport hazard class(es)

Marine pollutant Nο

Not available. Special precautions for user Not available.

ADR

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Not available. Hazard No. (ADR) **Tunnel restriction code** Not available. Not available. **Packing group**

Environmental hazards

Special precautions for user Not available.

Material name: 4UV38Series SDS ECUADOR 5/7

13548 Version #: 02 Revision date: 29-Jan-2021 Issue date: 26-Jan-2021

ADR

Basic shipping requirements:

Proper shipping name Not Regulated

Marine pollutant

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information

Federal regulations

International regulations

The components of this product are reported in the following inventories: United States of America, European Union, Switzerland, Canada, Australia and New Zealand.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not

specifically related to the

previous sections

Not available.

Revision information

1. Product and Company Identification: Alternate Trade Names

Issue date **Revision date**

26-Jan-2021 29-Jan-2021

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: 4UV38Series

13548 Version #: 02 Revision date: 29-Jan-2021 Issue date: 26-Jan-2021

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: 4UV38Series SDS ECUADOR