



SAFETY DATA SHEET

1. Identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
Name of the substance or mixture (trade name)	CN751Series	
Synonyms	HP Scitex MF10 Cleaner	
Issue date	19-Aug-2016	
Revision date	08-Jul-2020	
Version #	04	
Major recommended uses for the substance or mixture	Inkjet printing	
Specific restrictions for use of the substance or mixture	Not available.	
Company identification	HP-PPS Ecuador Cia. Ltda, Avenida 12 de Octubre N24-739 y Avenida Cristóbal Colón, Edificio Boreal, Torre A, Piso 11, Oficinas 1101 y 1102, Quito, Pichincha, 170517, Ecuador	
HP Inc. health effect line (Toll-free within US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line (Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	

2. Hazards identification

Classification of the substance or mixture

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
Environmental hazards	Not classified.	

GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word

Warning

Hazard statement(s)

Combustible liquid. Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Precautionary statement(s)

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Response

In case of fire: Use sand, carbon dioxide (CO₂) or dry chemical to extinguish. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth. Wash contaminated clothing before reuse.

Storage

Store in a well-ventilated place. Keep cool.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification	Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.
Supplemental information	None.

3. Composition/information on ingredients

Substance or mixture	Substance	CAS number	Concentration or concentration range
Common chemical name or technical name			
2-Butoxyethyl acetate		112-07-2	100%

4. First-aid measures

First-aid measures

Inhalation	Move person to fresh air immediately. If symptoms persist, get immediate medical attention.
Skin contact	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
Ingestion	Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Most important symptoms/effects, acute and delayed	Not available.
Notes to physician	Not available.

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not available.
Special fire fighting procedures	Move containers from fire area if you can do it without risk.
Protective measures taken by firefighting crews	Firefighters should wear full protective clothing including self contained breathing apparatus. Avoid runoff into storm sewers and ditches which lead to waterways.

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services	Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition. Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.
To be taken by those who are involved in rendering emergency services	Not available.
Environmental precautions	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	Not available.
Other issues relating to spills and releases	Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions for safe handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
Conditions for safe storage, including any incompatibilities	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

US. ACGIH Threshold Limit Values

Material	Type	Value
----------	------	-------

CN751Series	TWA	20 ppm
-------------	-----	--------

Components	Type	Value
------------	------	-------

2-Butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm
--------------------------------------	-----	--------

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)

Material	Type	Value
----------	------	-------

CN751Series	TWA	20 ppm
-------------	-----	--------

Components	Type	Value
------------	------	-------

2-Butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm
--------------------------------------	-----	--------

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Not available.

Personal protective measures

Eyes and face protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

Skin protection

Hand protection Recommended gloves: Nitrile 6 mil minimum thickness.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

Hygiene measures Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Liquid.

Color Clear.

Odor Solvent.

Odor threshold Not available.

pH 2.2 - 3.8 Metler Toledo pH Meter. 10 g/l, H₂O, 20 °C

Melting point/freezing point -82.3 °F (-63.5 °C)

Initial boiling point and boiling temperature range 377.6 °F (192 °C)

Flash point > 165.2 °F (> 74.0 °C) Tag Closed Cup Method D 56

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.4 hPa @ 20°C

Solubility(ies) 2 %

Partition coefficient (n-octanol/water)	1.57
Auto-ignition temperature	645 °F (340.56 °C)
Decomposition temperature	Not available.
Viscosity	1.6 cP Brookfield Viscometer (± 0.5) Temperature 22°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading
Other physical and chemical parameters	
Molecular formula	C8-H16-O3
Molecular weight	160
VOC	< 940 g/L Calculated

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	None known.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	This product may react with strong oxidizing agents. Reacts with air to form peroxides. oxidizing agents
Hazardous decomposition products	peroxides.

11. Toxicological information

Acute toxicity	Harmful if inhaled. Harmful if swallowed. Harmful in contact with skin.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitization		
Skin sensitization	Based on available data, the classification criteria are not met.	
Respiratory sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
ACGIH Carcinogens		
2-Butoxyethyl acetate (CAS 112-07-2)	A3 Confirmed animal carcinogen with unknown relevance to humans.	
Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)		
2-Butoxyethyl acetate (CAS 112-07-2)	Group A3 Confirmed animal carcinogen with unknown relevance to humans.	
Toxic to reproduction	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Other information	Complete toxicity data are not available for this specific formulation	

12. Ecological information

Aquatic toxicity	No information available.	
Ecotoxicity	No information available.	
Persistence and degradability	Not available.	
Bioaccumulative potential		
Partition coefficient n-octanol / water (log Kow)		
CN751Series	1.57	
Bioconcentration factor (BCF)	Not available.	
Mobility in soil	Not available.	
Other adverse effects	Not available.	

13. Considerations on final disposal

Recommended methods for final destination

Residual waste	Not available.
Contaminated packaging	Not available.
Local disposal regulations	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.

14. Transport information

International regulations

DOT

UN number	NA1993
UN proper shipping name	Combustible Liquid n.o.s. (Ethylene Glycol, Monobutyl Ether Acetate) - not regulated in quantities less than 119 gallons.
Transport hazard class(es)	
Class	Combustible
Subsidiary risk	-
Packing group	III
Special precautions for user	DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.

IMDG

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for user	Not available.

ADR

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.

ADR

Basic shipping requirements:

Proper shipping name	Not Regulated
Marine pollutant	No

General information DOT Classification only applies to shipments within the US and Puerto Rico.

15. Regulatory information

Federal regulations

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not specifically related to the previous sections Not available.

Revision information

- 1. Product and Company Identification: EU Poison Center
- Identification: Important information
- Hazards identification: GHS Hazard Statements
- Hazards identification: Prevention
- Hazards identification: Response
- 3. Composition / Information on Ingredients: Disclosure Overrides
- 9. Physical & Chemical Properties: Multiple Properties
- Toxicological information: Acute toxicity
- HazReg Data: Europe - EU

Issue date 19-Aug-2016

Revision date 08-Jul-2020

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds