

SAFETY DATA SHEET

1. Identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Name of the substance or

mixture (trade name)

Synonyms

HP FB225 BLACK SCITEX INK

Issue date 18-Jul-2016 **Revision date** 01-Apr-2021

Version # 80

Major recommended uses for the substance or mixture

Inkjet printing

CP759Series

Specific restrictions for use of the substance or mixture

Not available.

Company identification

HP-PPS Ecuador Cia. Ltda,

Avenida 12 de Octubre N24-739 y Avenida Cristóbal Colón, Edificio

Boreal, Torre A, Piso 11, Oficinas 1101 y 1102,

Quito, Pichincha, 170517, Ecuador

HP Inc. health effect line

1-800-457-4209 (Toll-free within US) (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

1-800-474-6836 (Toll-free within the US) (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards identification

Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Sensitization, skin Category 1 Reproductive toxicity Category 1B Specific target organ toxicity, repeated

exposure

Category 1

Environmental hazards

Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment,

long-term hazard

Category 1

Category 1

GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word

Causes skin irritation. May cause an allergic skin reaction. May damage fertility. May damage the Hazard statement(s)

unborn child. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid release to the environment.

Material name: CP759Series SDS ECUADOR

12556 Version #: 08 Revision date: 01-Apr-2021 Issue date: 18-Jul-2016

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical Response

advice/attention. IF exposed or concerned: Get medical attention/advice. Get medical attention/advice if you feel unwell. Collect spillage. Take off contaminated clothing and wash

before reuse.

Store locked up. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not

present this carcinogenic risk.

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Supplemental information

None.

3. Composition/information on ingredients

Substance	or mixture	Mixture
-----------	------------	---------

Common chemical name or technical name	CAS number	Concentration of concentration range
Acrylate ester 1	Proprietary	<30
Acrylate ester 2	Proprietary	<20
Acrylate ester 3	Proprietary	<20
Acrylate ester 4	Proprietary	<10
Vinylcaprolactam	Proprietary	<10
Difunctional acrylic monomer	Proprietary	<5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	Proprietary	<5
Acrylated oligoamine resin	Proprietary	<2.5
Black pigment	Proprietary	<2.5
Thioxanthone derivative	Proprietary	<2.5
Glycerol, propoxylated, esters with acrylic acid	Proprietary	<1
Propiophenone derivative	Proprietary	<1

Composition comments

Carbon black is present only in a bound form in this preparation.

4. First-aid measures

First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical Skin contact

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Ingestion

Never give anything by mouth to an unconscious person.

Most important

symptoms/effects, acute and

delayed

Not available.

Notes to physician Not available.

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

media

Unsuitable extinguishing

media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

Not available.

Special fire fighting

procedures

Avoid runoff into storm sewers and ditches which lead to waterways.

Protective measures taken by

firefighting crews

Not available.

Material name: CP759Series SDS ECUADOR

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

To be taken by those who are involved in rendering emergency services

Not available.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also

section 13 Disposal considerations.

Methods and materials for containment and cleaning up Not available.

Other issues relating to spills and releases

Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

US. ACGIH Threshold Limit Values

Value **Form** Components **Type TWA** Black pigment 3 mg/m3 Inhalable fraction.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Form Components Value **Type** Black pigment **TWA** 3 mg/m3 Inhalable fraction.

No biological exposure limits noted for the ingredient(s). **Biological limit values** Exposure limits have not been established for this product. **Exposure guidelines**

Appropriate engineering

Personal protective measures

Eyes and face protection

controls

Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and

emergency showers are recommended.

Skin protection

Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum **Hand protection**

Not available.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Thermal hazards

Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

reuse. Keep away from food and drink.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Color Black.

Odor Characteristic. **Odor threshold** Not available.

6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available.

Material name: CP759Series SDS ECUADOR Initial boiling point and boiling

temperature range

Not available.

> 213.8 °F (> 101.0 °C) Closed Cup EPA Method 1020

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flash point

Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available Not available. Solubility(ies)

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available.

13 - 14 cP Brookfield Viscometer (± 0.5) Temperature 40°C. Spindle # 18 (S18) RPM 100. Wait Viscosity

approx 10 min to take the reading.

Other physical and chemical parameters

VOC 4.52 g/L Method 24/ASTM D5403-93

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Hazardous polymerization can occur with decreased inhibitor content.

Conditions to avoid Exposure to sunlight.

Incompatible with strong bases and oxidizing agents. alkaline metals Incompatible materials

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Based on available data, the classification criteria are not met. Acute toxicity

Skin corrosion/irritation Causes skin irritation. Non-corrosive (OECD 431).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not classified as an irritant according to, OECD 437.

Respiratory or skin sensitization

Skin sensitization May cause sensitization by skin contact.

Based on available data, the classification criteria are not met. Respiratory sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)

Black pigment (CAS Proprietary) Group A3 Confirmed animal carcinogen with unknown relevance

to humans.

May damage fertility. May damage the unborn child. Toxic to reproduction

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Material name: CP759Series SDS ECUADOR

Test Results

12. Ecological information

Aquatic toxicity Very toxic to aquatic life with long lasting effects.

Species

Ecotoxicity Components

Components		Opecies		i est ivesuits	
Difunctional acrylic monomer					
Acute					
	EC10	Pseudokirchnerie	ella subcapitata	2.3 mg/l, 72 h (OECD 201)	
	EC50	Pseudokirchnerie	ella subcapitata	11 mg/l, 72 h (OECD 201)	
Aquatic					
Acute					
Crustacea	EC50	Daphnia Magna		37 mg/l, 48 h (OECD 202)	
Fish	LC50	Danio rerio		2.7 mg/l, 96 h (OECD 203)	
Diphenyl (2,4,6-trimethylbenzoyl)	phosphine oxide				
Acute					
	EC10	Pseudokirchnerie	ella subcapitata	1.56 mg/l, 72 h (OECD 201)	
	EC50	Pseudokirchnerie	ella subcapitata	> 2.01 mg/l, 72 h (OECD 201)	
	LC50	Cyprinus carpio		1.4 mg/l, 96 h (OECD 203)	
Aquatic					
Acute					
Crustacea	EC50	Daphnia magna		3.53 mg/l, 48 h (OECD 202)	
Persistence and degradability	Not available.				
Bioaccumulative potential					
Partition coefficient n-octanol / water (log Kow)	Not available.				
Bioconcentration factor (BCF)					
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide			72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance Control Law, Japan)		
Mobility in soil	Not available.				

13. Considerations on final disposal

Recommended methods for final destination

Residual waste Not available.

Contaminated packaging Not available.

Local disposal regulations Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Not available.

Ensure collection and disposal with an appropriately licensed waste contractor.

14. Transport information

International regulations

Other adverse effects

DOT

Not regulated as dangerous goods.

DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)

Transport hazard class(es)
Class 9
Subsidiary risk -

Packing group III
Environmental hazards Yes

Special precautions for user Not available.

IATA Supplemental Information When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

Material name: CP759Series SDS ECUADOR

IMDG

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative),

MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Transport hazard class(es)

Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.

IMDG Supplemental Information When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

ADR

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)

Class 9 Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group III
Environmental hazards Yes

Special precautions for user Not available.

ADR Supplemental Information When shipping ≤ 5L containers, ADR 375 may apply.

ADR


Basic shipping requirements:

Proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)

Hazard class9UN number3082Packing groupIIIMarine pollutantYes

ADR supplemental information When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



Material name: CP759Series SDS ECUADOR

Marine pollutant



15. Regulatory information

Federal regulations

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not specifically related to the previous sections

Not available.

Issue date Revision date 18-Jul-2016 01-Apr-2021

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CP759Series SDS ECUADOR

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CP759Series sps Ecuador