

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

CN831Series

1.1. Product identifier

Trade name or designation

of the mixture

Registration number

UFI SS60-A7GY-030R-KATX
Synonyms HP XP220 Cyan Scitex Ink

Issue date 09-Dec-2013

Version number 08

Revision date 26-Mar-2021 Supersedes date 14-Mar-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

HP France SAS

14. rue de la Verrerie - CS 40012

92197 Meudon CEDEX

France

HP Europe B.V. PO Box 667

1180 AR Amstelveen The Netherlands

Telephone +31 20 721 3400

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

+ 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

Skin sensitization Category 1 H317 - May cause an allergic skin

Category 3 respiratory tract irritation

reaction. H360FD - May damage fertility.

Reproductive toxicity (fertility, the unborn

Specific target organ toxicity - single

child)

exposure

Category 1B

May damage the unborn child. H335 - May cause respiratory

irritation.

Material name: CN831Series SDS FRANCE

Specific target organ toxicity - repeated

Hazardous to the aquatic environment,

exposure

Category 1 (liver, respiratory system)

H372 - Causes damage to organs (liver, respiratory) through prolonged or repeated exposure.

H400 - Very toxic to aquatic life.

Environmental hazards

Hazardous to the aquatic environment, acute Category 1

aquatic hazard

long-term aquatic hazard

Category 1 H410 - Very toxic to aquatic life

with long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

1-vinylhexahydro-2H-azepin-2-one, 2-methyl-1-(4-methylthiophenyl)- 2-morpholinopropan-1-one, Contains:

exo-1,7,7-trimethylbicyclo[2.2,1]hept-2-yl acrylate, Propylidynetrimethanol, ethoxylated, esters

with acrylic acid

Hazard pictograms

Signal word Danger

Hazard statements

Causes skin irritation. H315 Causes serious eye damage. H318

May cause an allergic skin reaction. H317

May damage fertility. May damage the unborn child. H360FD

May cause respiratory irritation. H335

Causes damage to organs (liver, respiratory) through prolonged or repeated exposure. H372

Very toxic to aquatic life. H400

Very toxic to aquatic life with long lasting effects. H410

Precautionary statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. P280

Do not breathe dust/fume/gas/mist/vapors/spray. P260 Use only outdoors or in a well-ventilated area. P271

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202

Do not eat, drink or smoke when using this product. P270

Wash hands thoroughly after handling. P264 Avoid release to the environment. P273

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician. P310 IF ON SKIN: Wash with plenty of soap and water. P302 + P352

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 IF exposed or concerned: Get medical attention/advice. P308 + P313

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P304 + P340

Call a POISON CENTER/doctor/physician if you feel unwell. P312

P391 Collect spillage.

Take off contaminated clothing and wash before reuse. P362

Storage

Store locked up. P405

Store in a well-ventilated place. Keep container tightly closed. P403 + P233

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: CN831Series SDS FRANCE

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
exo-1,7,7-trimethylbicyo 2-yl acrylate	clo[2.2,1]hept-	<30	5888-33-5 227-561-6	01-2119957862-25-XXXX	-	
Classification:	Skin Irrit. 2;H Chronic 1;H4		Sens. 1B;H317, Eye	Irrit. 2;H319, STOT SE 3;H33	35, Aquatic	
Propylidynetrimethanol esters with acrylic acid	, ethoxylated,	<25	Proprietary -	-	-	
Classification:	Skin Sens. 1;	H317				
(octahydro-4.7-methanol)bis(methylene) diacryl		<10	42594-17-2 255-901-3	-	-	
Classification:	Skin Sens. 1;	H317, Ac	uatic Chronic 2;H411			
1-vinylhexahydro-2H-az	zepin-2-one	<10	2235-00-9 218-787-6	01-2119977109-27-XXXX	-	
Classification:	Acute Tox. 4; RE 1;H372	H302, Ac	ute Tox. 4;H312, Skir	n Sens. 1B;H317, Eye Irrit. 2;I	H319, STOT	
Dodecyl acrylate		<10	2156-97-0 218-463-4	01-2119976296-23-XXXX	-	
Classification:	Skin Irrit. 2;H Chronic 2;H4		Sens. 1;H317, Eye Ir	rit. 2;H319, STOT SE 3;H335	5, Aquatic	
Tetrahydrofurfuryl acryl	ate	<7.5	2399-48-6 219-268-7	01-2120738396-46-XXXX	-	
Classification:			in Corr. 1B;H314, Ski 60FD, Aquatic Chron	n Sens. 1;H317, Eye Dam. 1 ic 2;H411	;H318, Repr.	
Ethyl 4-dimethylaminob	enzoate	<5	10287-53-3 233-634-3	-	-	
Classification:	Repr. 1B;H36	80D, Repi	. 1B;H360F, Aquatic	Chronic 2;H411		
Phenyl, Bis(2,4,6-trimethylbenz oxide	oyl)-phosphine	<5	162881-26-7 423-340-5	01-2119489401-38-XXXX	015-189-00-5	
Classification:	Skin Sens. 17	4;H317, <i>A</i>	quatic Chronic 4;H41	3		
2-methyl-1-(4-methylthi 2-morpholinopropan-1-		<2.5	71868-10-5 400-600-6	-	606-041-00-6	
Classification:	Acute Tox. 4;	H302, Re	pr. 1B;H360FD, Aqua	atic Chronic 2;H411		
Oxybis(methyl-2,1-etha	nediyl)	<2.5	57472-68-1 260-754-3	01-2119484629-21-XXXX	-	
diacrylate			200-754-3			

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

4.2. Most important symptoms

and effects, both acute and

delayed

Not available.

Not available.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

media

Unsuitable extinguishing

media

Water.

5.2. Special hazards arising from the substance or mixture Not available.

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters Avoid runoff into storm sewers and ditches which lead to waterways.

Special fire fighting

procedures

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

Not available. For emergency responders

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. 6.2. Environmental precautions

6.3. Methods and material for

Not available.

containment and cleaning up

6.4. Reference to other sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE)

containers are recommended for shipping and storage.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Workers	Dermal	0.7 mg/kg	Systemic long term
		Inhalation	4.9 mg/m3	Systemic long term
		Inhalation	0.17 mg/m3	Local long term
Dodecyl acrylate (CAS 2156-97-0)	Workers	Dermal	138.9 mg/kg	Systemic long term
		Inhalation	97.9 mg/m3	Systemic long term
exo-1,7,7-trimethylbicyclo[2.2,1]hept-2-yl acrylate (CAS 5888-33-5)	Workers	Dermal	1.39 mg/kg	Systemic long term
Oxybis(methyl-2,1-ethanediyl) diacrylate (CAS 57472-68-1)	Workers	Dermal	2.77 mg/kg	Systemic long term
		Inhalation	24.48 mg/m3	Systemic short term
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide (CAS 162881-26-7)	Workers	Dermal	3.3 mg/kg	Systemic long term
		Dermal	3.3 mg/kg	Systemic short term
		Inhalation	7.8 mg/m3	Systemic long term
		Inhalation	7.8 mg/m3	Systemic short term
Tetrahydrofurfuryl acrylate (CAS 2399-48-6)	Consumers	Dermal	1.75 mg/kg bw/d	Systemic long term
		Inhalation	0.3 mg/m3	Systemic long term
		Oral	0.18 mg/kg bw/d	Systemic long term
	Workers	Dermal	4.9 mg/kg bw/d	Systemic long term
		Inhalation	1.73 mg/m3	Systemic long term

Material name: CN831Series SDS FRANCE

Predicted no effect concentrations (PNECs)

Components		Туре	Route	Value	Form
1-vinylhexahydro-2H-azepin-2 2235-00-9)	-one (CAS	Not applicable	Freshwater	0.1 mg/l	
			Intermittent	1 mg/l	Releases
			Marine water	0.01 mg/l	
			Sediment	0.829 mg/kg	Freshwater
			Sediment	0.0829 mg/kg	Marine water
			Soil	0.107 mg/kg	
			STP	262 mg/l	Sewage Treatment Plar
Dodecyl acrylate (CAS 2156-9	7-0)	Not applicable	Freshwater	0.495 mg/l	
			Intermittent	0.52 mg/l	Releases
			Marine water	0.05 mg/l	
			Sediment	1245.42 mg/kg	Freshwater
			Sediment	124.54 mg/kg	Marine water
			Soil	248.09 mg/kg	
			STP	1000 mg/l	Sewage Treatment Plar
exo-1,7,7-trimethylbicyclo[2.2, acrylate (CAS 5888-33-5)	1]hept-2-yl	Not applicable	Freshwater	0.00092 mg/l	
, ,			Intermittent	0.00704 mg/l	Releases
			Marine water	0.000092 mg/l	
			Sediment	0.145 mg/kg	Freshwater
			Sediment	0.0145 mg/kg	Marine water
			Soil	0.0285 mg/kg	
			STP	2 mg/l	Sewage Treatment Plan
Oxybis(methyl-2,1-ethanediyl) (CAS 57472-68-1)	diacrylate	Not applicable	Freshwater	0.0034 mg/l	
			Intermittent	0.034 mg/l	Releases
			Marine water	0.00034 mg/l	
			Sediment	0.00884 mg/kg	Freshwater
			Soil	0.0013 mg/kg	
			STP	100 mg/l	Sewage Treatment Plar
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phe (CAS 162881-26-7)	osphine oxide	Not applicable	Freshwater	0.8 mg/l	
			Intermittent	0.8 mg/l	Releases
			Marine water	0.8 mg/l	
			STP	1 mg/l	Sewage Treatment Plar
Tetrahydrofurfuryl acrylate (CA	AS 2399-48-6)	Not applicable	Freshwater	3.92 µg/l	
			Intermittent	39.2 μg/l	Releases
			Marine water	0.392 µg/l	
			Sediment	0.0206 mg/kg	Freshwater
					Marine water
			Sediment	0.0021 mg/kg	Maille Waler
			Sediment Soil	0.0021 mg/kg 0.0018 mg/kg	Maille water
					Sewage Treatment Plan
osure guidelines	Exposure lim	ts have not been es	Soil STP	0.0018 mg/kg 2.637 mg/l	
osure guidelines Exposure controls	Exposure lim	ts have not been es	Soil STP	0.0018 mg/kg 2.637 mg/l	
_	Additional are		Soil STP tablished for this _l	0.0018 mg/kg 2.637 mg/l product.	
Exposure controls propriate engineering trols	Additional are recommende	ea ventilation or loca d exposure limits.	Soil STP tablished for this _l I exhaust may be	0.0018 mg/kg 2.637 mg/l product.	Sewage Treatment Plar
Exposure controls propriate engineering	Additional are recommende such as perso Avoid contact	ea ventilation or loca d exposure limits. Inal protective equi	Soil STP tablished for this place of the second structural structural solutions.	0.0018 mg/kg 2.637 mg/l product. required to mainta	Sewage Treatment Plar
Exposure controls propriate engineering trols vidual protection measures,	Additional are recommende such as perso Avoid contact protection in	ea ventilation or loca d exposure limits. Inal protective equi I with the skin and the lire situations ONLY;	Soil STP tablished for this place of the second structural structural solutions.	0.0018 mg/kg 2.637 mg/l product. required to mainta	Sewage Treatment Plar in air concentrations below tive clothing provides limite
Exposure controls propriate engineering trols vidual protection measures, General information Eye/face protection	Additional are recommende such as perso Avoid contact protection in solution	ea ventilation or loca d exposure limits. Inal protective equi I with the skin and the lire situations ONLY;	Soil STP tablished for this place of the second structural structural solutions.	0.0018 mg/kg 2.637 mg/l product. required to mainta	Sewage Treatment Plar in air concentrations below tive clothing provides limite
Exposure controls propriate engineering trols vidual protection measures, and General information	Additional are recommende such as perso Avoid contact protection in solution Not available	ea ventilation or loca d exposure limits. Inal protective equi With the skin and the Tire situations ONLY;	Soil STP tablished for this place of the second sec	0.0018 mg/kg 2.637 mg/l product. required to mainta I firefighters protectin spill situations. v	Sewage Treatment Plar in air concentrations below tive clothing provides limite
Exposure controls propriate engineering trols vidual protection measures, General information Eye/face protection Skin protection	Additional are recommende such as perso Avoid contact protection in solution Not available Wear approp	ea ventilation or local dexposure limits. Inal protective equitation with the skin and the situations ONLY; Triate chemical resistations of the situations of the situation of the s	Soil STP tablished for this place of the second sec	0.0018 mg/kg 2.637 mg/l product. required to mainta I firefighters protectin spill situations. v	Sewage Treatment Planding air concentrations below tive clothing provides limite when making new working
Exposure controls propriate engineering trols vidual protection measures, General information Eye/face protection Skin protection - Hand protection	Additional are recommende such as perso Avoid contact protection in solution Not available Wear approp thickness.	ea ventilation or local dexposure limits. Inal protective equion with the skin and the irre situations ONLY; Irriate chemical resistations of the control	Soil STP tablished for this place of the second sec	0.0018 mg/kg 2.637 mg/l product. required to mainta I firefighters protectin spill situations. v	Sewage Treatment Plar in air concentrations below tive clothing provides limite when making new working
Exposure controls propriate engineering trols vidual protection measures, General information Eye/face protection Skin protection - Hand protection	Additional are recommende such as perso Avoid contact protection in solution Not available Wear approp thickness. Not available	ea ventilation or local dexposure limits. Inal protective equion with the skin and the irre situations ONLY; Irriate chemical resistations of the irrigidal o	Soil STP tablished for this place of the second sec	0.0018 mg/kg 2.637 mg/l product. required to mainta I firefighters protectin spill situations. v	Sewage Treatment Plar in air concentrations below tive clothing provides limite when making new working

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical stateNot available.FormLiquid.ColorCyan

Odor Characteristic.
Odor threshold Not available.

pH 6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point > 212.0 °F (> 100.0 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 13.5 - 14.5 cP Brookfield Viscometer (± 0.5) Temperature 45°C. Spindle # 18 (S18) RPM 100. Wait

approx 10 min to take the reading.

Explosive properties Not available.

Oxidizing properties Not available.

9.2. Other information

VOC < 95 q/L

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Hazardous polymerization can occur with decreased inhibitor content.

10.4. Conditions to avoid Exposure to sunlight.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Eye contact Causes serious eye damage.

Ingestion May be harmful if swallowed.

Symptoms Not available.

11.1. Information on toxicological effects

Test Results Components **Species** 1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9) **Acute** Dermal LD50 Rabbit 1700 mg/kg Inhalation LC50 Rat > 1.6 mg/l Oral LD50 Rat 1114 mg/kg Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Causes serious eye damage. irritation Based on available data, the classification criteria are not met. Respiratory sensitization Based on available data, the classification criteria are not met. May cause an allergic skin reaction. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity May damage fertility. May damage the unborn child. Specific target organ toxicity -May cause irritation to the respiratory system. single exposure Specific target organ toxicity -Not available. repeated exposure Based on available data, the classification criteria are not met. **Aspiration hazard**

Complete toxicity data are not available for this specific formulation

SECTION 12: Ecological information

12.1. Toxicity

information
Other information

Mixture versus substance

Aquatic toxicity Very toxic to aquatic life with long lasting effects.

Not available.

Components		Species	Test Results
Dodecyl acrylate (CAS 215	6-97-0)		
Acute			
	ErC50	Pseudokirchneriella subcapitata	> 0.274 µg/l, 72 h (OECD 201)
	LC50	Leuciscus idus	460 mg/l, 96 h (DIN 38 412, part L 15, 1982)
	NOEC	Leuciscus idus	215 mg/l, 96 h (DIN 38 412, part L 15, 1982)
Chronic			
	LOEC	Daphina magna	> 0.25 µg/l, 21 d (OECD 211)
Aquatic			
Chronic			
Crustacea	NOEC	Daphnia magna	0.25 μg/l, 21 d (OECD 211)
Fish	LOEC	Danio rerio	> 1 µg/l, 36 d (OECD 210)
Phenyl, Bis(2,4,6-trimethylk	enzoyl)-phosphine	oxide (CAS 162881-26-7)	
Acute			
	EC50	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
	LC50	Danio rerio	> 90 µg/l, 96 h (OECD 203)
	NOEC	Desmodesmus subspicatus	> 260 μg/l, 72 h (OECD 201)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	> 1175 μg/l, 48 h (OECD 202)
Chronic			
	NOEC	Daphnia magna	>= 8.1 µg/l, 21 d (OECD 211)

Material name: CN831Series SDS FRANCE

12.2. Persistence and

Partition coefficient

degradability

Not available.

12.3. Bioaccumulative potential

Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF)

Dodecyl acrylate 2.34, (EPA Epiwin (v.4.11)) Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide 5, (similar to OECD 305 C)

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

SECTION 14: Transport information

DOT

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative),

MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant Yes

Special precautions for user Not available.

DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes

Special precautions for user Not available.

IMDG

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative),

MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group ||||
Transport hazard class(es)

Marine pollutant Yes

EmS Not available. Special precautions for user Not available.

ADR

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)

Class 9
Subsidiary risk -


Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group III Environmental hazards Yes

Special precautions for user Not available.

ADR; DOT; IATA; IMDG



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

2-methyl-1-(4-methylthiophenyl)- 2-morpholinopropan-1-one (CAS 71868-10-5)

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further

rectifications and amendments).

National regulations

Not available.

15.2. Chemical safety

See attached SUMI or GEIS document, if applicable.

assessment

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child. H360D May damage the unborn child.

H360F May damage fertility.

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life. 1. Product and Company Identification: EU Poison Center

Revision information Training information

Follow training instructions when handling this material.

Disclaimer

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Material name: CN831Series SDS FRANCE

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Safe Use of Mixture Information (SUMI)

--

UV digital printing inks: UV01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll
Diek managament magazura	

Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.