

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Trade name or** CP779A

designation of the mixture

Registration number -

**Synonyms** HP HDR240 Yellow Scitex Ink

Issue date 12-Oct-2013

Version number 03

**Revision date** 10-Apr-2016 **Supersedes date** 15-Aug-2014

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

**Company identification** HP Printing and Personal Systems Hellas EPE

1-3 Tzavella Str, 152 31 Halandri, 2nd Floor

Athens, Greece 152 31 Telephone +30 211 1885000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Emergency number +30 210 7793777

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

Reproductive toxicity (fertility)

Category 2

H361f - Suspected of damaging

fertility.

Specific target organ toxicity - repeated

exposure

Category 1 (liver, respiratory system)

H372 - Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

1/9

**Environmental hazards** 

long-term aquatic hazard

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** Acrylic acid ester, Aliphatic Urethane Acrylate, Diphenyl (2,4,6 - trimethylbenzoyl) phosphine, Octyl

decyl acrylate, Urethane acrylate oligomer A, Urethane acrylate oligomer B, Vinyl caprolactam

**Hazard pictograms** 

Signal word Danger

**Hazard statements** 

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Material name: CP779A SDS Greece

H361f Suspected of damaging fertility.
H372 Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects.

# **Precautionary statements**

D	ro	VΔ	nti	in	n
	. –	A C	110	U	••

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapor. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P281 Use personal protective equipment as required.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P308 + P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see this label).

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

**Storage** 

P405 Store locked up.

**Disposal** 

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label

information

**2.3. Other hazards** Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

# **SECTION 3: Composition/information on ingredients**

None.

#### 3.2. Mixtures

#### **General information**

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	. Index No.	Notes
Acrylic acid ester		< 40	48145-04-6 256-360-6	-	-	
Classification:	Skin Sens. 1	A;H317, Aq	juatic Chronic 2;H41	1		
Vinyl caprolactam		< 30	2235-00-9 218-787-6	-	-	
Classification:	Acute Tox. 4	;H302, Acı	ite Tox. 4;H312, Skii	n Sens. 1B;H317, Eye Irrit. 2;	:H319, STOT RE 1;	H372
Octyl decyl acrylate		<20	Proprietary -	-	-	
Classification:	Skin Irrit. 2;	H315, Skin	Sens. 1;H317, Eye I	rrit. 2;H319, STOT SE 3;H33	5, Aquatic Chronic	2;H411
Aliphatic Urethane Acryla	te	<5	Proprietary	-	-	
Classification:	Skin Irrit. 2;	H315, Eye 1	Irrit. 2;H319, STOT	SE 3;H335		
Diphenyl (2,4,6 - trimethy phosphine	ylbenzoyl)	<5	75980-60-8 278-355-8	-	015-203-00-X	
Classification:	Skin Sens. 11	B;H317, Re	epr. 2;H361f, Aquatio	Chronic 2;H411		

Material name: CP779A SDS Greece

Classification: Acute Tox. 4;H302, Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Dam. 1;H318, Aquatic Chronic 2;H411

#### **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention

and special treatment needed

Not available.

Not available.

## **SECTION 5: Firefighting measures**

**General fire hazards** Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

Unsuitable extinguishing

media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising

from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Avoid runoff into storm sewers and ditches which lead to waterways.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

personnel

For emergency responders

Not available.

6.2. Environmental

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also

section 13 Disposal considerations.

6.3. Methods and material for

Not available.

containment and cleaning up 6.4. Reference to other

Not available.

sections

precautions

Material name: CP779A SDS Greece

**SECTION 7: Handling and storage** 

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any

incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE)

containers are recommended for shipping and storage.

7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

**Occupational exposure limits** No exposure limits noted for ingredient(s).

**Biological limit values**No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Not available.

#### **Derived no-effect level (DNEL)**

Components	Туре	Route	Value	Form
Acrylic acid ester (CAS 48145-04-6)	Industry	Dermal	1.5 mg/kg/day	
		Inhalation	10 mg/m3	
Vinyl caprolactam (CAS 2235-00-9)	Workers	Dermal	0.7 mg/kg	Systemic long term
		Inhalation	4.9 mg/m3	Systemic long term
		Inhalation	0.17 mg/m3	Local long term

## Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form
Vinyl caprolactam (CAS 2235-00-9)	Not applicable	e Freshwater	0.1 mg/l	
		Intermittant	1 mg/l	Releases
		Marine water	0.01 mg/l	
		Sediment	0.829 mg/kg	Freshwater
		Sediment	0.0829 mg/kg	Marine water
		Soil	0.107 mg/kg	
		STP	262 mg/l	Sewage Treatment Plant

**Exposure guidelines** Exposure limits have not been established for this product.

8.2. Exposure controls

**Appropriate engineering** 

controls

Not available.

## Individual protection measures, such as personal protective equipment

**General information** Not available.

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency

showers are recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.
 - Other Wear appropriate chemical resistant clothing.

Respiratory protection

Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

**Thermal hazards** Not available.

Hygiene measures Handle in accordan

Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

reuse. Keep away from food and drink.

**Environmental exposure** 

controls

Not available.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.
Color Yellow

Odor Characteristic.
Odor threshold Not available.

Material name: CP779A SDS Greece

pH Not available.Melting point/freezing pointInitial boiling point andNot available.

boiling range

**Flash point** 240.8 °F (116.0 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits
Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.
Solubility (other) Not available.
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot available.Oxidizing propertiesNot available.

9.2. Other information

**VOC (Weight %)** 19 g/L Method 24/ASTM D5403-93

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under normal storage conditions.

**10.3. Possibility of hazardous** Hazardous polymerization can occur with decreased inhibitor content.

reactions

**10.4. Conditions to avoid** Exposure to sunlight.

**10.5. Incompatible materials** Incompatible with strong bases and oxidizing agents. alkaline metals

**10.6. Hazardous** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

**decomposition products** dioxide and/or low molecular weight hydrocarbons.

### **SECTION 11: Toxicological information**

**General information** Not available. **11.1. Information on toxicological effects** 

**Acute toxicity** Based on available data, the classification criteria are not met.

**Skin corrosion/irritation** Non-corrosive (OECD 431)

Serious eye damage/eye

irritation

Not available.

Respiratory sensitizationNot available.Skin sensitizationNot available.Germ cell mutagenicityNot available.CarcinogenicityNot available.Reproductive toxicityNot available.Specific target organ toxicityNot available.

- single exposure

Specific target organ toxicity

- repeated exposure

Not available.

**Aspiration hazard** Not available.

Material name: CP779A SDS Greece

Mixture versus substance

information

Other information

Complete toxicity data are not available for this specific formulation

**SECTION 12: Ecological information** 

**Aquatic toxicity**Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**12.1. Toxicity** No toxicity data noted for the ingredient(s).

12.2. Persistence and

degradability

Not available.

Not available.

12.3. Bioaccumulative

Not available.

potential

**Bioconcentration factor (BCF)** Not available. **12.4. Mobility in soil** Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

**12.6. Other adverse effects** Not available.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

Residual wasteNot available.Contaminated packagingNot available.EU waste codeNot available.

**Disposal** Do not dispose of together with general office waste.

**methods/information** Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

**SECTION 14: Transport information** 

DOT

UN number UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylic acid ester)

Transport hazard class(es)
Class 9
Subsidiary risk Packaging group III

**Special precautions for** Not available.

user

**IATA** 

**UN number** UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylic acid ester)

Transport hazard class(es)
Class 9
Subsidiary risk Packing group III
Environmental hazards No.

**Special precautions for** Not available.

user

**IMDG** 

**UN number** UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylic acid ester)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant No.

**EmS** Not available. **Special precautions for** Not available.

user


Material name: CP779A SDS Greece

#### **ADR**

**Proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylic acid ester)

Hazard class 9
UN number 3082
Packing group III

DOT; IATA; IMDG



# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

## **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

## **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Material name: CP779A SDS Greece

#### Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

#### Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Diphenyl (2,4,6 - trimethylbenzoyl) phosphine (CAS 75980-60-8) Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

Other information Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council

> concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications

and amendments).

**National regulations** 

15.2. Chemical safety

Not available. Not available.

assessment

## **SECTION 16: Other information**

References Not available. Not available.

Information on evaluation method leading to the classification of mixture

**Issue date** 12-Oct-2013

**Revision information** SECTION 2: Hazards identification: Prevention

SECTION 2: Hazards identification: GHS Symbols

SECTION 5: Firefighting measures: Special fire fighting procedures

SECTION 5: Firefighting measures: Special protective equipment for firefighters

SECTION 11: Toxicological information: Skin contact

SECTION 16: Other information: Disclaimer

**Training information** 

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

**Manufacturer information** HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US (Direct) +972 (9) 892-4628

Material name: CP779A SDS Greece

12942 Version No.: 03 Revision date: 10-Apr-2016 Print date: 10-Apr-2016 8/9

### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

**List of abbreviations** Not available.

Material name: CP779A SDS Greece

## Safe Use of Mixture Information (SUMI)

--

## UV digital printing inks: UV01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll
Diek managament magazura	

#### Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









# Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.





#### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

#### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.