

SAFETY DATA SHEET

1. Identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Product identifier 51640ASeries

Other means of identification None.

Recommended use of the chemical and restrictions on use

Restrictions on use Inkjet printing

Not available.

Manufacturer/Importer/Supplier/Distributor information

Company identification HP Inc. Hong Kong Limited

25th Floor, Cityplaza One,1111 King's Road

Taikoo Shing, Hong Kong

Telephone 852-3070 6688

HP Inc health effect line

(Toll-free within US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Telephone +85230772688

2. Hazards identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement Not available.

Precautionary statement

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Other hazards which do not result in classification

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use

conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information 2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the

unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an

animal study. See Section 11.

3. Composition/information on ingredients

Mixtures

Material name: 51640ASeries SDS HONG KONG

9235 Version #: 10 Revision date: 03-Jul-2020 Issue date: 17-May-2018

Chemical name Common name and synonyms		CAS number	%	
2-pyrrolidone		616-45-5	<3	
Non-hazardous components				
Chemical name	Common name and synonyms	CAS number	%	
Water		7732-18-5	75-85	
Hydroxy alkylated lactam		Proprietary	<7.5	
Black Pigment		Proprietary	<5	
Isopropyl alcohol		67-63-0	<2.5	

Composition comments

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

This ink supply contains an aqueous ink formulation.

Carbon black is present only in a bound form in this preparation.

4. First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical Skin contact

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

Most important

symptoms/effects, acute and

delayed

Contact with skin and eyes may result in irritation.

5. Fire-fighting measures

Suitable extinguishing media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for firefighters

None established.

Specific methods General fire hazards

None established. Contact with skin and eyes may result in irritation.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Slowly vacuum or sweep

the material into a bag or other sealed container.

Dispose of in compliance with federal, state, and local regulations.

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. **Environmental precautions**

7. Handling and storage

Precautions for safe handling Conditions for safe storage,

Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold.

including any incompatibilities

8. Exposure controls/personal protection

Exposure limit values

Hong Kong. OELs. (Occupational Exposure Limits for Chemical Substances in the Work Environment)

Components	Туре	Value	
Black Pigment	TWA	3.5 mg/m3	_
Isopropyl alcohol (CAS 67-63-0)	STEL	1230 mg/m3	
		500 ppm	

Material name: 51640ASeries SDS HONG KONG

Hong Kong. OELs. (Occupational Exposure Limits for Chemical Substances in the Work Environment)

Components	туре	value	
	TWA	983 mg/m3	
		400 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form

Black Pigment TWA 3 mg/m3 STEL Isopropyl alcohol (CAS 400 ppm

67-63-0)

TWA 200 ppm Inhalable fraction.

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

^{* -} For sampling details, please see the source document.

Exposure limits have not been established for this product. **Exposure guidelines**

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

Hand protection Recommended gloves: Nitrile 4 mil minimum thickness.

Use personal protective equipment to minimize exposure to skin and eye. Other

Not available. Respiratory protection Thermal hazards Not available.

Handle in accordance with good industrial hygiene and safety practice. General hygiene

considerations

9. Physical and chemical properties

Appearance

Liquid. Physical state Not available. **Form** Color Black.

Not available. Odor Not available. Odor threshold 7.8 - 8.4pН Not available. Melting point/freezing point Initial boiling point and boiling 200 °F (93.33 °C)

range

131.0 - 136.0 °F (55.0 - 57.8 °C) Pensky-Martens Closed Cup Flash point

Not determined **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not determined Vapor pressure Vapor density Not available.

Material name: 51640ASeries SDS HONG KONG Solubility(ies)

Solubility (water) Soluble in water

Partition coefficient Not determined

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity > 2 cp

- -

Other information No ignition, sustained combustion or flashing detected using the Sustained Combustibility Test

(method in US 49CFR173, Appendix H).

No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous

Goods Regulations Section 3.3.1.3.

Bulk density 1 - 1.2 gm/ml
Oxidizing properties Not determined
Percent volatile 3.1 % estimated

Specific gravity 1 - 1.2 **VOC** < 116.6 g/l

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous Will not occur.

reactions

Conditions to avoid Not available.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Rat > 5000 mg/kg

Black Pigment

Acute Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

Based on available data, the classification criteria are not met.

irritation Not classified as an irritant according to, OECD 405.

Respiratory or skin sensitization

Respiratory sensitizationBased on available data, the classification criteria are not met.Skin sensitizationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.

Material name: 51640ASeries SDS HONG KONG

Carcinogenicity

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

ACGIH Carcinogens

Isopropyl alcohol (CAS 67-63-0)

A4 Not classifiable as a human carcinogen.

Controlled and Prohibited Carcinogens List

Not available

Reproductive toxicity

Based on available data, the classification criteria are not met.

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Toot Dooulto

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Aquatic toxicity

Dradua

Not expected to be harmful to aquatic organisms.

Chaoisa

Ecotoxicity

Product		Species	lest Results
51640ASeries			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5	5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Isopropyl alcohol (CAS 67-63	3-0)		
Aquatic			
Acute			
Algae	EC50	Algae	> 1000 mg/l, 72 hours
Crustacea	EC50	Daphnia	13299 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	9460 mg/l, 96 hours
sistence and degradability	No data is	available on the degradability of this product.	

Per

Not available. **Bioaccumulative potential**

Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone -0.850.05 Isopropyl alcohol

Mobility in soil Not available. Not available. Other adverse effects

13. Disposal considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Not available.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Waste from residues / unused

products

Material name: 51640ASeries SDS HONG KONG

9235 Version #: 10 Revision date: 03-Jul-2020 Issue date: 17-May-2018

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous

Goods Regulations Section 3.3.1.3.

No ignition, sustained combustion or flashing detected using the sustained combustibility test

(method in US CFR173, Appendix H).

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Controlled and Prohibited Carcinogens: Listed substance

Not regulated.

CWC. Chemical Weapons (Convention) Ordinance, Schedules of Chemicals 1-3 (L.N. 62 of 2004, as amended)

Not regulated.

Drug Precursors for Imports and Exports

Not regulated.

Drug Precursors Subject to Conditional Exports

Not regulated.

Listed Substances (Factories and Industrial Undertakings (Dangerous Substances) Regulations, First Schedule, as amended)

Not regulated.

Narcotics and Psychotropic Substances

Not regulated.

Ozone Depleting Substances (ODS) (Ozone Layer Protection Ordinance, Cap. 403, July 1989)

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information, including date of preparation or last revision

Issue date17-May-2018Revision date03-Jul-2020

Version # 10

Material name: 51640ASeries SDS HONG KONG

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Product and Company Identification

Hazards identification: Supplemental information

Composition/information on ingredients: Composition comments

Toxicological information: Reproductivity

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

Comprehensive Environmental Response Compensation and Liability Act **CERCLA**

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

Occupational Safety and Health Administration **OSHA**

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

Toxicity Characteristics Leaching Procedure **TCLP**

Threshold Limit Value TLV

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: 51640ASeries SDS HONG KONG 7/7

9235 Version #: 10 Revision date: 03-Jul-2020 Issue date: 17-May-2018