



SAFETY DATA SHEET

1. Identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
Product identifier	CH662 Series	
Other means of identification		
Synonyms	HP XP222 Light Black Scitex Ink	
Recommended use of the chemical and restrictions on use		
Recommended use	Inkjet printing	
Restrictions on use	Not available.	
Manufacturer/Importer/Supplier/Distributor information		
Company identification	HP Inc. 2501-06, 12-16 & Pt. 07, Cityplaza One, 1111 King's Road, Taikoo Shing, Hong Kong	
Telephone	852-3077-2688	
HP Inc health effect line (Toll-free within US) (Direct)	1-800-457-4209 1-760-710-0048	
HP Inc. Customer Care Line (Toll-free within the US) (Direct)	1-800-474-6836 1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	
Telephone	+85230772688	

2. Hazards identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Reproductive toxicity (fertility, the unborn child)	Category 1B
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1 (liver, respiratory system)
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 2

Label elements



Signal word Danger

Hazard statement

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H360FD	May damage fertility. May damage the unborn child.
H335	May cause respiratory irritation.

H372 Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P270 Do not eat, drink or smoke when using this product.
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P308 + P313 IF exposed or concerned: Get medical attention/advice.
P314 Get medical attention/advice if you feel unwell.
P391 Collect spillage.
P362 Take off contaminated clothing and wash before reuse.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation. Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Hazardous components

Chemical name	Common name and synonyms	CAS number	%
Acrylic acid ester		Proprietary	<40
Acrylic acid, Monoalkyl Ester		Proprietary	<20
Vinylcaprolactam		Proprietary	<20
Acrylate ester 5		Proprietary	<5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide		Proprietary	<5
Difunctional acrylic monomer		Proprietary	<2.5
Propiophenone derivative		Proprietary	<2.5

Non-hazardous components

Chemical name	Common name and synonyms	CAS number	%
Polyether acrylate		Proprietary	<15
Black Pigment		Proprietary	<2.5

Composition comments

Carbon black is present only in a bound form in this preparation.

4. First-aid measures

Inhalation

If dust from the material is inhaled, remove the affected person immediately to fresh air.

Move to fresh air in case of accidental inhalation of vapors or decomposition products. If breathing is difficult, give oxygen. Oxygen or artificial respiration if needed. Consult a physician for specific advice.

Skin contact

Wash the skin immediately with soap and water. In case of contact with molten product, cool rapidly with water and seek immediate medical attention. Do not attempt to remove molten product from skin because skin will tear easily.

Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If swallowed, do NOT induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.
Most important symptoms/effects, acute and delayed	No experiences of acute or chronic damages in humans have been made yet.
General information	Risk of skin burn caused by hot melt. Do not leave the victim unattended. Remove victim immediately from source of exposure. Victim to lie down in the recovery position, cover and keep him warm.

5. Fire-fighting measures

Suitable extinguishing media	Dry powder. Carbon dioxide (CO ₂). Water may be ineffective.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Avoid runoff into storm sewers and ditches which lead to waterways.
Fire fighting equipment/instructions	Avoid runoff into storm sewers and ditches which lead to waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
Methods and materials for containment and cleaning up	Not available.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

7. Handling and storage

Precautions for safe handling	Avoid contact with skin, eyes and clothing.
Conditions for safe storage, including any incompatibilities	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

8. Exposure controls/personal protection

Exposure limit values

Hong Kong. OELs. (Occupational Exposure Limits for Chemical Substances in the Work Environment)

Components	Type	Value
Black Pigment	TWA	3.5 mg/m ³

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Black Pigment	TWA	3 mg/m ³	Inhalable fraction.

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Exposure limits have not been established for this product.
Appropriate engineering controls	Not available.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.
Other	Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing.
Respiratory protection	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
Thermal hazards	Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

9. Physical and chemical properties**Appearance**

Physical state	Liquid.
Form	Liquid.
Color	Black.

Odor Characteristic.

Odor threshold Not available.

pH 6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point > 200.0 °F (> 93.3 °C) Closed Cup EPA Method 1020

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 13.5 - 14.5 cP Brookfield Viscometer (± 0.5) Temperature 45°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading.

Other information

VOC 26.88 g/L Method 24/ASTM D403-93

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous reactions Hazardous polymerization can occur with decreased inhibitor content.

Conditions to avoid Exposure to sunlight.

Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

Hazardous decomposition products Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information**Information on likely routes of exposure**

Inhalation Inhalation may result in mild irritation to the respiratory system.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Eye contact Causes serious eye irritation.

Ingestion Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components	Species	Test Results
------------	---------	--------------

Black Pigment

Acute

Oral

LD50

Rat

> 10000 mg/kg

Vinylcaprolactam

Acute

Dermal

LD50

Rabbit

1700 mg/kg

Inhalation

LC50

Rat

> 1.6 mg/l

Oral

LD50

Rat

1114 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Carbon black is present only in a bound form in this preparation.

ACGIH Carcinogens

Not available.

Controlled and Prohibited Carcinogens List

Not available.

Reproductive toxicity May damage fertility. May damage the unborn child.

Specific target organ toxicity - single exposure May cause irritation to the respiratory system.

Specific target organ toxicity - repeated exposure Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

Ecotoxicity

Components	Species	Test Results
------------	---------	--------------

Acrylic acid ester

Acute

EC10

Desmodesmus subcapitatus

0.71 mg/l, 72 h (DIN 38412 L9)

EC50

Desmodesmus subcapitatus

4.44 mg/l, 72 h (DIN 38412 L9)

LC50

Leuciscus idus

10 mg/l, 96 h (DIN 38 412)

NOEC

Desmodesmus subcapitatus

0.71 mg/l, 72 h (DIN 38412 L9)

Aquatic

Acute

Crustacea

EC50

Daphnia magna

1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)



Components	Species	Test Results
Acrylic acid, Monoalkyl Ester		
<i>Acute</i>		
ErC50	Pseudokirchneriella subcapitata	> 0.274 µg/l, 72 h (OECD 201)
LC50	Leuciscus idus	460 mg/l, 96 h (DIN 38 412, part L 15, 1982)
NOEC	Leuciscus idus	215 mg/l, 96 h (DIN 38 412, part L 15, 1982)
<i>Chronic</i>		
LOEC	Daphnia magna	> 0.25 µg/l, 21 d (OECD 211)
Aquatic		
<i>Chronic</i>		
Crustacea	Daphnia magna	0.25 µg/l, 21 d (OECD 211)
Fish	Danio rerio	> 1 µg/l, 36 d (OECD 210)
Difunctional acrylic monomer		
<i>Acute</i>		
EC10	Pseudokirchneriella subcapitata	2.3 mg/l, 72 h (OECD 201)
EC50	Pseudokirchneriella subcapitata	11 mg/l, 72 h (OECD 201)
Aquatic		
<i>Acute</i>		
Crustacea	Daphnia Magna	37 mg/l, 48 h (OECD 202)
Fish	Danio rerio	2.7 mg/l, 96 h (OECD 203)
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide		
<i>Acute</i>		
EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
EC50	Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)
LC50	Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
Aquatic		
<i>Acute</i>		
Crustacea	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
Persistence and degradability	Not available.	
Bioaccumulative potential	Not available.	
Bioconcentration factor (BCF)		
Acrylic acid, Monoalkyl Ester	2.34, (EPA Epiwin (v.4.11))	
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance Control Law, Japan)	
Mobility in soil	Not available.	
Other adverse effects	Not available.	

13. Disposal considerations

Disposal instructions	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

14. Transport information

DOT	Not regulated as dangerous goods.
DOT Supplemental Information	DOT Classification only applies to shipments within the US and Puerto Rico.
IATA	
UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)

Transport hazard class(es)**Class** 9**Subsidiary risk** -**Packing group** III**Environmental hazards** Yes**Special precautions for user** Not available.**IATA Supplemental Information** When shipping ≤ 5L inner packaging, Special Provision A197 may apply.**IMDG****UN number** UN3082**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT**Transport hazard class(es)****Class** 9**Subsidiary risk** -**Packing group** III**Transport hazard class(es)****Marine pollutant** Yes**EmS** F-A, S-F**Special precautions for user** Not available.**IMDG Supplemental Information** When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.**ADR****UN number** UN3082**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)**Transport hazard class(es)****Class** 9**Subsidiary risk** -**Hazard No. (ADR)** Not available.**Tunnel restriction code** Not available.**Packing group** III**Environmental hazards** Yes**Special precautions for user** Not available.**ADR Supplemental Information** When shipping ≤ 5L containers, ADR 375 may apply.**ADR; IATA; IMDG****Marine pollutant****15. Regulatory information****Safety, health and environmental regulations specific for the product in question****Controlled and Prohibited Carcinogens: Listed substance**

Not regulated.

CWC. Chemical Weapons (Convention) Ordinance, Schedules of Chemicals 1-3 (L.N. 62 of 2004, as amended)

Not regulated.

Drug Precursors for Imports and Exports

Not regulated.

Drug Precursors Subject to Conditional Exports

Not regulated.

Listed Substances (Factories and Industrial Undertakings (Dangerous Substances) Regulations, First Schedule, as amended)

Not regulated.

Narcotics and Psychotropic Substances

Not regulated.

Ozone Depleting Substances (ODS) (Ozone Layer Protection Ordinance, Cap. 403, July 1989)

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information, including date of preparation or last revision

Issue date 13-Apr-2018

Revision date 23-Apr-2021

Version # 03

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information 1. Product and Company Identification: EU Poison Center
3. Composition / Information on Ingredients: Disclosure Overrides

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds