



SAFETY DATA SHEET

1. Chemical product and company identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Product name	CN945 Series
Other identification	
Synonyms	HP Scitex XL300 Supreme Light Black Ink
Company identification	PT. Hewlett-Packard Indonesia 9th Floor, Jl.Casablanca Kav.88 Prudential Centre Jakarta, Indonesia 12870
Telephone	+62-21 5799-1088
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com

Recommended use and Limitations on use

Recommended use	Inkjet printing.
------------------------	------------------

2. Hazards identification

GHS classification

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	

Label elements

Pictogram



Signal word

Danger

Hazard statement

Combustible liquid. Harmful in contact with skin. May be harmful if swallowed. Harmful if inhaled. Causes serious eye damage.

Precautionary statement

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Response

In case of fire: Use sand, carbon dioxide (CO₂) or dry chemical to extinguish. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse.

Storage

Keep cool.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

GHS Other hazards

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

GHS Supplemental information

None.

3. Composition / information on ingredients

Substance or mixture	Mixture		
Chemical property			
Chemical name		CAS Number	Concentration (%)
2-butoxyethyl acetate		112-07-2	<70
2-methoxy-1-methylethyl acetate		Proprietary	<15
Cyclohexanone		108-94-1	<10
Black Pigment		Proprietary	<1
Composition comments	Carbon black is present only in a bound form in this preparation.		

4. First aid measures

First aid measures for different exposure routes

Inhalation	Move person to fresh air immediately. If symptoms persist, get immediate medical attention.
Skin contact	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
Ingestion	Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Most important symptoms and effects	Not available.
Personal protection for first-aid responders	Not available.
Notes to physician	Not available.

5. Fire-fighting measures

Extinguishing media	Suitable extinguishing media: sand, carbon dioxide (CO ₂), and dry chemical.
Extinguishing media to avoid	None.
Special fire fighting procedures	Move containers from fire area if you can do it without risk.
Protection of fire-fighters	Firefighters should wear full protective clothing including self contained breathing apparatus. Avoid runoff into storm sewers and ditches which lead to waterways.

6. Accidental release measures

Personal precautions	Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition. Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.
Environmental precautions	Do not flush into surface water or sanitary sewer system.
Spill clean-up methods	Not available.

7. Handling and storage

Handling	
Technical measures	Wear personal protective equipment.
Local and general ventilation	Use with adequate ventilation.
Precautions	Not available.
Safe handling advice	Use this product with adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.
Storage	
Technical measures	Keep away from heat, sparks and open flame. Keep containers tightly closed in a dry, cool and well-ventilated place.

Suitable storage conditions	Not available.
Incompatible materials	Not available.

8. Exposure controls/personal protection

Exposure limits

Indonesia. OELs (Minister of Manpower and Transmigration Regulation No. Per.13/MEN/X/2011 concerning Threshold Limit Values, Annex II)

Components	Type	Value
Black Pigment	TWA	3.5 mg/m ³
Cyclohexanone (CAS 108-94-1)	TWA	100 mg/m ³ 25 ppm

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
2-butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm	
Black Pigment	TWA	3 mg/m ³	Inhalable fraction.
Cyclohexanone (CAS 108-94-1)	STEL	50 ppm	
	TWA	20 ppm	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Cyclohexanone (CAS 108-94-1)	80 mg/l	1,2-Cyclohexanediol, with hydrolysis	Urine	*
	8 mg/l	Cyclohexanol, with hydrolysis	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines

Indonesia OELs: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

US. ACGIH Threshold Limit Values

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

Engineering measures Not available.

Personal protective equipment

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Eye protection Wear safety glasses; chemical goggles (if splashing is possible).
Eye wash fountain and emergency showers are recommended.

Skin and body protection Wear appropriate chemical resistant clothing.

Hygiene measures Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.
Launder contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Physical state Not available.

Form Liquid.

Color Black.

Odor Solvent.

Odor threshold Not available.

pH 5.8 - 6.2 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available.

Boiling point, initial boiling point, and boiling range Not available.

Flash point >= 149.0 °F (>= 65.0 °C) Closed Cup EPA Method 1020

Auto-ignition temperature	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Evaporation rate	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Decomposition temperature	Not available.
Viscosity	9.8 - 11 cP Brookfield Viscometer (± 0.5) Temperature 22°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading
Other data	
VOC	< 916 g/L Calculated

10. Stability and reactivity

Reactivity	Not available.
Stability	Stable at normal conditions.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None.
Hazardous decomposition products	None.
Possibility of hazardous reactions	None known.

11. Toxicological information

Acute toxicity May be harmful if swallowed. Harmful if inhaled. Harmful in contact with skin.

Components	Species	Test Results
Black Pigment		
<u>Acute</u>		
Oral		
LD50	Rat	> 10000 mg/kg

Routes of exposure	Not available.
Symptoms	Not available.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Carbon black is present only in a bound form in this preparation.

ACGIH Carcinogens

Cyclohexanone (CAS 108-94-1)

A3 Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cyclohexanone (CAS 108-94-1)

3 Not classifiable as to carcinogenicity to humans.

Toxic to reproduction	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Chronic effects	Not available.
Interactive effects	Not available.
Other information	Complete toxicity data are not available for this specific formulation.

12. Ecological information

Ecotoxicity	Not available.
Persistence and degradability	Not available.
Bioaccumulation	

Octanol/water partition coefficient log Kow

Cyclohexanone

0.81

Mobility in soil	Not available.
Other hazardous effects	Not available.

13. Disposal considerations

Disposal methods/information	Not available.
Local disposal regulations	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.

14. Transport information

DOT	
UN number	NA1993
UN proper shipping name	Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate, cyclohexanone) -Not regulated in quantities less than 119 gallons
Transport hazard class(es)	
Class	Combustible
Subsidiary risk	-
Packing group	III
Special precautions for user	Not available.
DOT Supplemental Information	DOT Classification only applies to shipments within the US and Puerto Rico.
IATA	
	Not regulated as dangerous goods.
IMDG	
	Not regulated as dangerous goods.
ADR	
	Not regulated as dangerous goods.

15. Regulatory information

Applicable regulations

CWC (Law of RI No. 9 of 2008 re: Prohibition on the Use of Chemicals as Chemical Weapon, March 10, 2008)

Not regulated.

Dangerous Substances that Must be Registered (Regulation of the Minister of Health of the Republic of Indonesia, No. 472/Menkes/Per/V/1996)

Not regulated.

Import and Distribution Control of Hazardous Materials (Minister of Trade Regulation No. 75/M-DAG/PER/10/2014, Annex I)

Not listed.

Precursor Chemicals (Ministry of Industry and Trade Decree No. 647/MPP/Kep/10/2004 concerning Regulation on Import of Precursors, Attachment 1, Oct. 18, 2004)

Not regulated.

Prohibited Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 1)

Not regulated.

Restricted Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 2)

Not regulated.

Toxic and Hazardous Materials List (Decree of the Ministry of Industry on the Safeguarding of Toxic and Hazardous Materials in Industrial Plants, No. 148/M/SK/4/1985)

Not regulated.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Applicable regulations

Hazardous Substances Approved for Use (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment I)

Listed substances

SIKLOHEKSANON (CAS 108-94-1)

Listed substances / Allowed until 2040

Not regulated.

16. Other information

Issued by

Company name

HP Inc.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Issue date

07-Apr-2018

Revision date

13-Dec-2019

References and sources for data used to compile the SDS

Not available.

Revision information

Chemical product and company identification: Important information
Hazards identification: GHS Other hazards
Composition / Information on Ingredients: Ingredients
Composition / information on ingredients: Composition comments
Physical & Chemical Properties: Multiple Properties
Toxicological information: Carcinogenicity
HazReg Data: Europe - EU

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds