



SAFETY DATA SHEET

1. Identification of the substance or mixture

| | | |
|--|---|--|
| Important information | *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. *** | |
| Product identifier/name based on GHS | CP759Series | |
| Other means of identification | | |
| Synonyms | HP FB225 BLACK SCITEX INK | |
| Recommended use of the chemical and restrictions on use | | |
| Recommended use | Inkjet printing | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/Distributor information | | |
| Company identification | HP Inc. 9th Floor, Jl.Casablanca Kav.88 Prudential Centre P.C 12870 Jakarta Indonesia | |
| Telephone | +62 21 - 3042-2400 | |
| HP Inc. health effects line | | |
| (Toll-free within the US) | 1-800-457-4209 | |
| (Direct) | 1-760-710-0048 | |
| HP Inc. Customer Care Line | | |
| (Toll-free within the US) | 1-800-474-6836 | |
| (Direct) | 1-208-323-2551 | |
| Email: | hpcustomer.inquiries@hp.com | |

2. Hazards identification

| | | |
|--------------------------------|--|-------------|
| Physical hazards | Not classified. | |
| Health hazards | Skin corrosion/irritation | Category 2 |
| | Sensitization, skin | Category 1 |
| | Reproductive toxicity | Category 1B |
| | Specific target organ toxicity, repeated exposure | Category 1 |
| Environmental hazards | Hazardous to the aquatic environment, acute hazard | Category 1 |
| | Hazardous to the aquatic environment, long-term hazard | Category 1 |
| Label elements | | |
| Signal word | Danger | |
| Hazard statement | Causes skin irritation. May cause an allergic skin reaction. May damage fertility. May damage the unborn child. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects. | |
| Precautionary statement | | |
| Prevention | Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid release to the environment. | |
| Response | IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical attention/advice. Get medical attention/advice if you feel unwell. Collect spillage. Take off contaminated clothing and wash before reuse. | |
| Storage | Store locked up. | |

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Pictograms (hazard symbols)**Other hazards which do not result in classification**

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk.

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Supplemental information

None.

3. Composition / information on ingredients**Substance or mixture**

Mixture

Chemical property

| Chemical name | CAS Number | Concentration (%) |
|---|-------------|-------------------|
| Acrylate ester 1 | Proprietary | <30 |
| Acrylate ester 2 | Proprietary | <20 |
| Acrylate ester 3 | Proprietary | <20 |
| Acrylate ester 4 | Proprietary | <10 |
| Vinylcaprolactam | Proprietary | <10 |
| Difunctional acrylic monomer | Proprietary | <5 |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide | Proprietary | <5 |
| Acrylated oligoamine resin | Proprietary | <2.5 |
| Black pigment | Proprietary | <2.5 |
| Thioxanthone derivative | Proprietary | <2.5 |
| Glycerol, propoxylated, esters with acrylic acid | Proprietary | <1 |
| Propiophenone derivative | Proprietary | <1 |

Composition comments

Carbon black is present only in a bound form in this preparation.

4. First aid measures**Description of necessary first-aid measures**

| | |
|---------------------|---|
| Inhalation | Move to fresh air. If symptoms persist, get medical attention. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. |
| Ingestion | If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. |

Most important symptoms/effects, acute and delayed

Not available.

Indication of immediate medical attention and special treatment needed

Not available.

5. Fire-fighting measures

| | |
|--|--|
| Suitable extinguishing media | Dry powder. Carbon dioxide (CO ₂). Water may be ineffective. |
| Unsuitable extinguishing media | Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards arising from the chemical | Not applicable. |
| Specific / special fire-fighting procedures | Avoid runoff into storm sewers and ditches which lead to waterways. |
| Special protective equipment and precautions for firefighters | Not available. |

6. Accidental release (spill or leakage) measures

| | |
|--|---|
| Personal precautions, protective equipment and emergency procedures | Wear appropriate personal protective equipment. Do not touch or walk through spilled material. |
| Environmental precautions | Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| Methods and materials for containment and cleaning up | Not available. |

7. Handling and storage

Preventative measures for safe handling

| | |
|--------------------------------------|---|
| Safe handling advice | Avoid contact with skin, eyes and clothing. |
| Precautions for safe handling | Not available. |

Conditions for safe storage

| | |
|------------------------------------|---|
| Technical measures | Do not handle or store near an open flame, heat or other sources of ignition. Keep away from excessive heat or cold. Do not store in direct sunlight. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage. |
| Suitable storage conditions | Not available. |
| Any incompatibilities | Not available. |

8. Exposure controls/personal protection

Control parameters

Indonesia. OELs (Minister of Manpower and Transmigration Regulation No. Per.13/MEN/X/2011 concerning Threshold Limit Values, Annex II)

| Components | Type | Value |
|---------------|------|-----------------------|
| Black pigment | TWA | 3.5 mg/m ³ |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|---------------|------|---------------------|---------------------|
| Black pigment | TWA | 3 mg/m ³ | Inhalable fraction. |

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Exposure limits have not been established for this product.

Appropriate engineering controls Not available.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------|--|
| Respiratory protection | Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. |
| Hand protection | Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness. |
| Eye/face protection | Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended. |
| Skin and body protection | Wear appropriate chemical resistant clothing. |
| Thermal hazards | Not available. |

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

9. Physical and chemical properties

Empirical data of the substance or mixture

Organoleptic properties (shape, color, etc.)

| | |
|-----------------------|---------|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Black. |

Odor Characteristic.

Odor threshold Not available.

pH 6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available.

| | |
|---|--|
| Initial boiling point and boiling range | Not available. |
| Flash point | > 213.8 °F (> 101.0 °C) Closed Cup EPA Method 1020 |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | 13 - 14 cP Brookfield Viscometer (± 0.5) Temperature 40°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading. |
| Other information | |
| VOC | 4.52 g/L Method 24/ASTM D5403-93 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Hazardous polymerization can occur with decreased inhibitor content. |
| Conditions to avoid | Exposure to sunlight. |
| Incompatible materials | Incompatible with strong bases and oxidizing agents. alkaline metals |
| Hazardous decomposition products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

11. Toxicological information

Complete and comprehensive description of the various toxicological / health effects

| | |
|--|---|
| Acute toxicity | Based on available data, the classification criteria are not met. |
| Skin corrosion/irritation | Causes skin irritation. Non-corrosive (OECD 431). |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. Not classified as an irritant according to, OECD 437. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Based on available data, the classification criteria are not met. |
| Skin sensitization | May cause sensitization by skin contact. |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

| | |
|---|---|
| Reproductive toxicity | May damage fertility. May damage the unborn child. |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. |

Specific target organ toxicity - repeated exposure Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Inhalation Inhalation may result in mild irritation to the respiratory system.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure Not available.

Numerical measures of toxicity

| Components | Species | Test Results |
|---------------------|---------|---------------|
| Black pigment | | |
| <u>Acute</u> | | |
| Oral | | |
| LD50 | Rat | > 10000 mg/kg |
| Vinylcaprolactam | | |
| <u>Acute</u> | | |
| Dermal | | |
| LD50 | Rabbit | 1700 mg/kg |
| Inhalation | | |
| LC50 | Rat | > 1.6 mg/l |
| Oral | | |
| LD50 | Rat | 1114 mg/kg |

Interactive effects Not available.

Mixture versus substance information Not available.

Other information Complete toxicity data are not available for this specific formulation

12. Ecological information

Ecotoxicity

| Components | Species | Test Results | |
|---|---------|---------------------------------|------------------------------|
| Difunctional acrylic monomer | | | |
| <i>Acute</i> | | | |
| | EC10 | Pseudokirchneriella subcapitata | 2.3 mg/l, 72 h (OECD 201) |
| | EC50 | Pseudokirchneriella subcapitata | 11 mg/l, 72 h (OECD 201) |
| Aquatic | | | |
| <i>Acute</i> | | | |
| Crustacea | EC50 | Daphnia Magna | 37 mg/l, 48 h (OECD 202) |
| Fish | LC50 | Danio rerio | 2.7 mg/l, 96 h (OECD 203) |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide | | | |
| <i>Acute</i> | | | |
| | EC10 | Pseudokirchneriella subcapitata | 1.56 mg/l, 72 h (OECD 201) |
| | EC50 | Pseudokirchneriella subcapitata | > 2.01 mg/l, 72 h (OECD 201) |
| | LC50 | Cyprinus carpio | 1.4 mg/l, 96 h (OECD 203) |
| Aquatic | | | |
| <i>Acute</i> | | | |
| Crustacea | EC50 | Daphnia magna | 3.53 mg/l, 48 h (OECD 202) |

Persistence and degradability Not available.

Bioaccumulative potential**Bioconcentration factor**

Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide

72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No .
615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance
Control Law, Japan)

| | |
|------------------------------|---|
| Mobility in soil | Not available. |
| Other adverse effects | Not available. |
| Aquatic toxicity | Very toxic to aquatic life with long lasting effects. |


13. Waste disposal

| | |
|--|--|
| Methods of disposal | Not available. |
| Local disposal regulations | Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor. |
| Waste from residues / unused products | Not available. |
| Contaminated packaging | Not available. |


14. Transport information

| | |
|--------------------------------------|--|
| DOT | Not regulated as dangerous goods. |
| DOT Supplemental Information | DOT Classification only applies to shipments within the US and Puerto Rico. |
| IATA | |
| UN number | UN3082 |
| UN proper shipping name | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative) |
| Transport hazard class(es) | |
| Class | 9 |
| Subsidiary risk | - |
| Packing group | III |
| Environmental hazards | Yes |
| Special precautions for user | Not available. |
| IATA Supplemental Information | When shipping ≤ 5L inner packaging, Special Provision A197 may apply. |
| IMDG | |
| UN number | UN3082 |
| UN proper shipping name | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT |
| Transport hazard class(es) | |
| Class | 9 |
| Subsidiary risk | - |
| Packing group | III |
| Transport hazard class(es) | |
| Marine pollutant | Yes |
| EmS | F-A, S-F |
| Special precautions for user | Not available. |
| IMDG Supplemental Information | When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply. |
| ADR | |
| UN number | UN3082 |
| UN proper shipping name | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative) |
| Transport hazard class(es) | |
| Class | 9 |
| Subsidiary risk | - |
| Hazard No. (ADR) | Not available. |
| Tunnel restriction code | Not available. |
| Packing group | III |
| Environmental hazards | Yes |
| Special precautions for user | Not available. |
| ADR Supplemental Information | When shipping ≤ 5L containers, ADR 375 may apply. |

ADR; IATA; IMDG



Marine pollutant



15. Regulatory information

Safety, health and environmental regulations specific for the product in question

CWC (Law of RI No. 9 of 2008 re: Prohibition on the Use of Chemicals as Chemical Weapon, March 10, 2008)

Not regulated.

Dangerous Substances that Must be Registered (Regulation of the Minister of Health of the Republic of Indonesia, No. 472/Menkes/Per/V/1996)

Not regulated.

Import and Distribution Control of Hazardous Materials (Minister of Trade Regulation No. 75/M-DAG/PER/10/2014, Annex I)

Not listed.

Precursor Chemicals (Ministry of Industry and Trade Decree No. 647/MPP/Kep/10/2004 concerning Regulation on Import of Precursors, Attachment 1, Oct. 18, 2004)

Not regulated.

Prohibited Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 1)

Not regulated.

Restricted Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 2)

Not regulated.

Toxic and Hazardous Materials List (Decree of the Ministry of Industry on the Safeguarding of Toxic and Hazardous Materials in Industrial Plants, No. 148/M/SK/4/1985)

Not regulated.

Hazardous Substances Approved for Use (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment I)

Listed substances

Not regulated.

Listed substances / Allowed until 2040

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

16. Other information

| | |
|--|----------------|
| Issue date | 14-Feb-2018 |
| Revision date | 01-Apr-2021 |
| Version # | 06 |
| References and sources for data used to compile the SDS | Not available. |

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information**Explanation of abbreviations**

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |