



# SAFETY DATA SHEET

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation of the mixture	C9338 Series
Registration number	-
Synonyms	None.
Issue date	13-Jul-2016
Version number	07
Revision date	08-Jul-2020
Supersedes date	13-May-2020

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Not available.
Uses advised against	None known.

### 1.3. Details of the supplier of the safety data sheet

Company identification	HP Inc. UK Limited Cain Road, Amen Corner Amen Corner Bracknell, Berkshire RG12 1HN United Kingdom
------------------------	--

### Telephone

HP Inc. health effects line (Toll-free within the US) (Direct)	1-800-457-4209 1-760-710-0048
HP Inc. Customer Care Line (Toll-free within the US) (Direct)	1-800-474-6836 1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	1-760-710-0048

---

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards	
Reproductive toxicity (fertility, the unborn child)	Category 1B

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.

#### Precautionary statements

Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.

Supplemental label information None.

2.3. Other hazards None known.

---

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-80	7732-18-5 231-791-2	-	-	
<b>Classification:</b>	-				
2-pyrrolidone	<10	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
<b>Classification:</b>	Eye Irrit. 2;H319, Repr. 1B;H360				
1,2-Benzisothiazolin-3-one	<0.05	2634-33-5 220-120-9	-	613-088-00-6	
<b>Classification:</b>	Acute Tox. 4;H302, Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Dam. 1;H318, Aquatic Acute 1;H400				

---

## SECTION 4: First aid measures

General information Not available.

### 4.1. Description of first aid measures

Inhalation Not available.

Skin contact Not available.

Eye contact Not available.

Ingestion Not available.

4.2. Most important symptoms and effects, both acute and delayed Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

---

## SECTION 5: Firefighting measures

General fire hazards Not available.

### 5.1. Extinguishing media

Suitable extinguishing media Not available.

Unsuitable extinguishing media Not available.

5.2. Special hazards arising from the substance or mixture Not available.

### 5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting procedures Not available.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Not available.

For emergency responders Not available.

6.2. Environmental precautions Not available.

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other sections Not available.

---

## SECTION 7: Handling and storage

7.1. Precautions for safe handling Not available.

---

**7.2. Conditions for safe storage, including any incompatibilities** Not available.

**7.3. Specific end use(s)** Not available.

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Occupational exposure limits** No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Not available.

#### Derived no effect levels (DNELs)

Components	Type	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
	Workers	Oral	33.3 mg/kg bw/d	Systemic acute short term
		Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term

#### Predicted no effect concentrations (PNECs)

Components	Type	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittent	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

### 8.2. Exposure controls

**Appropriate engineering controls** Not available.

#### Individual protection measures, such as personal protective equipment

**General information** Not available.

**Eye/face protection** Not available.

#### Skin protection

- Hand protection Not available.

- Other Not available.

**Respiratory protection** Not available.

**Thermal hazards** Not available.

**Hygiene measures** Not available.

**Environmental exposure controls** Not available.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state** Liquid.

**Form** Not available.

**Color** Not available.

**Odor** Not available.

**Odor threshold** Not available.

**pH** 6.5 - 7.5

**Initial boiling point and boiling range** Not determined

**Flash point** > 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not determined

**Flammability (solid, gas)** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not determined

**Flammability limit - upper (%)** Not available.

**Vapor pressure** Not available.

**Vapor density** Not available.

**Solubility(ies)**

**Solubility (water)** Soluble in water

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Viscosity** Not available.

**Explosive properties** Not available.

**Oxidizing properties** Not available.

**9.2. Other information**

**Percent volatile** 8 % estimated

**VOC** < 168 g/l

**SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Not available.

**10.3. Possibility of hazardous reactions** Not available.

**10.4. Conditions to avoid** Not available.

**10.5. Incompatible materials** Not available.

**10.6. Hazardous decomposition products** Not available.

**SECTION 11: Toxicological information**

**General information** Not available.

**Information on likely routes of exposure**

**Inhalation** Not available.

**Skin contact** Not available.

**Eye contact** Not available.

**Ingestion** Not available.

**Symptoms** Not available.

**11.1. Information on toxicological effects****Acute toxicity**

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
<u>Acute</u>		
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg

**Skin corrosion/irritation** Not available.

**Serious eye damage/eye irritation** Not available.

**Respiratory sensitization** Not available.

**Skin sensitization** Not available.

**Germ cell mutagenicity** Not available.

**Carcinogenicity** Not available.

**Reproductive toxicity** Not available.

**Specific target organ toxicity - single exposure** Not available.

<b>Specific target organ toxicity - repeated exposure</b>	Not available.
<b>Aspiration hazard</b>	Not available.
<b>Mixture versus substance information</b>	Not available.
<b>Other information</b>	Not available.

---

## SECTION 12: Ecological information

### 12.1. Toxicity

Product	Species	Test Results
C9338 Series		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> ) > 750 mg/l, 96 hours

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
<b>Aquatic</b>		
Crustacea	EC50	Water flea ( <i>Daphnia pulex</i> ) 13.21 mg/l, 48 hours

**12.2. Persistence and degradability** Not available.

**12.3. Bioaccumulative potential** Not available.

**Partition coefficient n-octanol/water (log Kow)**  
2-pyrrolidone -0.85

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** Not available.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** Not available.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Not available.
<b>Contaminated packaging</b>	Not available.
<b>EU waste code</b>	Not available.

---

## SECTION 14: Transport information

### DOT

<b>UN number</b>	Not available.
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	
<b>Class</b>	Not available.
<b>Subsidiary risk</b>	-
<b>Packing group</b>	Not available.
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	No
<b>Special precautions for user</b>	Not available.

### IATA

<b>UN number</b>	Not available.
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	
<b>Class</b>	Not available.
<b>Subsidiary risk</b>	-
<b>Packing group</b>	Not available.
<b>Environmental hazards</b>	No
<b>Special precautions for user</b>	Not available.

### IMDG

<b>UN number</b>	Not available.
<b>UN proper shipping name</b>	Not Regulated

<b>Transport hazard class(es)</b>	
<b>Class</b>	Not available.
<b>Subsidiary risk</b>	-
<b>Packing group</b>	Not available.
<b>Transport hazard class(es)</b>	
<b>Marine pollutant</b>	No
<b>EmS</b>	Not available.
<b>Special precautions for user</b>	Not available.

#### ADR

<b>UN number</b>	Not available.
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	
<b>Class</b>	Not available.
<b>Subsidiary risk</b>	-
<b>Hazard No. (ADR)</b>	Not available.
<b>Tunnel restriction code</b>	Not available.
<b>Packing group</b>	Not available.
<b>Environmental hazards</b>	No
<b>Special precautions for user</b>	Not available.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorizations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended**

Not listed.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.

**National regulations** Not available.

**15.2. Chemical safety assessment** See attached SUMI or GEIS document, if applicable.

---

## SECTION 16: Other information

**References** Not available.

**Information on evaluation method leading to the classification of mixture** Not available.

**Full text of any H-statements  
not written out in full under  
Sections 2 to 15**

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H360 May damage fertility or the unborn child.  
H400 Very toxic to aquatic life.

**Revision information**

1. Product and Company Identification: Product and Company Identification

**Training information**

Not available.

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds

# Safe Use of Mixture Information (SUMI)

--

## Water Based Ink: WB01 \*English\*

### Disclaimer

*This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.*

*The REACH registration number(s), where applicable, completes an extended product SDS.*

### Operational conditions

<b>Maximum duration</b>	Up to 8 hours per day
<b>Frequency of exposure</b>	< 240 days per year
<b>Process conditions</b>	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions followed.

### Risk management measures

<b>Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation</b>	<p>Wear safety glasses with side shields (or goggles), if splashing is possible. Wear appropriate chemical resistant gloves: see section 8 of the SDS. Wear appropriate chemical resistant clothing. In case of inadequate ventilation wear respiratory protection. Eye wash fountain and emergency showers are recommended. Avoid breathing mist/vapours. Avoid contact with skin, eyes and clothing. Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.</p> <div style="display: flex; justify-content: space-around; align-items: center;">     </div>
--	---

### Good practice advice

Use personal protective equipment as required.  
Wash hands before breaks and after work.  
Keep good industrial hygiene and safety practice.  
Use only with adequate ventilation.  
Do no eat, drink or smoke when using this product.  
Wash contaminated clothing before reuse.  
Store at room temperature.



### Environmental measures

Do not allow this material to drain into sewers/water supplies.  
Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.  
Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

- IS-Use at industrial sites
- PW-Widespread use by professional workers
- SU7-Printing and reproduction media
- PC18-Inks and Toners
- PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
- PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities
- ERC5-Use at industrial site leading to inclusion into/onto article
- ERC8c-Widespread use leading to inclusion into/onto article (indoor)

### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.  
Most of the water based inks are "not classified".  
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.  
All ingredients contributing to the classification are stated in Section 3 of the SDS.  
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.  
The product may contain sensitizing ingredients that may cause allergic reaction to certain people.  
Section 2 of the SDS states these ingredients where applicable.