



SAFETY DATA SHEET

Issue date: 30-Aug-2013
Revision date: 15-Apr-2021
Version #: 17

1. Chemical and company identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Name of chemical (Product name)	CH219Series
	HP Japan Inc. 4F Ojima2-2-1 Koto-ku Tokyo, Japan 136-8711
Poison Information Centre Telephone	0120-50-3024 (+81) 3 5749-8363
HP Inc. health effects line (Toll-free within the US) (Direct)	1-800-457-4209 1-760-710-0048
HP Inc. Customer Care Line (Toll-free within the US) (Direct)	1-800-474-6836 1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
Recommended use of the chemical and restrictions on use	
Intended use	Inkjet printing

2. Hazards identification

GHS classification	
Physical hazards	The product is not classified according to GHS.
Health hazards	Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Sensitization, skin Category 1 Reproductive toxicity Category 1B Specific target organ toxicity, single exposure Category 3 respiratory tract irritation Specific target organ toxicity, repeated exposure Category 1 (liver, respiratory system)
Environmental hazards	Hazardous to the aquatic environment, long-term hazard Category 2

GHS label elements

Symbols



Signal words

Danger

Hazard statement

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility or the unborn child. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical attention/advice. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash before reuse. Collect spillage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation. Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).
Supplemental information	None.

3. Composition/information on ingredients

Substance or mixture	Mixture
	Gazette notification
Components	CAS Number ENCS no. ISHL no. Concentration (%)
2-phenoxyethyl acrylate	Proprietary (3)-3684 <30
N-vinylcaprolactam	Proprietary (5)-6239 8-(1)-2044 <25
Carboxylic Acids, Esters	Proprietary (2)-990 (2)-990 <15
Difunctional acrylic monomer	Proprietary <10
Acrylate ester 5	Proprietary (2)-3111 (2)-3111 <5
Alkyl Acrylate Ester	Proprietary (2)-1009, (2)-1009, <5 (2)-1045, (2)-1045, (7)-152 (7)-152
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	Proprietary (3)-4078 4-(3)-48 <5
Black Pigment	Proprietary Proprietary Proprietary <2.5
2,6-di-tert-butyl-.alpha.-dimethylamino-p-cresol	88-27-7 (3)-2865 (3)-2865 <1
Benzophenone	119-61-9 (3)-1258, (3)-1258, <1 (4)-125 (4)-125

Synonym(s)	HP Scitex FB250 Black Ink
Chemical formula	C13-H10-O (119-61-9), C13-H10-O (119-61-9), C17H29NO (88-27-7)
Composition comments	Carbon black is present only in a bound form in this preparation.

4. First aid measures

If inhaled	Move to fresh air. If symptoms persist, get medical attention.
If on skin	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
If in eyes	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
If swallowed	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.

5. Fire-fighting measures

Extinguishing media	Dry powder. Carbon dioxide (CO2). Water may be ineffective.
Extinguishing media to avoid	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
Special fire fighting procedures	Avoid runoff into storm sewers and ditches which lead to waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency measures	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
Methods or materials for containment and cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation)	Not available.
Safe handling advice	Avoid contact with skin, eyes and clothing.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

Storage

Safe storage conditions	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.
Safe packaging materials	Not available.

8. Exposure controls/personal protection

Occupational exposure limits

Japan. OELs - JSOH (Japan Society of Occupational Health: Recommendation of Occupational Exposure Limits)

Components	Type	Value	Form
Black Pigment	TWA	4 mg/m ³	Total dust.
		1 mg/m ³	Respirable dust.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Black Pigment	TWA	3 mg/m ³	Inhalable fraction.

Exposure guidelines Exposure limits have not been established for this product.

Personal protective equipment

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

Personal protective equipment

Eye protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

Skin and body protection Wear appropriate chemical resistant clothing.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Liquid.

Color Black.

Odor Characteristic.

pH 7.4 - 7.8 Metler Toledo pH Meter. Temperature 25°C

Melting point/Freezing point Not available.

Boiling point, initial boiling point, and boiling range Not available.

Flash point > 199.9 °F (> 93.3 °C) Calculated

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density	Not available.
Specific gravity	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity (Coefficient of viscosity)	9.3 - 10.6 cP Brookfield Viscometer Temperature 50°C
Other information	
Chemical family	Acrylate/Polymer/Pigment Blend
VOC	0.2 g/L Calculated

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Hazardous polymerization can occur with decreased inhibitor content.
Conditions to avoid	Exposure to sunlight.
Incompatible materials	Incompatible with strong bases and oxidizing agents. alkaline metals
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Acute toxicity Based on available data, the classification criteria are not met.

Components	Species	Test Results
Black Pigment		
<u>Acute</u>		
Oral		
LD50	Rat	> 10000 mg/kg
N-vinylcaprolactam		
<u>Acute</u>		
Dermal		
LD50	Rabbit	1700 mg/kg
Inhalation		
LC50	Rat	> 1.6 mg/l
Oral		
LD50	Rat	1114 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

IARC Monographs. Overall Evaluation of Carcinogenicity

 Benzophenone (CAS 119-61-9) 2B Possibly carcinogenic to humans.

Japan Society for Occupational Health: Carcinogen

 Benzophenone (CAS 119-61-9) 2B Possibly carcinogenic to humans.

Reproductive toxicity Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure	May cause irritation to the respiratory system.
Specific target organ toxicity - repeated exposure	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other information	Complete toxicity data are not available for this specific formulation

12. Ecological information

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

Ecotoxicological data

Components		Species	Test Results	
2-phenoxyethyl acrylate <i>Acute</i>	EC10	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)	
	EC50	Desmodesmus subcapitatus	4.44 mg/l, 72 h (DIN 38412 L9)	
	LC50	Leuciscus idus	10 mg/l, 96 h (DIN 38 412)	
	NOEC	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)	
	Aquatic <i>Acute</i> Crustacea	EC50	Daphnia magna	1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
Difunctional acrylic monomer <i>Acute</i>	EC10	Pseudokirchneriella subcapitata	2.3 mg/l, 72 h (OECD 201)	
	EC50	Pseudokirchneriella subcapitata	11 mg/l, 72 h (OECD 201)	
	Aquatic <i>Acute</i> Crustacea	EC50	Daphnia Magna	37 mg/l, 48 h (OECD 202)
	Fish	LC50	Danio rerio	2.7 mg/l, 96 h (OECD 203)
	Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide <i>Acute</i>	EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
EC50		Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)	
LC50		Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)	
Aquatic <i>Acute</i> Crustacea		EC50	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
Ecotoxicity		Not available.		
Persistence and degradability	Not available.			
Bioaccumulation	Not available.			
Bioaccumulative potential Bioconcentration factor	Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide 72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance Control Law, Japan)			
Mobility in soil	Not available.			
Hazardous to the ozone layer	Not available.			

13. Disposal considerations

Local disposal regulations Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

14. Transport information

DOT

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Special precautions for user	Not available.

DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
Special precautions for user	Not available.

IATA Supplemental Information When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

IMDG

UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Transport hazard class(es)	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Not available.


IMDG Supplemental Information When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.


ADR

UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	III
Environmental hazards	Yes
Special precautions for user	Not available.

ADR Supplemental Information When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



**Further information**

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information**Industrial Safety and Health Act****Notifiable substances**

Not regulated.

Labeling substances

CARBONBLACK

0 - 2.5 %

Poisonous and Deleterious Substances Control Act**Specified poisonous substances**

Not regulated.

Poisonous substances

Not regulated.

Deleterious substances

Not regulated.

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.**Class I specified chemical substances**

Not regulated.

Class II specified chemical substances

Not regulated.

Monitoring chemical substances

Not regulated.

Priority Assessment Chemical Substances (PACs)

Not regulated.

Reporting Exempted Substances

Not regulated.

Law concerning Pollutant Release and Transfer Register**Specified class 1 substances (substance name, ordinance number and content)**

Not regulated.

Class 1 substances (substance name, ordinance number and content)

BENZOPHENONE Ordinance No. 403 0.99 % (Benzophenone)

Class 2 substances (substance name, ordinance number and content)

Not regulated.

Fire Service Act

Class 4 Group 3 oils (Non-water soluble) Hazard rank III

Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule

Miscellaneous dangerous substances

Air Law, Enforcement Rule

Miscellaneous dangerous goods

Explosives Control Act

Not regulated.

Regulatory information

The components of this product are reported in the following inventories: USA, European Union, Canada, Japan, China, Australia, Korea.

16. Other information

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: EU Poison Center
3. Composition / Information on Ingredients: Disclosure Overrides

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds