



MATERIAL SAFETY DATA SHEET

1. Chemical product and company identification

A. Product name CN867Series
Synonym(s) HP FB210 White Scitex Ink

B. Recommended use and Limitations on use

Recommended use Inkjet printing

C. Supplier information

HP Korea House
23-6 Yoido-dong
Youngdeungpo-gu
Seoul 150-742, Korea

Telephone (02) 2199-0114

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048

HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards identification

A. Hazard category/Classification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Reproductive toxicity (fertility, the unborn child)	Category 1B
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Specific target organ toxicity, repeated exposure	Category 1 (liver, respiratory system)
	Hazardous to the aquatic environment, long-term hazard	Category 3

B. Warning label items including precautionary statement

• Pictogram



• Signal word

Danger

• Hazard statement

H315	Causes skin irritation.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H360FD	May damage fertility. May damage the unborn child.
H335	May cause respiratory irritation.
H372	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

• Precautionary statement

Prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P201	Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
 P264 Wash hands thoroughly after handling.
 P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P310 Immediately call a POISON CENTER or doctor/physician.
 P308 + P313 IF exposed or concerned: Get medical attention/advice.
 P362 Take off contaminated clothing and wash before reuse.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard)

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Titanium dioxide is classified by IARC as a Group 2B carcinogen, meaning there is inadequate evidence in humans for the carcinogenicity of titanium dioxide, but there is sufficient evidence in experimental animals for the carcinogenicity of titanium dioxide. Exposure to titanium dioxide in this product is unlikely because it is a component of a liquid ink and is bound to other ink components.

Diphenyl (2,4,6-trimethylbenzoyl) phosphineoxide - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

Supplemental information

None.

3. Composition/information on ingredients

Chemical identity	Common and alternative names	CAS number	ID number	Content in percent (%)
Butyl substituted ethyl acrylate		Proprietary	Proprietary	<40
Vinylcaprolactam		Proprietary	Proprietary	<30
Acrylate ester 2		Proprietary	Proprietary	<15
Titanium dioxide pigment blend		13463-67-7	KE-33900	<15
2-Propenoic acid, (2,4,6-trioxo-1,3,5-triazine-1,3,5-(2H,4H,6H)-triy)tri-2,1-ethanediy ester		40220-08-4	2000-3-1626	<10
Diphenyl (2,4,6-trimethylbenzoyl) phosphine		Proprietary	Proprietary	<5
Propiophenone derivative		Proprietary	Proprietary	<5
Glycerol, propoxylated, esters with acrylic acid		Proprietary	Proprietary	<0.1

4. First aid measures

- A. In case of eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
- B. In case of skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
- C. In case of inhalation** Move to fresh air. If symptoms persist, get medical attention.
- D. In case of swallowing** If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.
- E. Note to physician** Not available.

5. Fire-fighting measures

A. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media** Dry powder. Carbon dioxide (CO2). Water may be ineffective.
- Unsuitable extinguishing media** Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

B. Specific hazards arising from the chemical (example: hazardous combustion products) Not available.

C. Specific methods of fire-fighting

Special fire fighting procedures Avoid runoff into storm sewers and ditches which lead to waterways.

6. Accidental release measures

A. Personal precautions, protective equipment and emergency measures Wear appropriate personal protective equipment.

B. Environmental precautions See also section 13 Disposal considerations. Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

C. Methods and materials for containment and cleaning up Not available.

7. Handling and storage

A. Precautions for safe handling Avoid contact with skin, eyes and clothing.

B. Conditions for safe storage (including any incompatibilities) Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

8. Exposure controls/personal protection

A. Exposure limit values, biological limit values, etc

Korea. OELs. Standards for Exposure to Chemical Substances and Physically Hazardous Factors

Components	Type	Value
Titanium dioxide pigment blend (CAS 13463-67-7)	TWA	10 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value
Titanium dioxide pigment blend (CAS 13463-67-7)	TWA	10 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Exposure limits have not been established for this product.

B. Appropriate engineering controls Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.

C. Personal protective equipment

• **Respiratory protection** Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

• **Eye protection** Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

• **Hand protection** Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.

• **Body protection** Wear appropriate chemical resistant clothing.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

9. Physical and chemical properties

A. Appearance

Physical state Not available.

Form Liquid.

Color White.

B. Odor Characteristic.

C. Odor threshold Not available.

D. pH Not available.

E. Melting point/freezing point Not available.

F. Boiling point, initial boiling point, and boiling range Not available.

G. Flash point	> 161.6 °F (> 72.0 °C) Closed Cup EPA Method 1020
H. Evaporation rate	Not available.
I. Flammability (solid, gas)	Not available.
J. Upper/lower limit on flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
K. Vapor pressure	Not available.
L. Solubility	
Solubility (water)	Not available.
M. Vapor density	Not available.
N. Specific gravity	Not available.
O. n-octanol/water partition coefficient	Not available.
P. Auto-ignition temperature	Not available.
Q. Decomposition temperature	Not available.
R. Viscosity	Not available.
S. Molecular weight	Not available.

Other data

VOC < 95 g/L Method 24/ASTM D5409-93

10. Stability and reactivity

A. Stability and hazardous reaction potential

Stability	Stable under normal storage conditions.
Hazardous reaction potential	Hazardous polymerization can occur with decreased inhibitor content.

B. Conditions to avoid (e.g. static discharge, shock or vibration, etc) Exposure to sunlight.

C. Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

D. Hazardous decomposition products Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

A. Information on likely routes of exposure

- **Respiratory organs** May cause irritation to the respiratory system.
- **Skin** Causes skin irritation. May cause sensitization by skin contact.
- **Eyes** Causes serious eye irritation.
- **Mouth** Ingestion is not a likely route of exposure.

B. Information on health hazards

- **Acute toxicity (list all possible routes of exposure)** Based on available data, the classification criteria are not met.
- **Corrosivity or irritation to the skin** Causes skin irritation.
- **Serious eye damage/eye irritation** Causes serious eye damage.
- **Respiratory sensitization** Based on available data, the classification criteria are not met.
- **Skin sensitization** May cause sensitization by skin contact.
- **Carcinogenic properties /Carcinogenicity** Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide pigment blend (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

- **Mutagenic properties /Mutagenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** May damage fertility. May damage the unborn child.
- **Specific target organ toxicity - single exposure** May cause irritation to the respiratory system.
- **Specific target organ toxicity - repeated exposure** Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12. Ecological information

A. Ecotoxicity

Components	Species		Test Results
Titanium dioxide pigment blend (CAS 13463-67-7)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours

Aquatic toxicity Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

B. Persistence/degradability Not available.

C. Bioaccumulative potential Not available.

D. Mobility in soil Not available.

E. Other adverse effects Not available.

13. Disposal considerations

A. Method of disposal Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

B. Disposal considerations (including disposal of contaminated containers or packaging) Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

15. Regulatory information

A. Restrictions under the Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacturing

Not regulated.

Harmful Substances Requiring Permission for Manufacture or Use

Not regulated.

Controlled Hazardous Substances

TITANIUM DIOXIDE (CAS 13463-67-7)

Harmful Substances Requiring Special Medical Examination

Not regulated.

Workplace Environmental Monitoring Harmful Materials

TITANIUM DIOXIDE (CAS 13463-67-7)

Occupational Exposure Limit

TITANIUM DIOXIDE (CAS 13463-67-7)

B. Restrictions under the Chemicals Control Law (Previously Toxic Chemicals Control Law)

Accidental Release Prevention Substances

Not regulated.

Observational Chemicals

Not regulated.

C. Restrictions under the Dangerous Substance Safety Management Act**D. Restrictions under the Wastes Control Act****Halogenated Materials in Waste Organic Solvents**

Not regulated.

Hazardous Substances

Not regulated.

E. Restrictions under other foreign or domestic laws**Clean Air Conservation Act****Air Pollutants**

Not regulated.

Specific Air Pollutants

Not regulated.

Act on the Registration and Evaluation of Chemicals**Banned Toxic Chemicals**

Not regulated.

Designated Existing Chemicals Subject to Registration (PEC) (MoE No. 2015-92)

Not listed.

Restricted Chemical Substances

Not regulated.

Toxic Chemicals

Not regulated.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, South Korea, New Zealand, and China.

16. Other information**A. Source of information**

Not available.

B. Issue date

31-May-2013

C. Number of revisions and date of most recent revision

14-Feb-2018 (08 revision)

D. Other

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision information

Hazards identification: • Hazard statement
 Hazards identification: Disposal
 Hazards identification: Prevention
 Hazards identification: Response
 Hazards identification: Storage
 3. Composition / Information on Ingredients: Disclosure Overrides
 9. Physical & Chemical Properties: Multiple Properties
 Toxicological information: • Eyes
 Toxicological information: • Mouth
 Toxicological information: • Respiratory organs
 Toxicological information: • Skin
 Regulatory information: Regulatory information
 GHS: Classification

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds