



# MATERIAL SAFETY DATA SHEET

## 1. Chemical product and company identification

**Important information** \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. \*\*\*

**A. Product name** CP839Series

**Other means of identification**  
**Synonym(s)** HP HDR245 Black Scitex Ink Cartridge

**B. Recommended use and Limitations on use**  
**Recommended use** Inkjet printing

**C. Supplier information**  
 HP Inc.  
 07325 83 Uisadang-daero  
 Youngdeungpo-gu  
 Seoul, Korea

**Telephone** 02-780-6200

**HP Inc. health effects line**  
**(Toll-free within the US)** 1-800-457-4209  
**(Direct)** 1-760-710-0048

**HP Inc. Customer Care Line**  
**(Toll-free within the US)** 1-800-474-6836  
**(Direct)** 1-208-323-2551  
**Email:** hpcustomer.inquiries@hp.com

## 2. Hazards identification

### A. Hazard category/Classification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Skin corrosion/irritation	Category 2
	Sensitization, skin	Category 1
	Reproductive toxicity (fertility, the unborn child)	Category 2
	Specific target organ toxicity, repeated exposure	Category 2 (liver, respiratory system)
<b>Environmental hazards</b>	Hazardous to the aquatic environment, long-term hazard	Category 2

### B. Warning label items including precautionary statement

• Pictogram



• Signal word

Warning

• Hazard statement

H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs (liver, respiratory system) through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

• Precautionary statement

**Prevention**

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing.

P270 Do not eat, drink or smoke when using this product.  
 P264 Wash hands thoroughly after handling.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.

**Response**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P308 + P313 IF exposed or concerned: Get medical attention/advice.  
 P312 Call a POISON CENTER/doctor/physician if you feel unwell.  
 P314 Get medical attention/advice if you feel unwell.  
 P391 Collect spillage.  
 P363 Wash contaminated clothing before reuse.

**Storage**

P405 Store locked up.

**Disposal**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard)**

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.  
 Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

**Supplemental information**

None.

**3. Composition/information on ingredients**

Chemical identity	Common and alternative names	CAS number	ID number	Content in percent (%)
Oxybis(methyl-2,1-ethanediyl) diacrylate		57472-68-1	57472-68-1	<25
2-phenoxyethyl acrylate		48145-04-6	KE-29624	<20
Acrylate ester 3		Proprietary	Proprietary	<15
Dodecyl acrylate		2156-97-0	KE-29498	<10
Glycerol, propoxylated, esters with acrylic acid		52408-84-1	KE-29348	<10
2-Propenoic acid-1,6-hexanediylester, polymer with disubstituted alkane		67906-98-3		<7.5
1-vinylhexahydro-2H-azepin-2-one		2235-00-9	KE-13281, 97-3-88	<5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide		75980-60-8	KE-12103	<5
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide		162881-26-7	97-3-613	<5
2-isopropyl-9H-thioxanthen-9-one		5495-84-1	KE-24106	<2.5
1,6-Hexanediol diacrylate		13048-33-4	KE-29558	<1

**Composition comments**

Carbon black is present only in a bound form in this preparation.

**4. First aid measures**

**A. In case of eye contact**

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

**B. In case of skin contact**

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

**C. In case of inhalation**

Move to fresh air. If symptoms persist, get medical attention.

**D. In case of swallowing**

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.

**E. Note to physician**

Not available.

---

## 5. Fire-fighting measures

### A. Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media** Dry powder. Carbon dioxide (CO<sub>2</sub>). Water may be ineffective.

**Unsuitable extinguishing media** Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

**B. Specific hazards arising from the chemical (example: hazardous combustion products)** Not available.

### C. Specific methods of fire-fighting

**Special fire fighting procedures** Avoid runoff into storm sewers and ditches which lead to waterways.

---

## 6. Accidental release measures

**A. Personal precautions, protective equipment and emergency measures** Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

**B. Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

**C. Methods and materials for containment and cleaning up** Not available.

---

## 7. Handling and storage

**A. Precautions for safe handling** Avoid contact with skin, eyes and clothing.

**B. Conditions for safe storage (including any incompatibilities)** Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

---

## 8. Exposure controls/personal protection

### A. Exposure limit values, biological limit values, etc

No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Exposure limits have not been established for this product.

**B. Appropriate engineering controls** Not available.

### C. Personal protective equipment

• **Respiratory protection** Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

• **Eye protection** Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

• **Hand protection** Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant gloves.

• **Body protection** Wear appropriate chemical resistant clothing.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

---

## 9. Physical and chemical properties

### A. Appearance

**Physical state** Liquid.

**Form** Liquid.

**Color** Black.

**B. Odor** Characteristic.

**C. Odor threshold** Not available.

**D. pH** 6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C

**E. Melting point/freezing point** Not available.

**F. Boiling point, initial boiling point, and boiling range** Not available.

**G. Flash point** > 230.0 °F (> 110.0 °C) Setflash Closed Cup (Estimated)

---

<b>H. Evaporation rate</b>	Not available.
<b>I. Flammability (solid, gas)</b>	Not available.
<b>J. Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>K. Vapor pressure</b>	Not available.
<b>L. Solubility</b>	
<b>Solubility (water)</b>	Not available.
<b>M. Vapor density</b>	Not available.
<b>N. Specific gravity</b>	Not available.
<b>O. n-octanol/water partition coefficient</b>	Not available.
<b>P. Auto-ignition temperature</b>	Not available.
<b>Q. Decomposition temperature</b>	Not available.
<b>R. Viscosity</b>	12.5 - 13.5 cP Cone and Plate Rheometer, Temperature 50°C. C60/1° Sensor. Values recorded at 4000 1/s.
<b>S. Molecular weight</b>	Not available.
<b>Other data</b>	
<b>VOC</b>	19 g/l (Estimated)

## 10. Stability and reactivity

### A. Stability and hazardous reaction potential

<b>Stability</b>	Stable under normal storage conditions.
<b>Hazardous reaction potential</b>	Hazardous polymerization can occur with decreased inhibitor content.

**B. Conditions to avoid (e.g. static discharge, shock or vibration, etc)** Exposure to sunlight.

**C. Incompatible materials** Incompatible with strong bases and oxidizing agents. alkaline metals

**D. Hazardous decomposition products** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

### A. Information on likely routes of exposure

- **Respiratory organs** Inhalation may result in mild irritation to the respiratory system.
- **Skin** Causes skin irritation. May cause sensitization by skin contact.
- **Eyes** Contact with eyes may result in mild irritation.
- **Mouth** Ingestion is not a likely route of exposure.

### B. Information on health hazards

- **Acute toxicity (list all possible routes of exposure)** Based on available data, the classification criteria are not met.

Components	Species	Test Results
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	1700 mg/kg
<b>Inhalation</b>		
LC50	Rat	> 1.6 mg/l
<b>Oral</b>		
LD50	Rat	1114 mg/kg
• <b>Corrosivity or irritation to the skin</b>	Causes skin irritation.	

• <b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met. Non-corrosive. Not a known irritant. (OECD 437)
• <b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.
• <b>Skin sensitization</b>	May cause sensitization by skin contact.
• <b>Carcinogenic properties /Carcinogenicity</b>	Based on available data, the classification criteria are not met.  Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.
• <b>Mutagenic properties /Mutagenicity</b>	Based on available data, the classification criteria are not met.
• <b>Reproductive toxicity</b>	Suspected of damaging the unborn child. Suspected of damaging fertility.
• <b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.
• <b>Specific target organ toxicity - repeated exposure</b>	May cause damage to organs (liver, respiratory system) through prolonged or repeated exposure.
• <b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

## 12. Ecological information

### A. Ecotoxicity

Components		Species	Test Results
2-phenoxyethyl acrylate (CAS 48145-04-6)			
<i>Acute</i>			
	EC10	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
	EC50	Desmodesmus subcapitatus	4.44 mg/l, 72 h (DIN 38412 L9)
	LC50	Leuciscus idus	10 mg/l, 96 h (DIN 38 412)
	NOEC	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8)			
<i>Acute</i>			
	EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
Dodecyl acrylate (CAS 2156-97-0)			
<i>Acute</i>			
	ErC50	Pseudokirchneriella subcapitata	> 0.274 µg/l, 72 h (OECD 201)
	LC50	Leuciscus idus	460 mg/l, 96 h (DIN 38 412, part L 15, 1982)
	NOEC	Leuciscus idus	215 mg/l, 96 h (DIN 38 412, part L 15, 1982)
<i>Chronic</i>			
	LOEC	Daphnia magna	> 0.25 µg/l, 21 d (OECD 211)
<b>Aquatic</b>			
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.25 µg/l, 21 d (OECD 211)
Fish	LOEC	Danio rerio	> 1 µg/l, 36 d (OECD 210)
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide (CAS 162881-26-7)			
<i>Acute</i>			
	EC50	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)

Components	Species	Test Results
	LC50 Danio rerio	> 90 µg/l, 96 h (OECD 203)
	NOEC Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	EC50 Daphnia magna	> 1175 µg/l, 48 h (OECD 202)
<i>Chronic</i>		
Crustacea	NOEC Daphnia magna	>= 8.1 µg/l, 21 d (OECD 211)
<b>Aquatic toxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.	
<b>B. Persistence/degradability</b>	Not available.	
<b>C. Bioaccumulative potential</b>		
<b>Bioconcentration factor</b>		
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance Control Law, Japan)	
Dodecyl acrylate	2.34, (EPA Epiwin (v.4.11))	
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5, (similar to OECD 305 C)	
<b>D. Mobility in soil</b>	Not available.	
<b>E. Other adverse effects</b>	Not available.	

### 13. Disposal considerations

<b>A. Method of disposal</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
<b>B. Disposal considerations (including disposal of contaminated containers or packaging)</b>	Not available.

### 14. Transport information


<b>DOT</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Not available.
<b>DOT Supplemental Information</b>	DOT Classification only applies to shipments within the US and Puerto Rico.
<b>IATA</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.
<b>IMDG</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III

**Transport hazard class(es)**  
**Marine pollutant** Yes  
**EmS** F-A, S-F  
**Special precautions for user** Not available.

**ADR**

**UN number** UN3082  
**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Hazard No. (ADR)** Not available.  
**Tunnel restriction code** Not available.  
**Packing group** III  
**Environmental hazards** Yes  
**Special precautions for user** Not available.

**ADR; DOT; IATA; IMDG**



**Marine pollutant**



---

## 15. Regulatory information

### A. Restrictions under the Industrial Safety and Health Law

**Harmful Substances Prohibited from Manufacturing**

Not regulated.

**Harmful Substances Requiring Permission for Manufacture or Use**

Not regulated.

**Controlled Hazardous Substances**

Not regulated.

**Harmful Substances Requiring Special Medical Examination**

Not regulated.

**Workplace Environmental Monitoring Harmful Materials**

Not regulated.

**Occupational Exposure Limit**

Not regulated.

### B. Restrictions under the Chemicals Control Law (Previously Toxic Chemicals Control Law)

**Accidental Release Prevention Substances**

Not regulated.

**Act on the Registration and Evaluation of Chemicals**

**Banned Toxic Chemicals**

Not regulated.

**Designated Existing Chemicals Subject to Registration (PEC) (MoE No. 2015-92)**

Not listed.

**Restricted Chemical Substances**

Not regulated.

**Toxic Chemicals**

Not regulated.

**C. Restrictions under the Dangerous Substance Safety Management Act**

**D. Restrictions under the Wastes Control Act**

**Halogenated Materials in Waste Organic Solvents**

Not regulated.

**Hazardous Substances**

Not regulated.

**E. Restrictions under other foreign or domestic laws**

**Clean Air Conservation Act**

**Air Pollutants**

Not regulated.

**Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides (Rules on PIC, MoE No. 2014-252, Dec. 31, 2014; Standards for Pesticides, RDA No. 2014-26), as amended**

Not listed.

**Specific Air Pollutants**

Not regulated.

**Regulatory information**

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

---

**16. Other information**

**A. Source of information**

Not available.

**B. Issue date**

26-May-2016

**C. Number of revisions and date of most recent revision**

20-Apr-2021 (08 revision)

**D. Other**

Not available.

**Disclaimer**

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Revision information**

3. Composition / Information on Ingredients: Disclosure Overrides



## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds