

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

of the mixture

CD955 Series

Registration number

UFI

Austria: TXJC-HQN5-A204-EVD4 Belgium: TXJC-HQN5-A204-EVD4

Bulgaria: TXJC-HQN5-A204-EVD4 Cyprus: TXJC-HQN5-A204-EVD4

Czech Republic: TXJC-HQN5-A204-EVD4 Denmark: TXJC-HQN5-A204-EVD4 Estonia: TXJC-HQN5-A204-EVD4 Finland: TXJC-HQN5-A204-EVD4 France: TXJC-HQN5-A204-EVD4 Germany: TXJC-HQN5-A204-EVD4 Greece: TXJC-HQN5-A204-EVD4 Hungary: TXJC-HQN5-A204-EVD4 Iceland: TXJC-HQN5-A204-EVD4

Ireland: TXJC-HQN5-A204-EVD4 Italy: TXJC-HQN5-A204-EVD4 Latvia: TXJC-HQN5-A204-EVD4 Liechtenstein: TXJC-HQN5-A204-EVD4 Lithuania: TXJC-HQN5-A204-EVD4

Luxembourg: TXJC-HQN5-A204-EVD4 Malta: TXJČ-HQN5-A204-EVD4 Netherlands: TXJC-HQN5-A204-EVD4 Norway: TXJC-HQN5-A204-EVD4 Poland: TXJC-HQN5-A204-EVD4 Portugal: TXJC-HQN5-A204-EVD4 Romania: TXJC-HQN5-A204-EVD4 Slovakia: TXJC-HQN5-A204-EVD4 Slovenia: TXJC-HQN5-A204-EVD4

Spain: TXJC-HQN5-A204-EVD4 Sweden: TXJC-HQN5-A204-EVD4

**Synonyms** None.

Issue date 13-Jun-2020

Version number 02

19-Mar-2021 **Revision date** 13-Jun-2020 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Inkjet printing Uses advised against None known.

Material name: CD955 Series SDS LIECHTENSTEIN

## 1.3. Details of the supplier of the safety data sheet

HP Deutschland GmbH Schickardstrasse 32 71034 Böblingen Germany

Telephone

HP Inc. health effect line

(Toll-free within US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

1-760-710-0048

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

**Health hazards** 

Reproductive toxicity (fertility, the unborn child)

Category 1B

H360 - May damage fertility or the

unborn child.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

2-methyl-2h-isothiazol-3-one, 2-pyrrolidone Contains:

**Hazard pictograms** 



Signal word Danger

**Hazard statements** 

May damage fertility or the unborn child. H360

**Precautionary statements** 

Prevention

P280 Wear protective gloves/protective clothing/eye protection.

Do not handle until all safety precautions have been read and understood. P202

P201 Obtain special instructions before use.

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction. 2.3. Other hazards Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eve contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Material name: CD955 Series SDS LIECHTENSTEIN

#### **General information**

Chemical name		%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water		80-90	7732-18-5 231-791-2	-	-	
Classification:	-					
2-pyrrolidone		<5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H3	19, Repr.	1B;H360			
2-methyl-2h-isothiazol-3-	one	<0.1	2682-20-4 220-239-6	01-2120764690-50-XXXX	-	
Classification:	,	Acute To	, ,	n Corr. 1B;H314, Skin Sens. 1 cute 1;H400(M=10), Aquatic	IA;H317, Eye	
1,2-Benzisothiazolin-3-or	ie	<0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
Classification:	Acute Tox. 4;H Acute 1;H400(		n Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H3	318, Aquatic	

**Composition comments** 

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

### **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

Remove to fresh air. If symptoms persist, get medical attention. Inhalation

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

4.2. Most important symptoms and effects, both acute and

delaved

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

# **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

Special protective

Special fire fighting

Not available.

equipment for firefighters

Not available.

procedures

Specific methods None established.

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

Not available. For emergency responders

6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Material name: CD955 Series SDS LIECHTENSTEIN 6.3. Methods and material for containment and cleaning up Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Not available.

6.4. Reference to other sections

**SECTION 7: Handling and storage** 

7.1. Precautions for safe

Avoid contact with skin, eyes and clothing.

handling

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Not available.

Value Components Type 2-methyl-2h-isothiazol-3-on MAK 0.05 mg/m3 e (CAS 2682-20-4)

Switzerland. SUVA Grenzwerte am Arbeitsplatz

**Form** Components **Type** Value 2-methyl-2h-isothiazol-3-on **STEL** 0.4 mg/m3 Inhalable dust. e (CAS 2682-20-4) **TWA** Inhalable dust. 0.2 mg/m3

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

**Recommended monitoring** 

procedures

Derived no effect levels (DNELs)

Components	Type	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	0.67 mg/kg bw/d	Systemic long term
		Inhalation	1.985 mg/m3	Systemic long term
		Oral	0.67 mg/kg bw/d	Systemic long term
	Workers	Dermal	4.2 mg/kg bw/d	Systemic long term
		Inhalation	29.62 mg/m3	Systemic long term

#### Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittent	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 ma/l	Sewage Treatment Plant

**Exposure guidelines** Exposure limits have not been established for this product.

8.2. Exposure controls

Use in a well ventilated area. Appropriate engineering Provide adequate ventilation. controls

Individual protection measures, such as personal protective equipment

**General information** Not available.

Eye/face protection Not required under intended use.

Skin protection

- Hand protection Not available.

- Other Use personal protective equipment to minimize exposure to skin and eye.

For use other than intended use (such as in the event of a large spill), goggles and respirators may Respiratory protection

be required.

Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Material name: CD955 Series SDS LIECHTENSTEIN **Environmental exposure** 

controls

Not available.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Not available.
Color Magenta
Odor Not available.
Odor threshold Not available.

**pH** 7 - 8

Melting point/freezing point Not available.

Initial boiling point and boiling Not determined

range

Flash point > 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup

Evaporation rate Not determined Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not determined

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressure Not determined
Vapor density >= 1 (air = 1.0)

Solubility(ies)

Solubility (water) Soluble in water

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot available.Oxidizing propertiesNot determined

9.2. Other information

**VOC** < 143 g/l

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

**10.5. Incompatible materials** Incompatible with strong bases and oxidizing agents.

10.6. Hazardous

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/ex law melecular weight by dreamhan.

**decomposition products** dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11: Toxicological information**

General information Not available.

Information on likely routes of exposure

**Inhalation** Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

**Ingestion** Health injuries are not known or expected under normal use.

**Symptoms** Not available.

# 11.1. Information on toxicological effects

Material name: CD955 Series SDS LIECHTENSTEIN

Based on available data, the classification criteria are not met. **Acute toxicity** 

Components **Species Test Results** 

2-methyl-2h-isothiazol-3-one (CAS 2682-20-4)

**Acute** 

**Dermal** 

LD50 Rat 242 mg/kg

Inhalation

LC50 Rat 0.11 mg/l, 4 h

Oral

Rat LD50 120 mg/kg

2-pyrrolidone (CAS 616-45-5)

**Acute** Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

Based on available data, the classification criteria are not met.

irritation

Based on available data, the classification criteria are not met. Respiratory sensitization Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity May damage fertility or the unborn child.

> 2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard** 

Mixture versus substance

information

Not available

Complete toxicity data are not available for this specific formulation Other information

# **SECTION 12: Ecological information**

12.1. Toxicity

**Product Test Results Species** 

CD955 Series

Aquatic Acute

Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

Components **Species Test Results** 

2-methyl-2h-isothiazol-3-one (CAS 2682-20-4)

Acute

EC50 Other Pseudokirchnerella subcapitata 0.138 - 0.22 mg/l, 120 h (OECD 201)

Chronic

**NOEC** Pseudokirchneriella subcapitata 0.05 mg/l, 120 h (OECD 201)

Aquatic

Acute

Crustacea EC50 Daphnia magna 1.6 mg/l, 48 h (OECD 202)

LC50 Daphnia magna 0.934 mg/l, 48 h (OECD 202)

Material name: CD955 Series SDS LIECHTENSTEIN Components Species Test Results

Fish LC50 Oncorhynchus mykiss 4.77 mg/l, 96 h (OECD 203)

2-pyrrolidone (CAS 616-45-5)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

12.2. Persistence and

degradability

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow)

2-pyrrolidone -0.85

Not available.

**Bioconcentration factor (BCF)** 

2-methyl-2h-isothiazol-3-one 48.1, Viscera (1972)

Species: Bluegill (Lepomis macrochirus)

5.75, Carcass (1972)

Species: Bluegill (Lepomis macrochirus)

**12.4. Mobility in soil** Not available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** Not available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information Do not allow this material to drain into sewers/water supplies. Dispose of waste material according

to Local, State, Federal, and Provincial Environmental Regulations.

# **SECTION 14: Transport information**

### DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

#### **IATA**

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

### **IMDG**

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

**ADR** 

UN number Not available.

UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

# Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

## Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in

the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and  $\,$ 

amendments). Not available.

National regulations

15.2. Chemical safety

See attached SUMI or GEIS document, if applicable.

assessment

Material name: CD955 Series SDS LIECHTENSTEIN

#### **SECTION 16: Other information**

### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15 The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

1. Product and Company Identification: EU Poison Center

Follow training instructions when handling this material.

Revision information Training information Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CD955 Series SDS LIECHTENSTEIN

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CD955 Series SDS LIECHTENSTEIN

# Safe Use of Mixture Information (SUMI)

--

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.  Regular cleaning of equipment and work area.  Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

# conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





### Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

## Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.