



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture CN883 Series
Registration number -
Synonyms HP PT70 Specialty Polycarbonate Scitex Solution
Issue date 14-Aug-2016
Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing
Uses advised against None known.

Company identification HP Deutschland GmbH
Schickardstrasse 32, Geb. Businesspark, Boeblingen B01 (SUO07) - 1st Floor Eingang A
Boeblingen
Germany 71034

HP Inc. health effect line
(Toll-free within US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards
Flammable liquids Category 3
Health hazards
Acute toxicity, inhalation Category 4

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Cyclohexanone
Hazard pictograms None.
Signal word None.
Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not available.
Response Not available.
Storage Not available.
Disposal Not available.

Supplemental label information None.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Cyclohexanone	100	108-94-1 203-631-1	01-2119453616-35-XXXX	606-010-00-7	#
Classification:	Flam. Liq. 3;H226, Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Irrit. 2;H315, Eye Dam. 1;H318, Acute Tox. 4;H332				

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation	Move person to fresh air immediately. If not breathing, give artificial respiration or give oxygen by trained personnel. For breathing difficulties, oxygen may be necessary. Call a physician or Poison Control Centre immediately.
Skin contact	Remove and isolate contaminated clothing and shoes. Wash the skin immediately with soap and water.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Ingestion	If swallowed, seek medical advice immediately and show this container or label. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed

Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing media Dry chemical, foam, carbon dioxide, water fog.

Unsuitable extinguishing media Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire will produce dense black smoke containing hazardous combustion products (see heading 10).

5.3. Advice for firefighters

Special protective equipment for firefighters Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Avoid runoff into storm sewers and ditches which lead to waterways.

Special fire fighting procedures Move containers from fire area if you can do it without risk.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel Avoid contact with skin. Avoid inhalation of vapors or mists.
Do not touch or walk through spilled material. Ensure adequate ventilation.
Use personal protective equipment to minimize exposure to skin and eye. Ensure adequate ventilation.

For emergency responders Not available.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Not available.

6.4. Reference to other sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard.

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation.

Wear personal protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from strong oxidizers. Do not store near acids. Store in upright position only.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	MAK	20 mg/m ³
	STEL	5 ppm 80 mg/m ³ 20 ppm

Belgium. Exposure Limit Values.

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm 40.8 mg/m ³ 10 ppm

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm 40.8 mg/m ³ 10 ppm

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	MAC	40.8 mg/m ³
	STEL	10 ppm 81.6 mg/m ³ 20 ppm

Czech Republic. OELs. Government Decree 361

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	Ceiling	80 mg/m ³
	TWA	40 mg/m ³

Denmark. Exposure Limit Values

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	TLV	41 mg/m ³
		10 ppm

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm 40.8 mg/m ³ 10 ppm

Finland. Workplace Exposure Limits

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	82 mg/m ³
	TWA	20 ppm 41 mg/m ³ 10 ppm

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	VLE	81.6 mg/m ³
	VME	20 ppm 40.8 mg/m ³ 10 ppm

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	AGW	80 mg/m ³
		20 ppm

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	40.8 mg/m ³

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm 40 mg/m ³ 10 ppm

Ireland. Occupational Exposure Limits

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm 40.8 mg/m ³ 10 ppm

Italy. Occupational Exposure Limits

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm 40.8 mg/m ³ 10 ppm

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm 40.8 mg/m ³

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value
		10 ppm

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm
		40.8 mg/m ³
		10 ppm

Luxembourg. Binding Occupational exposure limit values (Annex I), Memorial A

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm
		40.8 mg/m ³
		10 ppm

Malta. OELs. Occupational Exposure Limit Values (L.N. 227. of Occupational Health and Safety Authority Act (CAP. 424), Schedules I and V)

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm
		40.8 mg/m ³
		10 ppm

Netherlands. OELs (binding)

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	50 mg/m ³

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	TLV	80 mg/m ³
		20 ppm

Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	80 mg/m ³
	TWA	40 mg/m ³

Portugal. OELs. Decree-Law n. 290/2001 (Journal of the Republic - 1 Series A, n.266)

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm
		40.8 mg/m ³
		10 ppm

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	50 ppm
	TWA	20 ppm

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm
		40.8 mg/m ³
		10 ppm

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	82 mg/m ³
	TWA	20 ppm 41 mg/m ³ 10 ppm

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	TWA	40.8 mg/m ³ 10 ppm

Spain. Occupational Exposure Limits

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	82 mg/m ³
	TWA	20 ppm 41 mg/m ³ 10 ppm

Sweden. Occupational Exposure Limit Values

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81 mg/m ³
	TWA	20 ppm 41 mg/m ³ 10 ppm

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	200 mg/m ³
	TWA	50 ppm 100 mg/m ³ 25 ppm

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	82 mg/m ³
	TWA	20 ppm 41 mg/m ³ 10 ppm

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	STEL	81.6 mg/m ³
	TWA	20 ppm 40.8 mg/m ³ 10 ppm

Biological limit values**Czech Republic. Limit Values for Indicators of Biological Exposure Tests in Urine and Blood, Annex 2, Tables 1 and 2, Government Decree 432/2003 Sb.**

Components	Value	Determinant	Specimen	Sampling Time
Cyclohexanone (CAS 108-94-1)	50 mg/g	1,2-Cyclohexanediol (with hydrolysis)	Creatinine in urine	*
	0.049 mmol/mmol	1,2-Cyclohexanediol (with hydrolysis)	Creatinine in urine	*

* - For sampling details, please see the source document.

Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4

Components	Value	Determinant	Specimen	Sampling Time
Cyclohexanone (CAS 108-94-1)	80 mg/l	1,2-Ciclohexanodiol, con hidrólisis	Urine	*
	8 mg/l	Ciclohexanol, con hidrólisis	Urine	*

* - For sampling details, please see the source document.

Switzerland. BAT-Werte (Biological Limit Values in the Workplace as per SUVA)

Components	Value	Determinant	Specimen	Sampling Time
Cyclohexanone (CAS 108-94-1)	100 mg/l	Gesamt-1,2-Cyclohexandiol	Urine	*

* - For sampling details, please see the source document.

UK. EH40 Biological Monitoring Guidance Values (BMGVs)

Components	Value	Determinant	Specimen	Sampling Time
Cyclohexanone (CAS 108-94-1)	2 mmol/mol	Cyclohexanol	Creatinine in urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Not available.

Derived no-effect level (DNEL)

Components	Type	Route	Value	Form
Cyclohexanone (CAS 108-94-1)	Workers	Dermal	100 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	80 mg/m ³	Local long term
		Inhalation	100 mg/m ³	Local acute short term
		Inhalation	100 mg/m ³	Systemic acute short term
		Inhalation	100 mg/m ³	Systemic long term

Predicted no effect concentrations (PNECs)

Components	Type	Route	Value	Form
Cyclohexanone (CAS 108-94-1)	Not applicable	Freshwater	0.0329 mg/l	Releases
		Intermittant	0.329 mg/l	
		Marine water	0.00329 mg/l	Freshwater Marine water Sewage Treatment Plant
		Sediment	0.0951 mg/kg	
		Sediment	0.0168 mg/kg	
		Soil	0.0143 mg/kg	
		STP	10 mg/l	

Exposure guidelines**EU Exposure Limit Values: Skin designation**

Cyclohexanone (CAS 108-94-1)

Can be absorbed through the skin.

8.2. Exposure controls**Appropriate engineering controls**

Provide adequate ventilation. Use local exhaust ventilation. If these are not sufficient to maintain concentrations of particulates and solvent vapor below the OEL, suitable respiratory protection must be worn.

Individual protection measures, such as personal protective equipment**General information**

Not available.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).
Eye wash fountain and emergency showers are recommended.

Skin protection**- Hand protection**

Wear appropriate chemical resistant gloves.

- Other

Wear appropriate chemical resistant clothing.

Respiratory protection

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).

Thermal hazards

Not available.

Hygiene measures

Not available.

Environmental exposure controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Clear.

Odor Characteristic.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling range 314.6 °F (157 °C)

Flash point 109.4 °F (43.0 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapor pressure 4 torr

Vapor density Not available.

Solubility(ies)

Solubility (water) Not available.

Solubility (other) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Explosive properties Not available.

Oxidizing properties Not available.

9.2. Other information

VOC (Weight %) 1000 g/L

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable at normal conditions.

10.3. Possibility of hazardous reactions Not available.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products Carbon monoxide and carbon dioxide. Nitrogen oxides (NOx). smoke

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

Acute toxicity No data available.

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not available.

Respiratory sensitization Not available.

Skin sensitization Not available.

Germ cell mutagenicity Not available.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Cyclohexanone (CAS 108-94-1)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity	Not available.
Specific target organ toxicity - single exposure	Not available.
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity

Components	Species	Test Results
------------	---------	--------------

Cyclohexanone (CAS 108-94-1)

Aquatic

Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>)	481 - 578 mg/l, 96 hours
------	------	---	--------------------------

12.2. Persistence and degradability Not available.

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow)

Cyclohexanone	0.81
---------------	------

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

SECTION 14: Transport information

DOT

UN number	UN1915
UN proper shipping name	Cyclohexanone
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packaging group	III
Special precautions for user	Not available.

IATA

UN number	UN1915
UN proper shipping name	Cyclohexanone
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	III
Environmental hazards	No.

Special precautions for user Not available.

IMDG

UN number UN1915
UN proper shipping name Cyclohexanone
Transport hazard class(es)
Class 3
Subsidiary risk -
Packing group III
Environmental hazards
Marine pollutant No.
EmS Not available.
Special precautions for user Not available.

ADR

Proper shipping name Cyclohexanone
Hazard class 3
UN number 1915
Packing group III

DOT



IATA; IMDG



ADR

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Cyclohexanone (CAS 108-94-1)

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

National regulations

Not available.

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References Not available.

Information on evaluation method leading to the classification of mixture Not available.

Issue date 14-Aug-2016

Revision information

1. Product and Company Identification: Synonyms
3. Composition / Information on Ingredients: Disclosure Overrides
9. Physical & Chemical Properties: Multiple Properties
14. Transport Information: Material Transportation Information
15. Regulatory Information: United States
HazReg Data: Europe - EU

Training information

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

HP Inc.
1501 Page Mill Road
Palo Alto, CA 94304-1112 US
(Direct) +972 (9) 892-4628

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds








List of abbreviations

Not available.

Generic Exposure Information Sheet (GEIS)

--

Maintenance fluid digital printing: SSMF01 *English*

Disclaimer	
<p><i>This GEIS is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this GEIS to a specific product SDS, the importer/formulator declares that the product can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, GEIS Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.</i></p> <p><i>The REACH registration number(s), where applicable, completes an extended product SDS.</i></p>	
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	<p>Covers use at ambient temperatures.</p> <p>Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace.</p> <p>Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.</p> <p>Avoid direct contact.</p> <p>Regular cleaning of equipment and work area.</p> <p>Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions follow</p>
Risk management measures	
Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation	<p>Wear safety glasses with side shields (or goggles), if splashing is possible.</p> <p>Wear appropriate chemical resistant gloves: see section 8 of the SDS.</p> <p>Wear appropriate chemical resistant clothing.</p> <p>Eye wash fountain and emergency showers are recommended.</p> <p>Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.</p> <p>Avoid breathing mist/vapours.</p> <p>Avoid contact with skin, eyes and clothing.</p> <p>Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.</p> <div style="display: flex; justify-content: center; gap: 10px; margin-top: 10px;">      </div>
Good practice advice	
<p>Use personal protective equipment as required.</p> <p>Wash hands before breaks and after work.</p> <p>Keep good industrial hygiene and safety practice.</p> <p>Use only with adequate ventilation.</p> <p>Do no eat, drink or smoke when using this product.</p> <p>Wash contaminated clothing before reuse.</p> <p>Store at room temperature.</p>	 
Environmental measures	
<p>Do not allow this material to drain into sewers/water supplies.</p> <p>Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.</p> <p>Ensure collection and disposal with appropriately licenced waste contractor.</p>	
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by professional workers	
SU7-Printing and reproduction media	
PC35-Washing and cleaning products	
PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities	
PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities	
PROC11-Non-industrial spraying	
ERC4-Use of non-reactive processing aid at industrial site (no inclusion into or onto article)	
Additional information on product composition	
<p>In section 2 of the SDS as well as on the label, the classification of the product is provided.</p> <p>Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.</p>	