

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

CP829Series

of the mixture

Registration number

UFI DF6V-HWR9-T303-VSQV

Synonyms HP HDR250 Magenta Scitex Ink Cartridge

Issue date 13-Feb-2015

Version number 12

Revision date 21-Apr-2021 Supersedes date 06-Dec-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

HP Finland Oy

Piispankalliontie 17, Pt. Ground Floor

Espoo

Finland FI-02200 +358-102-77-4000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

\_ine

Telephone

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

+358 (0)9 471977

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

eaction.

Reproductive toxicity (fertility, the unborn

child)

Category 2

H361fd - Suspected of damaging fertility. Suspected of damaging the

unborn child.

Specific target organ toxicity - single

exposure

Category 3 respiratory tract irritation

H335 - May cause respiratory

irritation.

Specific target organ toxicity - repeated Category 1

exposure

H372 - Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Material name: CP829Series SDS LITHUANIA

13642 Version #: 12 Revision date: 21-Apr-2021 Issue date: 13-Feb-2015

Hazardous to the aquatic environment, Category 2

long-term aquatic hazard

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1-vinylhexahydro-2H-azepin-2-one, 2-phenoxyethyl acrylate, Diphenyl (2,4,6-trimethylbenzoyl)

phosphine oxide, Reaction mass of decyl acrylate and octyl acrylate

H411 - Toxic to aquatic life with

long lasting effects.

**Hazard pictograms** 



Signal word Danger

**Hazard statements** 

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

H372 Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

#### **Precautionary statements**

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P270 Do not eat, drink or smoke when using this product.

P264 Wash hands thoroughly after handling. P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P313 IF exposed or concerned: Get medical attention/advice.
P312 Call a POISON CENTER/doctor/physician if you feel unwell.

P391 Collect spillage.

P362 Take off contaminated clothing and wash before reuse.

**Storage** 

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

Supplemental label information None

2.3. Other hazards

The classification of this mixture as a reproductive category 2 (H361) is based on the harmonized classification of diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide as mentioned in Annex VI of

Regulation (EC) No.1272/2008.

Recent test data for diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide presented on the EU REACH Dossier suggest that classification as reproductive category 1B (H360) is more suitable. This would lead to mixture classification of the product as reproductive category 1B (H360).

The lead registrant has updated the REACH dossier and requested that the Swedish authority start the process of amending the harmonized classification. This SDS was updated according to guidance of the Swedish Chemicals Agency. Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

eral information						
Chemical name		<u>%</u>	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2-phenoxyethyl acrylate		<30	48145-04-6 256-360-6	01-2119980532-35-XXXX	-	
Classification:	Skin Sens. 1A	A;H317, R	Repr. 2;H361d, Aquat	ic Chronic 2;H411		
1-vinylhexahydro-2H-aze	pin-2-one	<20	2235-00-9 218-787-6	01-2119977109-27-XXXX	-	
Classification:	Acute Tox. 4; RE 1;H372	H302, Ac	ute Tox. 4;H312, Skii	n Sens. 1B;H317, Eye Irrit. 2;H	⊣319, STOT	
exo-1,7,7-trimethylbicyclo 2-yl acrylate	o[2.2,1]hept-	<15	5888-33-5 227-561-6	01-2119957862-25-XXXX	-	
Classification:	Skin Irrit. 2;H3 Chronic 1;H4		Sens. 1B;H317, Eye	Irrit. 2;H319, STOT SE 3;H33	35, Aquatic	
Reaction mass of decyl a octyl acrylate	crylate and	<15	Not available 911-295-9	-	-	
Classification:	Skin Irrit. 2;H3 Acute 1;H400	315, Skin ), Aquatic	Sens. 1B;H317, Eye Chronic 2;H411	Irrit. 2;H319, STOT SE 3;H33	35, Aquatic	
2-propenoic acid, reaction with pentaerythritol	n products	<5	1245638-61-2 -	-	-	
Classification:	Acute Tox. 4; Chronic 2;H4		in Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H3	318, Aquatic	
2-Propenoic acid, reactio with pentaerythritol and T		<5	68412-43-1 -	-	-	
Classification:	Skin Irrit. 2;H	315, Eye	Irrit. 2;H319			
Diphenyl (2,4,6-trimethyll phosphine oxide	penzoyl)	<5	75980-60-8 278-355-8	01-2119972295-29-XXXX	015-203-00-X	
Classification:	Skin Sens. 1E	B;H317, R	Repr. 2;H361fd, Aqua	tic Chronic 2;H411		
2-isopropyl-9H-thioxantho	en-9-one	<2.5	5495-84-1 226-827-9	01-2120769513-49-XXXX	-	
Classification:	-					
2-Propenoic acid-1,6-hex polymer with disubstitute		<2.5	67906-98-3 -	-	-	
Classification:	Skin Irrit. 2;H3	315, Eye	Irrit. 2;H319			
Butyl substituted ethyl ac	rylate	<2.5	Proprietary -	-	-	
Classification:	Skin Irrit. 2;H	315, Eye	Irrit. 2;H319, STOT S	E 3;H335		
Glycerol, propoxylated, e	sters with	<1	52408-84-1	01-2119487948-12-XXXX	-	
acrylic acid			500-114-5			

## **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms

and effects, both acute and

delayed

Not available.

**4.3. Indication of any** Not available.

immediate medical attention and special treatment needed

# **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

Unsuitable extinguishing

media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting

procedures

Avoid runoff into storm sewers and ditches which lead to waterways.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

personnel

For emergency responders Not available.

6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also

section 13 Disposal considerations.

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other

Not available.

sections

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any

incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE)

containers are recommended for shipping and storage.

7.3. Specific end use(s)

Not available.

Not available.

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

#### Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Workers	Dermal	0.7 mg/kg	Systemic long term
		Inhalation	4.9 mg/m3	Systemic long term
		Inhalation	0.17 mg/m3	Local long term
2-phenoxyethyl acrylate (CAS 48145-04-6)	Workers	Dermal	1.5 mg/kg	Systemic long term
		Inhalation	77 mg/m3	Local long term
		Inhalation	10 mg/m3	Systemic long term
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8)	Workers	Dermal	0.233 mg/kg	Systemic long term
,		Inhalation	0.822 mg/m3	Systemic long term
exo-1,7,7-trimethylbicyclo[2.2,1]hept-2-yl acrylate (CAS 5888-33-5)	Workers	Dermal	1.39 mg/kg	Systemic long term
Glycerol, propoxylated, esters with acrylic acid (CAS 52408-84-1)	Workers	Dermal	1.92 mg/kg	Systemic long term
,		Inhalation	3.7 mg/m3	Systemic long term
dicted no effect concentrations (PNECs)				
Components	Туре	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Not applicable	Freshwater	0.1 mg/l	
•		Intermittent	1 mg/l	Releases
		Marine water	0.01 mg/l	

Material name: CP829Series SDS LITHUANIA

13642 Version #: 12 Revision date: 21-Apr-2021 Issue date: 13-Feb-2015

Components	Type	Route	Value	Form
		Sediment	0.829 mg/kg	Freshwater
		Sediment	0.0829 mg/kg	Marine water
		Soil	0.107 mg/kg	
		STP	262 mg/l	Sewage Treatment Plant
2-phenoxyethyl acrylate (CAS 48145-04-6)	Not applicable	Freshwater	0.002 mg/l	
		Intermittent	0.0121 mg/l	Releases
		Marine water	0.0002 mg/l	
		Sediment	0.02 mg/kg	Freshwater
		Sediment	0.002 mg/kg	Marine water
		Soil	0.006 mg/kg	
		STP	1.77 mg/l	Sewage Treatment Plant
Diphenyl (2,4,6-trimethylbenzoyl) phosphin oxide (CAS 75980-60-8)	Not applicable	Freshwater	0.00353 mg/l	
		Intermittent	0.0353 mg/l	Releases
		Marine water	0.0005353 mg/l	
		Sediment	0.29 mg/kg	Freshwater
		Sediment	0.029 mg/kg	Marine water
		Soil	0.0557 mg/kg	
exo-1,7,7-trimethylbicyclo[2.2,1]hept-2-yl acrylate (CAS 5888-33-5)	Not applicable	Freshwater	0.00092 mg/l	
		Intermittent	0.00704 mg/l	Releases
		Marine water	0.000092 mg/l	
		Sediment	0.145 mg/kg	Freshwater
		Sediment	0.0145 mg/kg	Marine water
		Soil	0.0285 mg/kg	
		STP	2 mg/l	Sewage Treatment Plant
Glycerol, propoxylated, esters with acrylic acid (CAS 52408-84-1)	Not applicable	Freshwater	0.00574 mg/l	
		Intermittent	0.0574 mg/l	Releases
		Marine water	0.01697 mg/kg	
		Sediment	0.001697 mg/kg	Marine water
		Soil	0.00111 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
osure quidelines Exposure lim	its have not been es	stablished for this	product.	

**Exposure guidelines** 

Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering controls

Not available.

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and

emergency showers are recommended.

Skin protection

- Hand protection Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant

gloves.

- Other Wear appropriate chemical resistant clothing.

**Respiratory protection** Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Do not get this material in

your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

reuse. Keep away from food and drink.

Environmental exposure

controls

Not available.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Magenta

Odor Characteristic. Not available. Odor threshold

6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

> 230.0 °F (> 110.0 °C) Closed Cup EPA Method 1020 Flash point

Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower Not available.

Flammability limit - upper

(%)

Not available.

Not available. Vapor pressure Vapor density Not available.

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient (n-octanol/water)

**Auto-ignition temperature** 

Not available. Not available.

**Decomposition temperature** 

12.5 - 13.5 cP Cone and Plate Rheometer, Temperature 50°C. C60/1° Sensor. Values recorded at Viscosity

4000 1/s.

**Explosive properties** Not available. Oxidizing properties Not available.

9.2. Other information

VOC 19 g/L Method 24/ASTM D5403-93

# **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Hazardous polymerization can occur with decreased inhibitor content.

10.4. Conditions to avoid Exposure to sunlight.

Incompatible with strong bases and oxidizing agents. alkaline metals 10.5. Incompatible materials

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon 10.6. Hazardous

decomposition products dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11: Toxicological information**

Not available. **General information** 

Information on likely routes of exposure

May cause irritation to the respiratory system. Inhalation

Causes skin irritation. May cause sensitization by skin contact. Skin contact

Causes serious eye irritation. Eye contact

Ingestion is not a likely route of exposure. Ingestion

Not available. **Symptoms** 

## 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

**Test Results** Components **Species** 

1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)

**Acute Dermal** 

LD50 Rabbit 1700 mg/kg

Inhalation

LC50 Rat > 1.6 mg/l

Components **Species Test Results** Oral LD50 Rat 1114 mg/kg Causes skin irritation. Skin corrosion/irritation Causes serious eye irritation. Caused moderate irritation in rabbit (OECD 405). Serious eye damage/eye irritation Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization May cause sensitization by skin contact. Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Suspected of damaging the unborn child. Suspected of damaging fertility. Specific target organ toxicity -May cause irritation to the respiratory system. single exposure Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Specific target organ toxicity repeated exposure **Aspiration hazard** Based on available data, the classification criteria are not met. Not available. Mixture versus substance information Other information Complete toxicity data are not available for this specific formulation

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

**Aquatic toxicity** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This

product has not been tested for ecological effects.

Components		Species	Test Results
2-phenoxyethyl acrylate (CAS 48	145-04-6)		
Acute			
	EC10	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
	EC50	Desmodesmus subcapitatus	4.44 mg/l, 72 h (DIN 38412 L9)
	LC50	Leuciscus idus	10 mg/l, 96 h (DIN 38 412)
	NOEC	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
Diphenyl (2,4,6-trimethylbenzoyl)	phosphine oxide	(CAS 75980-60-8)	
Acute			
	EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
2.2. Persistence and degradability	Not available.		
2.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow)	Not available.		
Bioconcentration factor (BCF)			
		/ /	

Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide

72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, <sup>∠</sup>

MITI/MHW Chemical Substance Control Law, Japan)

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB

Not a PBT or vPvB substance or mixture.

assessment

12.6. Other adverse effects Not available.

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

**Disposal methods/information** Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

# **SECTION 14: Transport information**

DOT

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant Yes

Special precautions for user Not available.

**DOT Supplemental Information** DOT Classification only applies to shipments within the US and Puerto Rico.

**IATA** 

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Class 9
Subsidiary risk Packing group III

Environmental hazards Yes

Special precautions for user Not available.

**IMDG** 

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Transport hazard class(es)

Marine pollutant Yes
EmS F-A, S-F
Special precautions for user
Not available.

**ADR** 

UN number UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)
Class 9


Subsidiary risk -

Hazard No. (ADR) Not available.
Tunnel restriction code Not available.

Packing group III Environmental hazards Yes

Special precautions for user Not available.

ADR; DOT; IATA; IMDG



#### Marine pollutant



## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (FINECS) Switzerland, Canada (PSL NDSL). Australia, Japan Philippings, South Korr

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

, ...., <u>\_\_\_\_</u>

#### Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

**National regulations** 

Not available.

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

#### **SECTION 16: Other information**

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation. H361d Suspected of damaging the unborn child.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

**Revision information Training information Disclaimer** 

3. Composition / Information on Ingredients: Disclosure Overrides

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CP829Series SDS LITHUANIA

13642 Version #: 12 Revision date: 21-Apr-2021 Issue date: 13-Feb-2015

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

# Safe Use of Mixture Information (SUMI)

--

# UV digital printing inks: UV01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll
Diek managament magazura	

#### Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









# Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.





#### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

#### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.