



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***

1.1. Product identifier

Trade name or designation of the mixture CP757Series
Registration number -
UFI AJN4-WMC2-030R-C5W9
Synonyms HP FB225 MAGENTA SCITEX INK
Issue date 10-Sep-2013
Version number 17
Revision date 15-Mar-2021
Supersedes date 05-Dec-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Hydrus Holding S.C.A.
Vegacenter, 75 Parc d activite
Capellen
1st Floor, Gasperich
Luxembourg L-8308

HP Europe B.V.
PO Box 667
1180 AR Amstelveen
The Netherlands

Telephone +31 20 721 3400

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone number +32 70 145 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

| | | |
|--|-------------|--|
| Skin corrosion/irritation | Category 2 | H315 - Causes skin irritation. |
| Skin sensitization | Category 1 | H317 - May cause an allergic skin reaction. |
| Reproductive toxicity | Category 1B | H360FD - May damage fertility. May damage the unborn child. |
| Specific target organ toxicity - repeated exposure | Category 1 | H372 - Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. |

Environmental hazardsHazardous to the aquatic environment,
long-term aquatic hazard

Category 1

H410 - Very toxic to aquatic life
with long lasting effects.**2.2. Label elements****Label according to Regulation (EC) No. 1272/2008 as amended****Contains:** 1,10-decanediol diacrylate, 1-vinylhexahydro-2H-azepin-2-one, 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one, Tetrahydrofurfuryl acrylate**Hazard pictograms****Signal word**

Danger

Hazard statements

H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H360FD May damage fertility. May damage the unborn child.
 H372 Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements**Prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P260 Do not breathe dust/fume/gas/mist/vapors/spray.
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P270 Do not eat, drink or smoke when using this product.
 P264 Wash hands thoroughly after handling.
 P273 Avoid release to the environment.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
 P308 + P313 IF exposed or concerned: Get medical attention/advice.
 P314 Get medical attention/advice if you feel unwell.
 P391 Collect spillage.
 P362 Take off contaminated clothing and wash before reuse.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.**2.3. Other hazards** Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.**SECTION 3: Composition/information on ingredients****3.2. Mixtures****General information**

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|---|---|-------------------------|------------------------|-----------|-------|
| 1,10-decanediol diacrylate | <30 | 13048-34-5 235-922-4 | 01-2120099812-46-XXXX | - | |
| Classification: | Skin Sens. 1;H317, Aquatic Chronic 1;H410 | | | | |
| Tetrahydrofurfuryl acrylate | <20 | 2399-48-6 219-268-7 | 01-2120738396-46-XXXX | - | |
| Classification: | Acute Tox. 4;H302, Skin Corr. 1B;H314, Skin Sens. 1;H317, Eye Dam. 1;H318, Repr. 1B;H360, Repr. 1B;H360FD, Aquatic Chronic 2;H411 | | | | |
| Neopentylglycol, propoxylated esters with acrylic acid | <15 | 84170-74-1 - | 01-2119970213-43-XXXX | - | |
| Classification: | Skin Sens. 1B;H317, Aquatic Chronic 2;H411 | | | | |
| Propylidynetrimethanol, ethoxylated, esters with acrylic acid | <15 | 28961-43-5 - | - | - | |
| Classification: | Skin Sens. 1;H317, Eye Dam. 1;H318 | | | | |

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|--|---|-------------------------|------------------------|--------------|-------|
| 1-vinylhexahydro-2H-azepin-2-one | <10 | 2235-00-9 218-787-6 | 01-2119977109-27-XXXX | - | |
| Classification: | Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Sens. 1B;H317, Eye Irrit. 2;H319, STOT RE 1;H372 | | | | |
| Isodecyl acrylate | <10 | 1330-61-6 215-542-5 | - | - | |
| Classification: | Skin Sens. 1;H317, STOT SE 3;H335, Aquatic Chronic 2;H411 | | | | |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide | <5 | 75980-60-8 278-355-8 | 01-2119972295-29-XXXX | 015-203-00-X | |
| Classification: | Skin Sens. 1B;H317, Repr. 2;H361fd, Aquatic Chronic 2;H411 | | | | |
| Propoxylated glycerol triacrylate | <5 | 52408-84-1 500-114-5 | 01-2119487948-12-XXXX | - | |
| Classification: | Skin Sens. 1;H317, Eye Irrit. 2;H319 | | | | |
| 2-isopropyl-9H-thioxanthen-9-one | <2.5 | 5495-84-1 226-827-9 | 01-2120769513-49-XXXX | - | |
| Classification: | - | | | | |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one | <2.5 | 71868-10-5 400-600-6 | - | 606-041-00-6 | |
| Classification: | Acute Tox. 4;H302, Repr. 1B;H360FD, Aquatic Chronic 2;H411 | | | | |

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

| | |
|---------------------|---|
| Inhalation | Move to fresh air. If symptoms persist, get medical attention. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. |
| Ingestion | If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. |

4.2. Most important symptoms and effects, both acute and delayed Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

| | |
|---------------------------------------|--|
| Suitable extinguishing media | Dry powder. Carbon dioxide (CO2). Water may be ineffective. |
| Unsuitable extinguishing media | Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire. |

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

| | |
|--|---|
| Special protective equipment for firefighters | Not available. |
| Special fire fighting procedures | Avoid runoff into storm sewers and ditches which lead to waterways. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------------------------|--|
| For non-emergency personnel | Wear appropriate personal protective equipment. Do not touch or walk through spilled material. |
| For emergency responders | Not available. |

6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other sections Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Not available.

Derived no effect levels (DNELs)

| Components | Type | Route | Value | Form |
|---|-----------|------------|-----------------|--------------------|
| 1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9) | Workers | Dermal | 0.7 mg/kg | Systemic long term |
| | | Inhalation | 4.9 mg/m3 | Systemic long term |
| | | Inhalation | 0.17 mg/m3 | Local long term |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8) | Workers | Dermal | 0.233 mg/kg | Systemic long term |
| | | Inhalation | 0.822 mg/m3 | Systemic long term |
| Neopentylglycol, propoxylated esters with acrylic acid (CAS 84170-74-1) | Workers | Dermal | 3.33 mg/kg | Systemic long term |
| | | Inhalation | 11.75 mg/m3 | Systemic long term |
| Propoxylated glycerol triacrylate (CAS 52408-84-1) | Workers | Dermal | 1.92 mg/kg | Systemic long term |
| | | Inhalation | 3.7 mg/m3 | Systemic long term |
| Tetrahydrofurfuryl acrylate (CAS 2399-48-6) | Consumers | Dermal | 1.75 mg/kg bw/d | Systemic long term |
| | | Inhalation | 0.3 mg/m3 | Systemic long term |
| | | Oral | 0.18 mg/kg bw/d | Systemic long term |
| | Workers | Dermal | 4.9 mg/kg bw/d | Systemic long term |
| | | Inhalation | 1.73 mg/m3 | Systemic long term |

Predicted no effect concentrations (PNECs)

| Components | Type | Route | Value | Form |
|---|----------------|--------------|----------------|------------------------|
| 1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9) | Not applicable | Freshwater | 0.1 mg/l | |
| | | Intermittent | 1 mg/l | Releases |
| | | Marine water | 0.01 mg/l | |
| | | Sediment | 0.829 mg/kg | Freshwater |
| | | Sediment | 0.0829 mg/kg | Marine water |
| | | Soil | 0.107 mg/kg | |
| | | STP | 262 mg/l | Sewage Treatment Plant |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8) | Not applicable | Freshwater | 0.00353 mg/l | |
| | | Intermittent | 0.0353 mg/l | Releases |
| | | Marine water | 0.0005353 mg/l | |
| | | Sediment | 0.29 mg/kg | Freshwater |
| | | Sediment | 0.029 mg/kg | Marine water |
| | | Soil | 0.0557 mg/kg | |
| | | Freshwater | 0.0027 mg/l | |
| Neopentylglycol, propoxylated esters with acrylic acid (CAS 84170-74-1) | Not applicable | Intermittent | 0.027 mg/l | Releases |
| | | Marine water | 0.00027 mg/l | |
| | | Sediment | 0.188 mg/kg | Freshwater |
| | | Sediment | 0.018 mg/kg | Marine water |
| | | | | |

| Components | Type | Route | Value | Form |
|--|--|--------------|---------------|------------------------|
| Propoxylated glycerol triacrylate (CAS 52408-84-1) | Not applicable | Soil | 0.036 mg/kg | Sewage Treatment Plant |
| | | STP | 0.2 mg/l | |
| | | Freshwater | 0.00574 mg/l | |
| | | Intermittent | 0.0574 mg/l | Releases |
| | | Marine water | 0.01697 mg/kg | Marine water |
| Sediment | 0.001697 mg/kg | | | |
| Tetrahydrofurfuryl acrylate (CAS 2399-48-6) | Not applicable | Soil | 0.00111 mg/kg | Sewage Treatment Plant |
| | | STP | 10 mg/l | |
| | | Freshwater | 3.92 µg/l | |
| | | Intermittent | 39.2 µg/l | Releases |
| | | Marine water | 0.392 µg/l | Freshwater |
| | | Sediment | 0.0206 mg/kg | |
| | | Sediment | 0.0021 mg/kg | Marine water |
| | | Soil | 0.0018 mg/kg | Sewage Treatment Plant |
| | | STP | 2.637 mg/l | |
| Exposure guidelines | Exposure limits have not been established for this product. | | | |
| 8.2. Exposure controls | | | | |
| Appropriate engineering controls | Not available. | | | |
| Individual protection measures, such as personal protective equipment | | | | |
| General information | Not available. | | | |
| Eye/face protection | Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended. | | | |
| Skin protection | | | | |
| - Hand protection | Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness. | | | |
| - Other | Wear appropriate chemical resistant clothing. | | | |
| Respiratory protection | Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. | | | |
| Thermal hazards | Not available. | | | |
| Hygiene measures | Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink. | | | |
| Environmental exposure controls | Not available. | | | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

| | |
|---|--|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Magenta |
| Odor | Characteristic. |
| Odor threshold | Not available. |
| pH | 6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | > 203.0 °F (> 95.0 °C) Closed Cup EPA Method 1020 |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Vapor pressure | Not available. |

| | |
|---|--|
| Vapor density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | 13 - 14 cP Brookfield Viscometer (± 0.5) Temperature 40°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading. |
| Explosive properties | Not available. |
| Oxidizing properties | Not available. |
| 9.2. Other information | |
| VOC | 6.36 g/L Method 24/ASTM D5403-93 |

SECTION 10: Stability and reactivity

| | |
|--|---|
| 10.1. Reactivity | Not available. |
| 10.2. Chemical stability | Stable under normal storage conditions. |
| 10.3. Possibility of hazardous reactions | Hazardous polymerization can occur with decreased inhibitor content. |
| 10.4. Conditions to avoid | Exposure to sunlight. |
| 10.5. Incompatible materials | Incompatible with strong bases and oxidizing agents. alkaline metals |
| 10.6. Hazardous decomposition products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

SECTION 11: Toxicological information

| | | |
|--|---|--------------|
| General information | Not available. | |
| Information on likely routes of exposure | | |
| Inhalation | Inhalation may result in mild irritation to the respiratory system. | |
| Skin contact | Causes skin irritation. May cause sensitization by skin contact. | |
| Eye contact | Contact with eyes may result in mild irritation. | |
| Ingestion | Ingestion is not a likely route of exposure. | |
| Symptoms | Not available. | |
| 11.1. Information on toxicological effects | | |
| Acute toxicity | Based on available data, the classification criteria are not met. | |
| Components | Species | Test Results |
| 1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9) | | |
| <u>Acute</u> | | |
| Dermal | | |
| LD50 | Rabbit | 1700 mg/kg |
| Inhalation | | |
| LC50 | Rat | > 1.6 mg/l |
| Oral | | |
| LD50 | Rat | 1114 mg/kg |
| Skin corrosion/irritation | Causes skin irritation. Non-corrosive (OECD 431). | |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. Not classified as an irritant according to, OECD 437. | |
| Respiratory sensitization | Based on available data, the classification criteria are not met. | |
| Skin sensitization | May cause sensitization by skin contact. | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. | |
| Carcinogenicity | Based on available data, the classification criteria are not met. | |
| Reproductive toxicity | May damage fertility. May damage the unborn child. | |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. | |
| Specific target organ toxicity - repeated exposure | Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. | |
| Aspiration hazard | Based on available data, the classification criteria are not met. | |

| | |
|---|--|
| Mixture versus substance information | Not available. |
| Other information | Complete toxicity data are not available for this specific formulation |

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity Very toxic to aquatic life with long lasting effects.

| Components | Species | Test Results |
|---|---------|--|
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8) | | |
| <i>Acute</i> | | |
| | EC10 | Pseudokirchneriella subcapitata 1.56 mg/l, 72 h (OECD 201) |
| | EC50 | Pseudokirchneriella subcapitata > 2.01 mg/l, 72 h (OECD 201) |
| | LC50 | Cyprinus carpio 1.4 mg/l, 96 h (OECD 203) |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | EC50 | Daphnia magna 3.53 mg/l, 48 h (OECD 202) |
| Neopentylglycol, propoxylated esters with acrylic acid (CAS 84170-74-1) | | |
| <i>Acute</i> | | |
| | EC10 | Pseudokirchneriella subcapitata 2.3 mg/l, 72 h (OECD 201) |
| | EC50 | Pseudokirchneriella subcapitata 11 mg/l, 72 h (OECD 201) |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | EC50 | Daphnia Magna 37 mg/l, 48 h (OECD 202) |
| Fish | LC50 | Danio rerio 2.7 mg/l, 96 h (OECD 203) |

12.2. Persistence and degradability Not available.

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF)

Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide 72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatu No . 615, 4 MITI/MHW Chemical Substance Control Law, Japan)

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations


13.1. Waste treatment methods

| | |
|-------------------------------------|--|
| Residual waste | Not available. |
| Contaminated packaging | Not available. |
| EU waste code | Not available. |
| Disposal methods/information | Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor. |


SECTION 14: Transport information

| | |
|-------------------------------------|---|
| DOT | Not regulated as dangerous goods. |
| DOT Supplemental Information | DOT Classification only applies to shipments within the US and Puerto Rico. |
| IATA | |
| UN number | UN3082 |
| UN proper shipping name | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative) |
| Transport hazard class(es) | |
| Class | 9 |
| Subsidiary risk | - |
| Packing group | III |

| | |
|--------------------------------------|---|
| Environmental hazards | Yes |
| Special precautions for user | Not available. |
| IATA Supplemental Information | When shipping ≤ 5L inner packaging, Special Provision A197 may apply. |
| IMDG | |
| UN number | UN3082 |
| UN proper shipping name | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT |
| Transport hazard class(es) | |
| Class | 9 |
| Subsidiary risk | - |
| Packing group | III |
| Transport hazard class(es) | |
| Marine pollutant | Yes |
| EmS | F-A, S-F |
| Special precautions for user | Not available. |
| IMDG Supplemental Information | When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply. |
| ADR | |
| UN number | UN3082 |
| UN proper shipping name | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative) |
| Transport hazard class(es) | |
| Class | 9 |
| Subsidiary risk | - |
| Hazard No. (ADR) | Not available. |
| Tunnel restriction code | Not available. |
| Packing group | III |
| Environmental hazards | Yes |
| Special precautions for user | Not available. |
| ADR Supplemental Information | When shipping ≤ 5L containers, ADR 375 may apply. |
| ADR; IATA; IMDG | |



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

2-methyl-1-(4-methylthiophenyl)- 2-morpholinopropan-1-one (CAS 71868-10-5)

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

National regulations

Not available.

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H360 May damage fertility or the unborn child.
H360FD May damage fertility. May damage the unborn child.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |

Safe Use of Mixture Information (SUMI)

--

UV digital printing inks: UV01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions

| | |
|------------------------------|---|
| Maximum duration | Up to 8 hours per day |
| Frequency of exposure | < 240 days per year |
| Process conditions | Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll |

Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear safety glasses with side shields (or goggles), if splashing is possible.
Wear appropriate chemical resistant gloves: see section 8 of the SDS.
Wear appropriate chemical resistant clothing.
Eye wash fountain and emergency showers are recommended.
Avoid breathing mist/vapours.
Avoid contact with skin, eyes and clothing.
Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.



Good practice advice

Use personal protective equipment as required.
Wash hands before breaks and after work.
Keep good industrial hygiene and safety practice.
Use only with adequate ventilation.
Do no eat, drink or smoke when using this product.
Wash contaminated clothing before reuse.
Store in a well-ventilated place.
Keep container tightly closed.
Store at room temperature.



Environmental measures

Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.
Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individual ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.