



SAFETY DATA SHEET

1. Identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
Product identifier	CN951 Series	
Other means of identification		
Synonyms	HP Scitex XL300 Classic Yellow Ink	
Recommended use of the chemical and restrictions on use		
Recommended use	Inkjet printing	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information	HP Computing and Printing Middle East FZ-LLC, Dubai Internet City 14 - 3rd Floor (DIC04), Dubai United Arab Emirates	
HP Inc. health effect line (Toll-free within US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	

2. Hazards identification

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
	Acute toxicity, inhalation	Category 4
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	Not classified.	
Label elements		



Signal word	Warning	
Hazard statement	Combustible liquid. Harmful if inhaled. May be harmful in contact with skin. May be harmful if swallowed. May cause drowsiness or dizziness.	
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.	
Response	In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.	
Storage	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Other hazards which do not result in classification	Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixture

Hazardous components

Chemical name	Common name and synonyms	CAS number	%
2-Butoxyethyl acetate		112-07-2	<70
Propylene glycol monomethyl ether acetate		Proprietary	<30
Toluene		108-88-3	<0.1

Non-hazardous components

Chemical name	Common name and synonyms	CAS number	%
Yellow Pigment		Proprietary	<2.5

4. First-aid measures

Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation persists get medical attention. Remove and isolate contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes before reuse.
Eye contact	In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. If irritation persists get medical attention.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
Fire fighting equipment/instructions	Firefighters should wear full protective clothing including self contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation.
Methods and materials for containment and cleaning up	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Environmental precautions	Not available.

7. Handling and storage

Precautions for safe handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
Conditions for safe storage, including any incompatibilities	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
2-Butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm
Toluene (CAS 108-88-3)	TWA	20 ppm

Bahrain. TLVs. Resolution No. 4 Regarding the Management of Hazardous Chemicals, Exposure Limits for Dangerous and Poisonous Chemicals, Annex. 3, as amended

Components	Type	Value
Toluene (CAS 108-88-3)	TWA	188 mg/m ³ 50 ppm

Egypt. OELs. Threshold limits of air pollutants in the workplace (Decree No. 388, Annex 8), as amended

Components	Type	Value
Toluene (CAS 108-88-3)	TWA	188 mg/m ³ 50 ppm

GCC. TLVs. Exposure Limits for Hazardous Chemical Substances (Common System for the Management of Hazardous Chemicals in the Gulf Cooperation Council for the Arab States of the Gulf, Annex 3), as amended

Components	Type	Value
Toluene (CAS 108-88-3)	TWA	188 mg/m ³ 50 ppm

Kuwait. OELs. Maximum Limits Allowance for Occupational Exposure to Chemical Substances (TLVs) (Decision No. 210/2001 Appendix No. (3-1)), as amended

Components	Type	Value
Toluene (CAS 108-88-3)	STEL	560 mg/m ³ 150 ppm
	TWA	375 mg/m ³ 100 ppm

UAE. OELs. Maximum Allowable Limits for Air Pollutants in Working Areas [Law to Protect the Air from Pollution, Resolution of the Cabinet of Ministers No. 12 of 2006], as amended

Components	Type	Value
Toluene (CAS 108-88-3)	TWA	188 mg/m ³ 50 ppm

UAE. Abu Dhabi. TLVs. Maximum Allowable Limits for Air Pollutants in Working Areas (AD EHSMS RF - Occupational Standards and Guideline Values, Schedule A), as amended

Components	Type	Value
2-Butoxyethyl acetate (CAS 112-07-2)	TWA	130 mg/m ³ 20 ppm
Toluene (CAS 108-88-3)	TWA	75 mg/m ³ 20 ppm

UAE. Dubai. OELs. Maximum Allowable Limits for Indoor Air Pollutants. Industrial Operation Regulation IO-11.0: Appendix, Tables 2 & 2A, as amended

Components	Type	Value
2-Butoxyethyl acetate (CAS 112-07-2)	STEL	50 ppm
	TWA	20 ppm
Propylene Glycol Monomethyl Ether Acetate	STEL	548 mg/m ³ 100 ppm
	TWA	274 mg/m ³ 50 ppm
Toluene (CAS 108-88-3)	STEL	384 mg/m ³ 100 ppm
	TWA	191 mg/m ³ 50 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Toluene (CAS 108-88-3)	0.3 mg/g	o-Cresol, with hydrolysis	Creatinine in urine	*
	0.03 mg/l	Toluene	Urine	*
	0.02 mg/l	Toluene	Blood	*

* - For sampling details, please see the source document.

Exposure guidelines None established.

Bahrain TLVs: Skin designation

Toluene (CAS 108-88-3) Can be absorbed through the skin.

Egypt OEL: Skin designation

Toluene (CAS 108-88-3) Can be absorbed through the skin.

UAE - Dubai OELs: Skin designation

2-Butoxyethyl acetate (CAS 112-07-2) Can be absorbed through the skin.

Propylene glycol monomethyl ether acetate (CAS Proprietary) Can be absorbed through the skin.

Toluene (CAS 108-88-3) Can be absorbed through the skin.

UAE OELs: Skin designation

Toluene (CAS 108-88-3) Can be absorbed through the skin.

Appropriate engineering controls

Use in a well ventilated area.
Ensure adequate ventilation, especially in confined areas. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes
Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Hand protection Not available.

Other Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available.

Thermal hazards Not available.

General hygiene considerations

Keep away from food and drink. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

Appearance	Liquid.
Physical state	Not available.
Form	Not available.
Color	Yellow
Odor	Not available.
Odor threshold	Not available.
pH	5.8 - 6.2 Metler Toledo pH Meter. Temperature 25°C
Melting point/freezing point	Not available.
Initial boiling point and boiling range	325.4 °F (163 °C) Estimated
Flash point	150.8 °F (66.0 °C) Setaflash Closed Tester
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not determined.
Vapor density	Not available.

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	10.2 - 11.2 cP Brookfield Viscometer (± 0.5) Temperature 22°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading.
Other information	
VOC	< 901 g/L

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Not available.
Incompatible materials	Oxidizing agents. Strong acids and strong alkalis.
Hazardous decomposition products	None known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity	Harmful if inhaled. May be harmful if swallowed. May be harmful in contact with skin.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Toluene (CAS 108-88-3) 3 Not classifiable as to carcinogenicity to humans.

Kuwait OELs (Decision No. 210/): Carcinogen Category

Toluene (CAS 108-88-3) A4 Not classifiable as a human carcinogen.

UAE - Abu Dhabi TLVs: Carcinogen Category

2-Butoxyethyl acetate (CAS 112-07-2) GROUP A3 Confirmed animal carcinogen with unknown relevance to humans.

Toluene (CAS 108-88-3) GROUP A4 Not classifiable as a human carcinogen.

Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Further information	Complete toxicity data are not available for this specific formulation.

12. Ecological information

Ecotoxicity	No ecotoxicity data noted for the ingredient(s).
--------------------	--

Persistence and degradability	Not available.
Bioaccumulative potential	Not available.
Partition coefficient n-octanol / water (log Kow)	
Toluene	2.73
Mobility in soil	Not available.
Other adverse effects	Not available.

13. Disposal considerations

Disposal instructions	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

14. Transport information

DOT	
UN number	NA1993
UN proper shipping name	Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate) -Not regulated in quantities less than 119 gallons
Transport hazard class(es)	
Class	Combustible
Subsidiary risk	-
Packing group	III
Special precautions for user	Not available.
DOT Supplemental Information	DOT Classification only applies to shipments within the US and Puerto Rico.
IATA	
Not regulated as dangerous goods.	
IMDG	
Not regulated as dangerous goods.	
ADR	
Not regulated as dangerous goods.	

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Bahrain. Chemicals Subject to the Prior Informed Consent Procedure under the Rotterdam Convention (Law No. 14 of 2012, Annex III)

Not applicable.

Bahrain. CWC Chemical Substances (Decree No. 6 of 1997, Schedules 1, 2 and 3; Law No. 51 of 2009)

Not listed.

Bahrain. Prohibited Chemicals (Ministry of State for Municipal & Environmental Affairs, Resolution No 7 of 2002, On Control of Importing & Use of Prohibited & Restricted Chemicals, Table 1)

Not listed.

Bahrain. Severely Restricted Chemicals (Ministry of State for Municipal & Environmental Affairs, Resolution No 7 of 2002, On Control of Importing & Use of Prohibited & Restricted Chemicals, Table 2)

Not listed.

Egypt. Non-Restricted Substances (Unified list of hazardous substances, List C)

Not listed.

Egypt. Substances Requiring Permits (Unified list of hazardous substances, List B)

Toluene (CAS 108-88-3)

Oman. List of Prohibited Chemical Substances (MD 25/2009. Annex 2)

Not listed.

Oman. List of Restricted Chemical Substances (MD 25/2009. Annex 1)

Not listed.

Saudi Arabia. Jubail & Yanbu. Hazardous Air Pollutants (Royal Commission for Jubail & Yanbu Environmental Regulations, V.1. 2004, Table 2C)

Toluene (CAS 108-88-3)

UAE. Abu Dhabi. CWC (Chemicals Weapons Convention) Banned from Entry/Import (Standard Operating Procedures for Permitting of Chemicals and Hazardous Materials)

Not listed.

UAE. Abu Dhabi. Narcotic Precursors Banned from Entry/Import (Standard Operating Procedures for Permitting of Chemicals and Hazardous Materials)

Toluene (CAS 108-88-3)

UAE. Ban on Importing and Circulation of Harmful Pesticides for Health and Environment (Ministerial Decree No. 193)

Not listed.

UAE. Dubai. CWC (Chemicals Weapons Convention) Federal Environmental Agency, Code of Practice

Not listed.

UAE. Dubai. Illicit Drug Traffic, scheduled substances (UN Convention against illicit traffic in narcotic drugs and psychotropic substances), Ministry of Health, Code of Practice

Toluene (CAS 108-88-3)

UAE. Dubai. Prohibited and restricted imports. Ministry of Environmental and Water, Code of Practice

Not listed.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information, including date of preparation or last revision

Issue date 14-Aug-2018

Revision date 18-Apr-2021

Version # 03

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information 1. Product and Company Identification: EU Poison Center
Hazards identification: Hazard statement
Composition / Information on Ingredients: Disclosure Overrides

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds