




SAFETY DATA SHEET

1. Identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
Product identifier	CN987 Series	
Other means of identification		
Synonyms	HP Scitex TJ100 Flash Magenta Ink	
Recommended use of the chemical and restrictions on use		
Recommended use	Inkjet printing.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information	HP Computing and Printing Middle East FZ-LLC, Dubai Internet City 14 - 3rd Floor (DIC04), Dubai United Arab Emirates	
HP Inc. health effect line		
(Toll-free within US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	

2. Hazards identification

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Combustible liquid. Harmful if inhaled. Causes serious eye damage. Harmful in contact with skin. May be harmful if swallowed.	
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.	
Response	In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse.	
Storage	Store in a well-ventilated place. Keep cool.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Other hazards which do not result in classification	Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.	

3. Composition/information on ingredients

Mixture

Hazardous components

Chemical name	Common name and synonyms	CAS number	%
2-Butoxyethyl acetate		112-07-2	<80
2-methoxy-1-methylethylacetate		Proprietary	<20
Cyclohexanone		108-94-1	<5
Butyl Methacrylate		97-88-1	<0.1

Non-hazardous components

Chemical name	Common name and synonyms	CAS number	%
Vinyl chloride-vinyl acetate copolymer		Proprietary	<7.5
Magenta pigment		Proprietary	<2.5

4. First-aid measures

Inhalation	Move person to fresh air immediately. If symptoms persist, get immediate medical attention.
Skin contact	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
Ingestion	Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Most important symptoms/effects, acute and delayed	Not available.

5. Fire-fighting measures

Suitable extinguishing media	Suitable extinguishing media: sand, carbon dioxide (CO ₂), and dry chemical.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus. Avoid runoff into storm sewers and ditches which lead to waterways.
Fire fighting equipment/instructions	Move containers from fire area if you can do it without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition. Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.
Methods and materials for containment and cleaning up	Not available.
Environmental precautions	Do not flush into surface water or sanitary sewer system.

7. Handling and storage

Precautions for safe handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
Conditions for safe storage, including any incompatibilities	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
2-Butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm
Cyclohexanone (CAS 108-94-1)	STEL	50 ppm
	TWA	20 ppm

Bahrain. TLVs. Resolution No. 4 Regarding the Management of Hazardous Chemicals, Exposure Limits for Dangerous and Poisonous Chemicals, Annex. 3, as amended

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	TWA	100 mg/m ³
		25 ppm

GCC. TLVs. Exposure Limits for Hazardous Chemical Substances (Common System for the Management of Hazardous Chemicals in the Gulf Cooperation Council for the Arab States of the Gulf, Annex 3), as amended

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	TWA	100 mg/m ³
		25 ppm

Jordan. Resolution No. 43 (1998) Safety and Protection from Industrial Equipment, Machinery and Workplaces (TLVs List), as amended

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	TWA	100 mg/m ³
		25 ppm

Kuwait. OELs. Maximum Limits Allowance for Occupational Exposure to Chemical Substances (TLVs) (Decision No. 210/2001 Appendix No. (3-1)), as amended

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	TWA	100 mg/m ³
		25 ppm

UAE. OELs. Maximum Allowable Limits for Air Pollutants in Working Areas [Law to Protect the Air from Pollution, Resolution of the Cabinet of Ministers No. 12 of 2006], as amended

Components	Type	Value
Cyclohexanone (CAS 108-94-1)	TWA	100 mg/m ³
		25 ppm

UAE. Abu Dhabi. TLVs. Maximum Allowable Limits for Air Pollutants in Working Areas (AD EHSMS RF - Occupational Standards and Guideline Values, Schedule A), as amended

Components	Type	Value
2-Butoxyethyl acetate (CAS 112-07-2)	TWA	130 mg/m ³
		20 ppm
Cyclohexanone (CAS 108-94-1)	TWA	50 mg/m ³
		20 ppm

UAE. Dubai. OELs. Maximum Allowable Limits for Indoor Air Pollutants. Industrial Operation Regulation IO-11.0: Appendix, Tables 2 & 2A, as amended

Components	Type	Value
2-Butoxyethyl acetate (CAS 112-07-2)	STEL	50 ppm
	TWA	20 ppm
2-methoxy-1-methylethylacetate	STEL	548 mg/m ³

UAE. Dubai. OELs. Maximum Allowable Limits for Indoor Air Pollutants. Industrial Operation Regulation IO-11.0: Appendix, Tables 2 & 2A, as amended

Components	Type	Value
		100 ppm
	TWA	274 mg/m3
		50 ppm
Cyclohexanone (CAS 108-94-1)	STEL	20 ppm
	TWA	10 ppm

Biological limit values

ACGIH Biological Exposure Indices				
Components	Value	Determinant	Specimen	Sampling Time
Cyclohexanone (CAS 108-94-1)	80 mg/l	1,2-Cyclohexanediol, with hydrolysis	Urine	*
	8 mg/l	Cyclohexanol, with hydrolysis	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines

Bahrain TLVs: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

Kuwait OEL (Decision No. 210/2001): Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

UAE - Abu Dhabi TLVs: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

UAE - Dubai OELs: Skin designation

2-Butoxyethyl acetate (CAS 112-07-2) Can be absorbed through the skin.

2-methoxy-1-methylethylacetate (CAS Proprietary) Can be absorbed through the skin.

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

UAE OELs: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

Appropriate engineering controls Not available.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).
Eye wash fountain and emergency showers are recommended.

Skin protection

Hand protection Recommended gloves: Nitrile 6 mil minimum thickness.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

General hygiene considerations Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Physical state Not available.

Form Liquid.

Color Magenta

Odor Solvent.

Odor threshold Not available.

pH 5.8 - 6.2 Metler Toledo pH Meter

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point	>= 149.0 °F (>= 65.0 °C) Closed Cup EPA Method 1020
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	14 - 15 cP Brookfield Viscometer T 22C Spindle #18 (S18) RPM 100
Other information	
VOC	< 907 g/L Calculated

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	None known.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Not available.
Hazardous decomposition products	Not available.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled.
Skin contact	Harmful in contact with skin.
Eye contact	Causes serious eye damage.
Ingestion	Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity May be harmful if swallowed. Harmful if inhaled. Harmful in contact with skin.

Components	Species	Test Results
Cyclohexanone (CAS 108-94-1)		
<u>Acute</u>		
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 6.2 mg/l, 4 Hours

Magenta pigment

Acute

Oral

LD50 Rat >= 2000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cyclohexanone (CAS 108-94-1) 3 Not classifiable as to carcinogenicity to humans.

Vinyl chloride-vinyl acetate copolymer (CAS Proprietary) 3 Not classifiable as to carcinogenicity to humans.

Kuwait OELs (Decision No. 210/): Carcinogen Category

Cyclohexanone (CAS 108-94-1) A4 Not classifiable as a human carcinogen.

UAE - Abu Dhabi TLVs: Carcinogen Category

2-Butoxyethyl acetate (CAS 112-07-2) GROUP A3 Confirmed animal carcinogen with unknown relevance to humans.

Cyclohexanone (CAS 108-94-1) GROUP A3 Confirmed animal carcinogen with unknown relevance to humans.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Complete toxicity data are not available for this specific formulation.

12. Ecological information

Ecotoxicity No ecotoxicity data noted for the ingredient(s).

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Butyl Methacrylate 2.88

Cyclohexanone 0.81

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

Waste from residues / unused products Not available.

Contaminated packaging Not available.

14. Transport information

DOT

UN number NA1993

UN proper shipping name Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate, cyclohexanone) -Not regulated in quantities less than 119 gallons

Transport hazard class(es)

Class Combustible

Subsidiary risk -

Packing group III

Special precautions for user Not available.

DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number Not available.

UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated
Transport hazard class(es)
Class Not available.
Subsidiary risk -
Packing group Not available.
Transport hazard class(es)
Marine pollutant No
EmS Not available.
Special precautions for user Not available.

ADR

UN number Not available.
UN proper shipping name Not Regulated
Transport hazard class(es)
Class Not available.
Subsidiary risk -
Hazard No. (ADR) Not available.
Tunnel restriction code Not available.
Packing group Not available.
Environmental hazards No
Special precautions for user Not available.

Further information Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Bahrain. Chemicals Subject to the Prior Informed Consent Procedure under the Rotterdam Convention (Law No. 14 of 2012, Annex III)

Not applicable.

Bahrain. CWC Chemical Substances (Decree No. 6 of 1997, Schedules 1, 2 and 3; Law No. 51 of 2009)

Not listed.

Bahrain. Prohibited Chemicals (Ministry of State for Municipal & Environmental Affairs, Resolution No 7 of 2002, On Control of Importing & Use of Prohibited & Restricted Chemicals, Table 1)

Not listed.

Bahrain. Severely Restricted Chemicals (Ministry of State for Municipal & Environmental Affairs, Resolution No 7 of 2002, On Control of Importing & Use of Prohibited & Restricted Chemicals, Table 2)

Not listed.

Egypt. Non-Restricted Substances (Unified list of hazardous substances, List C)

Cyclohexanone (CAS 108-94-1)

Oman. List of Prohibited Chemical Substances (MD 25/2009. Annex 2)

Not listed.

Oman. List of Restricted Chemical Substances (MD 25/2009. Annex 1)

Not listed.

Saudi Arabia. Jubail & Yanbu. Hazardous Air Pollutants (Royal Commission for Jubail & Yanbu Environmental Regulations, V.1. 2004, Table 2C)

Not listed.

UAE. Abu Dhabi. CWC (Chemicals Weapons Convention) Banned from Entry/Import (Standard Operating Procedures for Permitting of Chemicals and Hazardous Materials)

Not listed.

UAE. Abu Dhabi. Narcotic Precursors Banned from Entry/Import (Standard Operating Procedures for Permitting of Chemicals and Hazardous Materials)

Not listed.

UAE. Ban on Importing and Circulation of Harmful Pesticides for Health and Environment (Ministerial Decree No. 193)

Not listed.

UAE. Dubai. CWC (Chemicals Weapons Convention) Federal Environmental Agency, Code of Practice

Not listed.

UAE. Dubai. Illicit Drug Traffic, scheduled substances (UN Convention against illicit traffic in narcotic drugs and psychotropic substances), Ministry of Health, Code of Practice

Not listed.

UAE. Dubai. Prohibited and restricted imports. Ministry of Environmental and Water, Code of Practice

Not listed.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information, including date of preparation or last revision

Issue date 07-Aug-2018

Revision date 06-Apr-2021

Version # 07

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds