



# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Identification of the substance/preparation** CP780B

**Use of the substance/preparation** Inkjet printing

**Version #** 01

**Issue date** 14-Oct-2016

**Synonym(s)** HP HDR240 Black Scitex Ink

**Manufacturer information** HP Inc.

**Company identification** HP Computing and Printing Middle East FZ-LLC,  
Dubai Internet City 14 - 3rd Floor (DIC04),  
Dubai  
United Arab Emirates

HP Inc. health effect line  
(Toll-free within US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Inc. Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. HAZARDS IDENTIFICATION

### 2.1 GHS classification of substance or mixture, and national or regional information

**Physical hazards** Not classified.

**Health hazards**

Acute toxicity, oral	Category 5
Acute toxicity, dermal	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Sensitization, skin	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Specific target organ toxicity, repeated exposure	Category 1

**Environmental hazards** Hazardous to the aquatic environment, long-term hazard Category 2

### Label elements



**Signal word** Danger

**Hazard statement** May be harmful if swallowed. May be harmful in contact with skin. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging fertility. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

## Precautionary statement

### Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
P271 - Use only outdoors or in a well-ventilated area.  
P202 - Do not handle until all safety precautions have been read and understood.  
P201 - Obtain special instructions before use.  
P270 - Do not eat, drink or smoke when using this product.  
P264 - Wash hands thoroughly after handling.  
P273 - Avoid release to the environment.

### Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P308 + P313 - IF exposed or concerned: Get medical attention/advice.  
P312 - Call a POISON CENTER/doctor/physician if you feel unwell.  
P391 - Collect spillage.  
P362 - Take off contaminated clothing and wash before reuse.

### Storage

P405 - Store locked up.  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other hazards which do not result in classification

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Diphenyl (2,4,6-trimethylbenzoyl) phosphineoxide - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

### Supplemental information

None.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS #	Percent
Acrylic acid ester	Proprietary	<30
Acrylate ester	Proprietary	<25
Vinylcaprolactam	Proprietary	<20
Carbon black	1333-86-4	<5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine	Proprietary	<5
Octyl decyl acrylate	Not available	<5
Urethane acrylate oligomer A	Proprietary	<5
Urethane acrylate oligomer B	Proprietary	<5
Acrylated oligoamine resin	Proprietary	<2.5
Glycerol, propoxylated, esters with acrylic acid	Proprietary	<1

### Composition comments

Carbon black is present only in a bound form in this preparation.

## 4. FIRST AID MEASURES

### Inhalation

Move to fresh air. If symptoms persist, get medical attention.

### Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

### Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

### Ingestion

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.

## 5. FIRE-FIGHTING MEASURES

<b>Suitable extinguishing media</b>	Dry powder. Carbon dioxide (CO <sub>2</sub> ). Water may be ineffective.
<b>Extinguishing media which must not be used for safety reasons</b>	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
<b>Unusual fire &amp; explosion hazards</b>	None known.
<b>Fire fighting equipment/instructions</b>	Avoid runoff into storm sewers and ditches which lead to waterways.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
<b>Methods for cleaning up</b>	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
<b>Spill cleanup methods</b>	Not available.
<b>Other information</b>	Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with skin, eyes and clothing.
<b>Storage</b>	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.

#### UAE. OELs. Maximum Allowable Limits for Air Pollutants in Working Areas [Law to Protect the Air from Pollution, Resolution of the Cabinet of Ministers No. 12 of 2006]

Components	Type	Value
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m <sup>3</sup>

#### UAE. Abu Dhabi. TLVs. Maximum Allowable Limits for Air Pollutants in Working Areas (AD EHSMS RF - Occupational Standards and Guideline Values, Schedule A)

Components	Type	Value
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m <sup>3</sup>

**Biological limit values** No biological exposure limits noted for the ingredient(s).

### Recommended monitoring procedures

**Additional exposure data** Exposure limits have not been established for this product.

### Personal protective equipment

**Respiratory protection** Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

**Hand protection** Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.

**Eye protection** Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

**Skin and body protection** Wear appropriate chemical resistant clothing.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

**Physical state** Liquid.

<b>Form</b>	Liquid.
<b>Color</b>	Black.
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Boiling point</b>	Not available.
<b>Flash point</b>	240.8 °F (116.0 °C) Closed Cup EPA Method 1020
<b>Flammability limits in air, upper, % by volume</b>	Not available.
<b>Flammability limits in air, lower, % by volume</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Melting point/Freezing point</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>VOC</b>	19 g/L Method 24/ASTM D5403-93

---

## 10. STABILITY AND REACTIVITY

<b>Conditions to avoid</b>	Exposure to sunlight.
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>Stability</b>	Stable under normal storage conditions.
<b>Materials to avoid</b>	Incompatible with strong bases and oxidizing agents. alkaline metals
<b>Hazardous polymerization</b>	Hazardous polymerization can occur with decreased inhibitor content.

---

## 11. TOXICOLOGICAL INFORMATION

<b>General information</b>	Not available.
<b>11.1. Information on toxicological effects</b>	
<b>Acute toxicity</b>	May be harmful if swallowed. May be harmful in contact with skin.
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.
<b>Skin sensitization</b>	May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. Based on available data, the classification criteria are not met
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>	
Carbon black (CAS 1333-86-4)	2B Possibly carcinogenic to humans.
<b>Reproductive toxicity</b>	Suspected of damaging fertility.
<b>Specific target organ toxicity - single exposure</b>	May cause irritation to the respiratory system.
<b>Specific target organ toxicity - repeated exposure</b>	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

Components	Species	Test Results
Carbon black (CAS 1333-86-4)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 8000 mg/kg
<b>Other information</b>	Complete toxicity data are not available for this specific formulation	

## 12. ECOLOGICAL INFORMATION

<b>Aquatic toxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.
<b>Environmental effects</b>	Not available.

## 13. DISPOSAL CONSIDERATIONS

<b>Disposal instructions</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
------------------------------	--

## 14. TRANSPORT INFORMATION

### DOT

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packaging group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Not available.

**DOT supplemental information** DOT Classification only applies to shipments within the US and Puerto Rico.

### IATA

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.

### IMDG

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-F
<b>Special precautions for user</b>	Not available.

### ADR


<b>Proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Hazard class</b>	9
<b>UN number</b>	3082
<b>Packing group</b>	III
<b>Marine pollutant</b>	Yes

DOT; IATA; IMDG



ADR

Marine pollutant



---

## 15. REGULATORY INFORMATION

### Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

### Other information

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

---

## 16. OTHER INFORMATION

### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### Prepared by

HP Chemical Compliance & Toxicology Department

### This data sheet contains changes from the previous version in section(s):

- 1. Product and Company Identification: Business Units
  - 3. Composition / Information on Ingredients: Ingredients
  - 9. Physical & Chemical Properties: Multiple Properties
  - 14. Transport Information: Material Transportation Information
  - 15. Regulatory Information: United States
- GHS: Qualifiers

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds

### Manufacturer information

HP Inc.  
1501 Page Mill Road  
Palo Alto, CA 94304-1112 US  
(Direct) +972 (9) 892-4628