



# SAFETY DATA SHEET

## 1. Identification

<b>Important information</b>	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
<b>Product identifier</b>	CP831Series	
<b>Other means of identification</b>		
<b>Synonyms</b>	HP HDR250 Black Scitex Ink Cartridge	
<b>Recommended use of the chemical and restrictions on use</b>		
<b>Recommended use</b>	Inkjet printing	
<b>Recommended restrictions</b>	None known.	
<b>Manufacturer/Importer/Supplier/Distributor information</b>	HP Computing and Printing Middle East FZ-LLC, Dubai Internet City 14 - 3rd Floor (DIC04), Dubai United Arab Emirates	
<b>HP Inc. health effect line</b>		
<b>(Toll-free within US)</b>	1-800-457-4209	
<b>(Direct)</b>	1-760-710-0048	
<b>HP Inc. Customer Care Line</b>		
<b>(Toll-free within the US)</b>	1-800-474-6836	
<b>(Direct)</b>	1-208-323-2551	
<b>Email:</b>	hpcustomer.inquiries@hp.com	

## 2. Hazards identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Reproductive toxicity (fertility, the unborn child)	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1
<b>Environmental hazards</b>	Hazardous to the aquatic environment, long-term hazard	Category 2

### Label elements



**Signal word**

Danger

**Hazard statement**

May be harmful if swallowed. May be harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

## Precautionary statement

### Prevention

Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid release to the environment.

### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical attention/advice. Call a POISON CENTER/doctor/physician if you feel unwell. Collect spillage. Take off contaminated clothing and wash before reuse.

### Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other hazards which do not result in classification

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

## Supplemental information

None.

## 3. Composition/information on ingredients

### Mixture

#### Hazardous components

Chemical name	Common name and synonyms	CAS number	%
Acrylic acid ester		Proprietary	<30
Vinylcaprolactam		Proprietary	<20
Octyl decyl acrylate		Proprietary	<15
Acrylate ester 6		Proprietary	<7.5
Butyl substituted ethyl acrylate		Proprietary	<5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide		Proprietary	<5
Urethane acrylate oligomer A		Proprietary	<5
Urethane acrylate oligomer B		Proprietary	<5
Thioxanthone derivative		Proprietary	<2.5
Glycerol, propoxylated, esters with acrylic acid		Proprietary	<1
Substituted Phosphine Oxide		Proprietary	<1

#### Non-hazardous components

Chemical name	Common name and synonyms	CAS number	%
Black Pigment		Proprietary	<5

#### Composition comments

Carbon black is present only in a bound form in this preparation.

## 4. First-aid measures

### Inhalation

Move to fresh air. If symptoms persist, get medical attention.

### Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

### Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

### Ingestion

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.

### Most important symptoms/effects, acute and delayed

Not available.

## 5. Fire-fighting measures

### Suitable extinguishing media

Dry powder. Carbon dioxide (CO<sub>2</sub>). Water may be ineffective.

### Unsuitable extinguishing media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

<b>Specific hazards arising from the chemical</b>	Not applicable.
<b>Special protective equipment and precautions for firefighters</b>	Not available.
<b>Fire fighting equipment/instructions</b>	Avoid runoff into storm sewers and ditches which lead to waterways.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
<b>Methods and materials for containment and cleaning up</b>	Not available.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid contact with skin, eyes and clothing.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Black Pigment	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.

#### Bahrain. TLVs. Resolution No. 4 Regarding the Management of Hazardous Chemicals, Exposure Limits for Dangerous and Poisonous Chemicals, Annex. 3, as amended

Components	Type	Value
Black Pigment	TWA	3.5 mg/m <sup>3</sup>

#### Egypt. OELs. Threshold limits of air pollutants in the workplace (Decree No. 388, Annex 8), as amended

Components	Type	Value	Form
Black Pigment	TWA	3.5 mg/m <sup>3</sup>	Total dust.

#### GCC. TLVs. Exposure Limits for Hazardous Chemical Substances (Common System for the Management of Hazardous Chemicals in the Gulf Cooperation Council for the Arab States of the Gulf, Annex 3), as amended

Components	Type	Value
Black Pigment	TWA	3.5 mg/m <sup>3</sup>

#### UAE. OELs. Maximum Allowable Limits for Air Pollutants in Working Areas [Law to Protect the Air from Pollution, Resolution of the Cabinet of Ministers No. 12 of 2006], as amended

Components	Type	Value
Black Pigment	TWA	3.5 mg/m <sup>3</sup>

#### UAE. Abu Dhabi. TLVs. Maximum Allowable Limits for Air Pollutants in Working Areas (AD EHSMS RF - Occupational Standards and Guideline Values, Schedule A), as amended

Components	Type	Value
Black Pigment	TWA	3.5 mg/m <sup>3</sup>

#### UAE. Dubai. OELs. Maximum Allowable Limits for Indoor Air Pollutants. Industrial Operation Regulation IO-11.0: Appendix, Tables 2 & 2A, as amended

Components	Type	Value
Black Pigment	STEL	7 mg/m <sup>3</sup>
	TWA	3.5 mg/m <sup>3</sup>

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Exposure guidelines</b>	Exposure limits have not been established for this product.
<b>Appropriate engineering controls</b>	Not available.

### Individual protection measures, such as personal protective equipment

<b>Eye/face protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
----------------------------	--

<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.
<b>Other</b>	Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
<b>Thermal hazards</b>	Not available.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

---

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Black.
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	> 230.0 °F (> 110.0 °C) Closed Cup EPA Method 1020
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	12.5 - 13.5 cP Cone and Plate Rheometer, Temperature 50°C. C60/1° Sensor. Values recorded at 4000 1/s.
<b>Other information</b>	
<b>VOC</b>	19 g/L Method 24/ASTM D5403-93

---

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Chemical stability</b>	Stable under normal storage conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization can occur with decreased inhibitor content.
<b>Conditions to avoid</b>	Exposure to sunlight.
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents. alkaline metals
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

---

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	May cause irritation to the respiratory system.
-------------------	---

<b>Skin contact</b>	Causes skin irritation. May cause sensitization by skin contact.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	Ingestion is not a likely route of exposure.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Not available.

#### Information on toxicological effects

**Acute toxicity** May be harmful if swallowed. May be harmful in contact with skin. Based on available data, the classification criteria are not met.

Components	Species	Test Results
Black Pigment		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	> 10000 mg/kg
Vinylcaprolactam		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	1700 mg/kg
<b>Inhalation</b>		
LC50	Rat	> 1.6 mg/l
<b>Oral</b>		
LD50	Rat	1114 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation. Caused moderate irritation in rabbit (OECD 405).

#### Respiratory or skin sensitization

**Respiratory sensitization** Based on available data, the classification criteria are not met.

**Skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Black Pigment (CAS Proprietary) 2B Possibly carcinogenic to humans.

#### UAE - Abu Dhabi TLVs: Carcinogen Category

Black Pigment (CAS Proprietary) GROUP A4 Not classifiable as a human carcinogen.

**Reproductive toxicity** Suspected of damaging fertility. Suspected of damaging the unborn child.

**Specific target organ toxicity - single exposure** May cause irritation to the respiratory system.

**Specific target organ toxicity - repeated exposure** Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Further information** Complete toxicity data are not available for this specific formulation

## 12. Ecological information

**Aquatic toxicity** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

#### Ecotoxicity

Components	Species	Test Results
Acrylic acid ester		
<i>Acute</i>		
	EC10	Desmodesmus subcapitatus 0.71 mg/l, 72 h (DIN 38412 L9)
	EC50	Desmodesmus subcapitatus 4.44 mg/l, 72 h (DIN 38412 L9)

Components		Species	Test Results
	LC50	Leuciscus idus	10 mg/l, 96 h (DIN 38 412)
	NOEC	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide			
<i>Acute</i>			
	EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
Substituted Phosphine Oxide			
<i>Acute</i>			
	EC50	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
	LC50	Danio rerio	> 90 µg/l, 96 h (OECD 203)
	NOEC	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 1175 µg/l, 48 h (OECD 202)
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	>= 8.1 µg/l, 21 d (OECD 211)
<b>Persistence and degradability</b>	Not available.		
<b>Bioaccumulative potential</b>	Not available.		
<b>Bioconcentration factor</b>			
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance Control Law, Japan)		
Substituted Phosphine Oxide	5, (similar to OECD 305 C)		
<b>Mobility in soil</b>	Not available.		
<b>Other adverse effects</b>	Not available.		

### 13. Disposal considerations

<b>Disposal instructions</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
<b>Waste from residues / unused products</b>	Not available.
<b>Contaminated packaging</b>	Not available.

### 14. Transport information

<b>DOT</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Not available.
<b>DOT Supplemental Information</b>	DOT Classification only applies to shipments within the US and Puerto Rico.

**IATA**



**UN number** UN3082  
**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Packing group** III  
**Environmental hazards** Yes  
**Special precautions for user** Not available.

**IMDG**

**UN number** UN3082  
**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Packing group** III  
**Transport hazard class(es)**  
**Marine pollutant** Yes  
**EmS** F-A, S-F  
**Special precautions for user** Not available.

**ADR**

**UN number** UN3082  
**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Hazard No. (ADR)** Not available.  
**Tunnel restriction code** Not available.  
**Packing group** III  
**Environmental hazards** Yes  
**Special precautions for user** Not available.

**ADR; DOT; IATA; IMDG****Marine pollutant**

---

**15. Regulatory information****Safety, health and environmental regulations specific for the product in question**

**Bahrain. Chemicals Subject to the Prior Informed Consent Procedure under the Rotterdam Convention (Law No. 14 of 2012, Annex III)**

Not applicable.

**Bahrain. CWC Chemical Substances (Decree No. 6 of 1997, Schedules 1, 2 and 3; Law No. 51 of 2009)**

Not listed.

**Bahrain. Prohibited Chemicals (Ministry of State for Municipal & Environmental Affairs, Resolution No 7 of 2002, On Control of Importing & Use of Prohibited & Restricted Chemicals, Table 1)**

Not listed.

**Bahrain. Severely Restricted Chemicals (Ministry of State for Municipal & Environmental Affairs, Resolution No 7 of 2002, On Control of Importing & Use of Prohibited & Restricted Chemicals, Table 2)**

Not listed.

**Egypt. Non-Restricted Substances (Unified list of hazardous substances, List C)**

Not listed.

**Oman. List of Prohibited Chemical Substances (MD 25/2009. Annex 2)**

Not listed.

**Oman. List of Restricted Chemical Substances (MD 25/2009. Annex 1)**

Not listed.

**Saudi Arabia. Jubail & Yanbu. Hazardous Air Pollutants (Royal Commission for Jubail & Yanbu Environmental Regulations, V.1. 2004, Table 2C)**

Not listed.

**UAE. Abu Dhabi. CWC (Chemicals Weapons Convention) Banned from Entry/Import (Standard Operating Procedures for Permitting of Chemicals and Hazardous Materials)**

Not listed.

**UAE. Abu Dhabi. Narcotic Precursors Banned from Entry/Import (Standard Operating Procedures for Permitting of Chemicals and Hazardous Materials)**

Not listed.

**UAE. Ban on Importing and Circulation of Harmful Pesticides for Health and Environment (Ministerial Decree No. 193)**

Not listed.

**UAE. Dubai. CWC (Chemicals Weapons Convention) Federal Environmental Agency, Code of Practice**

Not listed.

**UAE. Dubai. Illicit Drug Traffic, scheduled substances (UN Convention against illicit traffic in narcotic drugs and psychotropic substances), Ministry of Health, Code of Practice**

Not listed.

**UAE. Dubai. Prohibited and restricted imports. Ministry of Environmental and Water, Code of Practice**

Not listed.

#### **International regulations**

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Kyoto protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

---

## **16. Other information, including date of preparation or last revision**

<b>Issue date</b>	20-Feb-2018
<b>Revision date</b>	21-Apr-2021
<b>Version #</b>	05



## Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

## Revision information

1. Product and Company Identification: EU Poison Center  
Composition / Information on Ingredients: Disclosure Overrides

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds