

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

2LL71Series

of the mixture

Registration number -

**UFI** 7PY0-AA8W-G001-V356

Synonyms None.

Issue date 13-Mar-2019

Version number 08

Revision date 31-Mar-2021 Supersedes date 09-Oct-2020

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet HP Italy S.r.l.

Via Donat Cattin, 5 Cernusco sul Naviglio

Milano, 20063

Italy

HP Europe B.V. PO Box 667

1180 AR Amstelveen The Netherlands

**Telephone** +31 20 721 3400

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

**Email:** hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

1-760-710-0048

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

**Health hazards** 

Skin sensitization Category 1 H317 - May cause an allergic skin reaction.

2.2. Label elements

Material name: 2LL71Series SDS MALTA

11229 Version #: 08 Revision date: 31-Mar-2021 Issue date: 13-Mar-2019

## Label according to Regulation (EC) No. 1272/2008 as amended

1,2-Benzisothiazolin-3-one, 2-methyl-2h-isothiazol-3-one, Contains:

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol

Hazard pictograms



Signal word Warning

**Hazard statements** 

May cause an allergic skin reaction.

**Precautionary statements** 

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. P280

Avoid breathing dust/fume/mist/vapors. P261

Contaminated work clothing should not be allowed out of the workplace. P272

Response

IF ON SKIN: Wash with plenty of soap and water. P302 + P352

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Not available. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **General information**

Chemical name		%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water		80-90	7732-18-5 231-791-2	-	-	
Classification:	-					
2-pyrrolidone		<1	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H3	19, Repr	. 1B;H360			
Ethoxylated-2,4,7,9-tetra	amethyl-5-dec	<1	9014-85-1 689-121-3	-	-	
Classification:	Eye Dam. 1;⊦	1318, Aqu	atic Chronic 3;H412			
1,2-Benzisothiazolin-3-o	ne	<0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
Classification:	Acute Tox. 4; Acute 1;H400		in Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H	318, Aquatic	
2-methyl-2h-isothiazol-3	-one	<0.05	2682-20-4 220-239-6	01-2120764690-50-XXXX	-	
Classification:		, Acute To		n Corr. 1B;H314, Skin Sens. cute 1;H400(M=10), Aquatic		
mposition comments	This ink	supply co	ontains an aqueous in	k formulation.		

composition comments

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to

fertility have been observed in an animal study. See Section 11.

## **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

4.2. Most important symptoms and effects, both acute and

Not available.

delayed 4.3. Indication of any

immediate medical attention and special treatment needed Not available.

## **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

Dry chemical, CO2, water spray or regular foam.

media

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising

from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Special fire fighting procedures

Not available.

Not available.

Specific methods

None established.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Not available.

6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

Not available 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available

### Derived no effect levels (DNELs)

Components	Type	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	0.67 mg/kg bw/d	Systemic long term
		Inhalation	1.985 mg/m3	Systemic long term
		Oral	0.67 mg/kg bw/d	Systemic long term
	Workers	Dermal	4.2 mg/kg bw/d	Systemic long term
		Inhalation	29.62 mg/m3	Systemic long term

Material name: 2LL71Series SDS MALTA

11229 Version #: 08 Revision date: 31-Mar-2021 Issue date: 13-Mar-2019

#### Predicted no effect concentrations (PNECs)

Components	Type	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittent	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

**Exposure guidelines** Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information Not available.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Use personal protective equipment to minimize exposure to skin and eye.

**Respiratory protection** Not available. **Thermal hazards** Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure** 

controls

Not available.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical stateLiquid.FormLiquid.ColorYellow

Odor Not available.
Odor threshold Not available.

**DH** 8.2

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point 336.0 °F (168.9 °C)
Evaporation rate Not available.

Flammability (solid, gas)

Not available.

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

/0/ \

Not available.

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Explosive properties Not available.

Oxidizing properties Not determined

4.5 % VOC

## **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

Not available. 10.4. Conditions to avoid

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon 10.6. Hazardous

dioxide and/or low molecular weight hydrocarbons. decomposition products

## **SECTION 11: Toxicological information**

**General information** Not available.

Information on likely routes of exposure

Inhalation Not available. Not available. Skin contact Eye contact Not available. Not available. Ingestion Not available. **Symptoms** 

### 11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** 

Components **Species Test Results** 

1,2-Benzisothiazolin-3-one (CAS 2634-33-5)

Acute **Dermal** 

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 490 mg/kg

2-methyl-2h-isothiazol-3-one (CAS 2682-20-4)

**Acute Dermal** 

242 mg/kg LD50 Rat

Inhalation

LC50 Rat 0.11 mg/l, 4 h

Oral

LD50 Rat 120 mg/kg

2-pyrrolidone (CAS 616-45-5)

**Acute** 

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization

Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Reproductive toxicity Based on available data, the classification criteria are not met.

> 2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Material name: 2LL71Series SDS MALTA

11229 Version #: 08 Revision date: 31-Mar-2021 Issue date: 13-Mar-2019

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

repeated exposure

Based on available data, the classification criteria are not met.

0----

Mixture versus substance

information

Not available.

Other information

Complete toxicity data are not available for this specific formulation

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Components		Species	Test Results
1,2-Benzisothiazolin-3-one (	CAS 2634-33-5)		
Acute			
Other	EC50	Pseudokirchnerella subcapitata	70 - 150 μg/l, 72 h OECD (201)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	2.9 mg/l, 48 h (OECD 202)
Fish	LC50	Oncorhynchus mykiss	2.15 mg/l, 96 h (OECD 203)
		Sheepshead minnow (Cyprinodon variegatus)	16.7 mg/l, 96 h EPA 540/9-85-006
2-methyl-2h-isothiazol-3-one	(CAS 2682-20-4)		
Acute			
Other	EC50	Pseudokirchnerella subcapitata	0.138 - 0.22 mg/l, 120 h (OECD 201)
Chronic			
	NOEC	Pseudokirchneriella subcapitata	0.05 mg/l, 120 h (OECD 201)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	1.6 mg/l, 48 h (OECD 202)
	LC50	Daphnia magna	0.934 mg/l, 48 h (OECD 202)
Fish	LC50	Oncorhynchus mykiss	4.77 mg/l, 96 h (OECD 203)
2-pyrrolidone (CAS 616-45-5	5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available	<b>.</b>	
12.3. Bioaccumulative pote	ential Not available		

Partition coefficient n-octanol/water (log Kow)

2-pyrrolidone -0.85

**Bioconcentration factor (BCF)** 

6.62, (OECD 305) 1,2-Benzisothiazolin-3-one

Species: Bluegill (Lepomis macrochirus)

T--4 D-----

2-methyl-2h-isothiazol-3-one 48.1, Viscera (1972)

Species: Bluegill (Lepomis macrochirus)

5.75, Carcass (1972)

Species: Bluegill (Lepomis macrochirus)

Not available. 12.4. Mobility in soil

Not a PBT or vPvB substance or mixture. 12.5. Results of PBT and vPvB

assessment

Not available. 12.6. Other adverse effects

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Not available. Residual waste Contaminated packaging Not available. **EU** waste code Not available.

Disposal methods/information

Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

**IATA** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**IMDG** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available.

Special precautions for user Not available.

**ADR** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

1,2-Benzisothiazolin-3-one (CAS 2634-33-5)

All chemical substances in this HP product have been notified or are exempt from notification Other regulations

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council Other information

> concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC

and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further

rectifications and amendments).

**National regulations** 

15.2. Chemical safety

assessment

Not available.

See attached SUMI or GEIS document, if applicable.

## **SECTION 16: Other information**

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation. Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP). The classification for health and environmental hazards is derived by a combination of calculation

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under

Sections 2 to 15

H301 Toxic if swallowed.

H302 Harmful if swallowed. H311 Toxic in contact with skin.

methods and test data, if available.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

**Revision information Training information** Disclaimer

1. Product and Company Identification: EU Poison Center

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

Comprehensive Environmental Response Compensation and Liability Act **CERCLA** 

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

Emergency Planning and Community Right-to-Know Act (aka SARA) **EPCRA** 

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

**NTP** National Toxicology Program

Occupational Safety and Health Administration **OSHA** 

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

Superfund Amendments and Reauthorization Act of 1986 **SARA** 

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

# Safe Use of Mixture Information (SUMI)

--

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.  Regular cleaning of equipment and work area.  Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

## conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









#### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





### Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

## Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.