

SAFETY DATA SHEET

SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Name of the hazardous

chemical substance or mixture

C4842Series

None.

Other means of identification

Recommended use of the hazardous chemical substance or mixture, and restrictions of use

Recommended use Inkjet printing
Recommended restrictions None known.

Suppliers details

Company identification Computing and Printing Mexico S. de R.L. de C.V.

Avenida Javier Barros Sierra 495, Piso 11 y 10

Col. Santa Fe, Alc. Álvaro Obregón C.P. 01376, Ciudad de México, México

Telephone 52 (55) 5258-4000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

SECTION 2. Hazard identification

Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1

Reproductive toxicity (fertility, the unborn Category 1B

child)

Environmental hazards Not classified.

Elements of labeling, including precautionary statements and warning pictograms





Signal word Danger

Hazard statement

H318 Causes serious eye damage.

H360 May damage fertility or the unborn child.

Precautionary statement

Prevention

P280 Wear protective gloves/protective clothing/eye protection.

P202 Do not handle until all safety precautions have been read and understood.

P201 Obtain special instructions before use.

Response

Material name: C4842Series SDS MEXICO

P305 + P351 +

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P338

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. P310 IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

P405 Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Other hazards which do not result in classification

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

Supplemental information 2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the

unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an

animal study. See Section 11.

SECTION 3. Composition/information on ingredients

Mixtures

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Water		7732-18-5	60-75
2-pyrrolidone		616-45-5	<10
Trimethylolpropane		77-99-6	<10
succinic acid		110-15-6	<7.5
C11-C15 secondary ethoxylated alcohols		Proprietary	<2.5
Substituted naphthalenesulfonate salt # 7		Proprietary	<2.5

Composition comments

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

SECTION 4. First-aid measures

Description of necessary first-aid measures

Move to fresh air. If symptoms persist, get medical attention. Inhalation

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Not available.

SECTION 5. Fire-fighting measures

Suitable extinguishing media CO2, water, dry chemical, or foam

Unsuitable extinguishing

None known.

media

Specific hazards arising from

the chemical

Not applicable.

Special protective actions for

firefighters

Not available.

Specific methods None established.

Material name: C4842Series SDS MEXICO

SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

Personal precautionary measures, protective equipment and emergency procedure

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Not available.

Environmental precautions Methods and materials for

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

containing and cleaning up

or diatomaceous earth, commercial sorbents, or recover using pumps.

spills or releases

Other issues relating to spills and releases

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

SECTION 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage. including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

SECTION 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product. **Exposure guidelines**

Control banding approach Not available.

Appropriate engineering

controls

Use in a well ventilated area. Provide adequate ventilation.

Individual protection measures, such as personal protective equipment (PPE)

Not available. Eye/face protection

Skin protection

Hand protection Recommended gloves: Nitrile 4 mil minimum thickness.

Use personal protective equipment to minimize exposure to skin and eye. Other

Respiratory protection Not available Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. Physical and chemical properties

Appearance

Liquid. Physical state Not available. **Form** Color Yellow Not available. Odor Odor threshold Not available. 3.8 - 4.3pН Not available. Melting point/freezing point

range

Flash point > 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup

Not determined

Evaporation rate Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Initial boiling point and boiling

Not determined

(%)

Flammability limit - upper Not available.

(%)

9458

Material name: C4842Series SDS MEXICO

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure Not determined Vapor density Not available.

Solubility(ies)

Soluble in water Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** >= 2 cpMolecular weight Not available.

Other information

Oxidizing properties Not determined 7.5 % estimated Percent volatile VOC < 169 g/l Estimated

SECTION 10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions that must be

avoided

Not available.

Incompatible with strong bases and oxidizing agents. Incompatible materials

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

SECTION 11. Toxicological information

Information about likely routes of entry

Inhalation Inhalation may result in mild irritation to the respiratory system.

Contact with skin may result in mild irritation. Skin contact

Causes serious eye damage. Eye contact

Ingestion is not a likely route of exposure. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Numerical measures of toxicity (such as acute toxicity estimates)

Based on available data, the classification criteria are not met. **Acute toxicity**

Components **Species Test Results**

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Non irritant in rabbit (OECD 404)

Serious eye damage/eye

irritation

9458

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Material name: C4842Series SDS MEXICO

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

May damage fertility or the unborn child.

Species

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Test Results

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Components

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard** Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12. Ecotoxicological information

Toxicity

2-pyrrolidone (CAS 616-45-5	5)				
Aquatic					
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours		
succinic acid (CAS 110-15-6)				
Aquatic					
Fish	LC50	Fish	101, 96 Hours		
Trimethylolpropane (CAS 77	-99-6)				
Aquatic					
Crustacea	EC50	Daphnia	102, 48 Hours		
Fish	LC50	Fish	1000, 96 Hours		
ersistence and degradability	Not available.				
ioaccumulative potential	Not available.				
Partition coefficient n-octanol / water (log Kow)					
2-pyrrolidone		-0.85			
succinic acid		-0.59			
obility in soil	Not available.	Not available.			
ther adverse effects	Not available.	Not available.			
quatic toxicity	Static acute to LC50/96h/rain EC50/48h/dap	Static acute toxicity (trout), survival (100 mg/L) = 80% Static acute toxicity (trout), survival (10 mg/L) = 100% LC50/96h/rainbow trout => 100 mg/l EC50/48h/daphnia => 100mg/l, OECD 202 EC50/72h/algae => 100 mg/l, OECD 201			

SECTION 13. Disposal considerations

Disposal methods

Do not allow this material to drain into sewers/water supplies. **Disposal instructions**

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Local disposal regulations

Waste from residues /

Not available. Not available.

unused products

Not available.

Contaminated packaging

Material name: C4842Series SDS MEXICO

9458

SECTION 14. Transport information

DOT

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

ADR

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

SECTION 15. Regulatory information

Safety, health and environmental regulations specific for the hazard chemical substance or mixture in question Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not listed.

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Material name: C4842Series SDS MEXICO

9458

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

Issue date 26-May-2015 **Revision date** 09-Jun-2020

Version # 06

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or

compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C4842Series SDS MEXICO