

# Safety Data Sheet

## Table of contents

CR328Series[B][2]-SDS\_MEXICO-English-48.pdf

CR328Series[C][2]-SDS\_MEXICO-English-45.pdf



## SAFETY DATA SHEET

## SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

Name of the hazardous

chemical substance or mixture

CR328Series[B][2]

Other means of identification

None.

Other means of identification None.

Recommended use of the hazardous chemical substance or mixture, and restrictions of use

Recommended use Inkjet printing
Recommended restrictions None known.

Suppliers details

**Company identification** Computing and Printing Mexico S. de R.L. de C.V.

Avenida Javier Barros Sierra 495, Piso 11 y 10

Col. Santa Fe, Alc. Álvaro Obregón C.P. 01376, Ciudad de México, México

**Telephone** 52 (55) 5258-4000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

#### **SECTION 2. Hazard identification**

#### Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Reproductive toxicity (fertility, the unborn Category 1B

child)

**Environmental hazards** Not classified.

## Elements of labeling, including precautionary statements and warning pictograms



Signal word Danger

Hazard statement

H360 May damage fertility or the unborn child.

**Precautionary statement** 

Prevention

P280 Wear protective gloves/protective clothing/eye protection.

P202 Do not handle until all safety precautions have been read and understood.

P201 Obtain special instructions before use.

Response

P308 + P313 IF exposed or concerned: Get medical advice/attention.

**Storage** 

P405

Store locked up.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

**Supplemental information** 

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

## **SECTION 3. Composition/information on ingredients**

#### **Mixtures**

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Water		7732-18-5	50-70
2-pyrrolidone		616-45-5	<15
Substituted diol		Proprietary	<15
Black Pigment		Proprietary	<2.5

#### **Composition comments**

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

#### **SECTION 4. First-aid measures**

## Description of necessary first-aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Not available.

## **SECTION 5. Fire-fighting measures**

Suitable extinguishing media CO2, water, dry chemical, or foam For small (incipient) fires, use media such as foam, sand, dry

chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or

foam, applied as a mist or spray.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable

Special protective actions for

firefighters

Not available.

Specific methods

None established.

### SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

Personal precautionary measures, protective equipment and emergency procedure

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Not available.

**Environmental precautions** 

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods and materials for containing and cleaning up spills or releases

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Other issues relating to spills

and releases

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

#### **SECTION 7. Handling and storage**

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

#### **SECTION 8. Exposure controls/personal protection**

#### **Control parameters**

#### Occupational exposure limits

Mexico.	Occupational	Exposure	Limit	Values
---------	--------------	----------	-------	--------

Components	Туре	Value
Black Pigment	STEL	7 mg/m3
	TWA	3.5 mg/m3

**US. ACGIH Threshold Limit Values** 

Components	Туре	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.

No biological exposure limits noted for the ingredient(s). **Biological limit values** Exposure limits have not been established for this product. **Exposure guidelines** 

Control banding approach

Not available.

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Not available.

Skin protection

Hand protection Not available

Other Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available. Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Under extreme work place conditions, ink vapors may condense outside of the printing system.

The Waste Profile Datasheet for your printer at

https://hplatexknowledgecenter.com/applications/wasteprofiles contains more information on how

to properly handle and dispose of the condensate.

## **SECTION 9. Physical and chemical properties**

#### **Appearance**

pН

Physical state Liquid. **Form** Not available. Color Black. Odor Not available. **Odor threshold** Not available. 9

Material name: CR328Series[B][2]

SDS MEXICO 12892

Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available.

Vapor density

Not available.

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. Viscosity Molecular weight Not available.

Other information

14 % estimated Percent volatile

Specific gravity 1 q/cm3

294 g/l Method 24/ASTM D403-93 VOC

#### **SECTION 10. Stability and reactivity**

Reactivity Not available.

Stable under recommended storage conditions. **Chemical stability** 

Possibility of hazardous

reactions

Will not occur.

Conditions that must be

avoided

Not available.

Incompatible materials

Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons., hydrogen fluoride, fluorinated hydrocarbons.

#### **SECTION 11. Toxicological information**

#### Information about likely routes of entry

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics Not available

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Numerical measures of toxicity (such as acute toxicity estimates)

Based on available data, the classification criteria are not met. **Acute toxicity** 

Material name: CR328Series[B][2]

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
<u>Acute</u>		
Oral		
LD50	Rat	> 5000 mg/kg
Black Pigment		
<u>Acute</u>		
Oral		
LD50	Rat	> 10000 mg/kg
Skin corrosion/irritation	Based on available data, the cl	assification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the cl Not classified as an irritant acc	assification criteria are not met. ording to, OECD 405.
Respiratory or skin sensitization		
Respiratory sensitization	Based on available data, the cl	assification criteria are not met.
Skin sensitization	Based on available data, the cl	assification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.  Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	May damage fertility or the unb	orn child.
	pregnant test animals (OECD Uptake by people of small dose has not caused adverse effects	showed developmental effects only at high doses that were toxic to Festing Guideline 414: Prenatal Developmental Toxicity Study). es is not expected to cause developmental toxicity. This component is on sexual function or damage to fertility in an animal study (OECD ed One-Generation Reproductive Toxicity Study).
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.	

## **SECTION 12. Ecotoxicological information**

_				
- 1	ox	10	·IT	v
•	$\sigma$		"	y

Aicity			
Product		Species	Test Results
CR328Series[B][2]			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	< 531.3 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5	5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
rsistence and degradability	Not available.		

Per Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow) 2-pyrrolidone -0.85

Not available. Mobility in soil Other adverse effects Not available.

## **SECTION 13. Disposal considerations**

**Disposal methods** 

**Disposal instructions** Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Local disposal regulations

Waste from residues /

unused products

Not available. Not available.

Contaminated packaging

Not available.

## **SECTION 14. Transport information**

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

**IATA** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards None

Special precautions for user Not available.

**IMDG** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

**ADR** 

UN number Not available. UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR)
Tunnel restriction code
Packing group
Environmental hazards
None
Special precautions for user
Not available.
None
Not available.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

Material name: CR328Series[B][2]

SDS MEXICO

## **SECTION 15. Regulatory information**

Safety, health and environmental regulations specific for the hazard chemical substance or mixture in question

Mexico. Hazard identification guidance list (NOM-018-STPS)

Black Pigment (CAS Proprietary)

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

**Montreal Protocol** 

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

## SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

26-May-2015 Issue date 26-Apr-2020 **Revision date** 

Version #

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

**Revision information** 

SECTION 2. Hazard identification: Supplemental information

SECTION 3. Composition/information on ingredients: Composition comments

SECTION 11. Toxicological information: Reproductivity

SDS MEXICO

12892

#### **Explanation of abbreviations**

American Conference of Governmental Industrial Hygienists **ACGIH** 

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

Code of Federal Regulations **CFR** 

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

National Institute for Occupational Safety and Health NIOSH

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

Resource Conservation and Recovery Act **RCRA** 

**REC** Recommended

REL Recommended Exposure Limit

Superfund Amendments and Reauthorization Act of 1986 **SARA** 

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CR328Series[B][2]

SDS MEXICO 12892



## SAFETY DATA SHEET

## SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

Name of the hazardous

chemical substance or mixture

CR328Series[C][2]

None.

Other means of identification

Recommended use of the hazardous chemical substance or mixture, and restrictions of use

Recommended use Inkiet printing **Recommended restrictions** None known.

Suppliers details

**Company identification** Computing and Printing Mexico S. de R.L. de C.V.

Avenida Javier Barros Sierra 495, Piso 11 y 10

Col. Santa Fe, Alc. Álvaro Obregón C.P. 01376, Ciudad de México, México

**Telephone** 52 (55) 5258-4000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

I ine

1-800-474-6836 (Toll-free within the US) (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

#### **SECTION 2. Hazard identification**

#### Classification of the substance or mixture

Physical hazards Not classified.

**Health hazards** Reproductive toxicity (fertility, the unborn Category 1B

child)

**Environmental hazards** Not classified.

## Elements of labeling, including precautionary statements and warning pictograms



Signal word Danger

**Hazard statement** 

May damage fertility or the unborn child. H360

**Precautionary statement** 

Prevention

Wear protective gloves/protective clothing/eye protection. P280

Do not handle until all safety precautions have been read and understood. P202

Obtain special instructions before use. P201

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

P405

Store locked up.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

**Supplemental information** 

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

## **SECTION 3. Composition/information on ingredients**

#### **Mixtures**

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Water		7732-18-5	50-70
2-pyrrolidone		616-45-5	<15
Substituted diol		Proprietary	<15
Pigment Blue		Proprietary	<2.5

**Composition comments** 

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

#### **SECTION 4. First-aid measures**

## Description of necessary first-aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Not available.

## **SECTION 5. Fire-fighting measures**

Suitable extinguishing media CO2, water, dry chemical, or foam For small (incipient) fires, use media such as foam, sand, dry

chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or

foam, applied as a mist or spray.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

Specific haza the chemical

Not applicable

Special protective actions for

firefighters

Not available.

Specific methods

None established.

### SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

Personal precautionary measures, protective equipment and emergency procedure

For non-emergency

personnel

Wear appropriate personal protective equipment.

Not available. For emergency responders

**Environmental precautions** 

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods and materials for containing and cleaning up spills or releases

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Other issues relating to spills

and releases

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

**SECTION 7. Handling and storage** 

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

**SECTION 8. Exposure controls/personal protection** 

**Control parameters** 

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values Exposure guidelines** 

No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product.

Control banding approach

Not available.

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Not available.

Skin protection

Other

Not available. Hand protection

Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Thermal hazards

Not available Not available

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Under extreme work place conditions, ink vapors may condense outside of the printing system.

The Waste Profile Datasheet for your printer at

https://hplatexknowledgecenter.com/applications/wasteprofiles contains more information on how

to properly handle and dispose of the condensate.

**SECTION 9. Physical and chemical properties** 

**Appearance** 

**Physical state** Liquid. **Form** Not available.

Color Cyan

Not available. Odor **Odor threshold** Not available.

9 pН

Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Issue date: 25-May-2015 Revision date: 26-Apr-2020 Supersedes date: 26-Jan-2020

Version number: 08

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available.

Not available.

Not available.

Not available.

Other information

Percent volatile 14 % estimated Specific gravity 1 g/cm3

**VOC** 293 g/l Method 24/ASTM D403-93

#### **SECTION 10. Stability and reactivity**

**Reactivity** Not available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions that must be

avoided

Not available.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

#### **SECTION 11. Toxicological information**

#### Information about likely routes of entry

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

**Ingestion** Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Numerical measures of toxicity (such as acute toxicity estimates)

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Rat > 5000 mg/kg

**Skin corrosion/irritation**Based on available data, the classification criteria are not met. **Serious eye damage/eye**Based on available data, the classification criteria are not met.

irritation Not classified as an irritant according to, OECD 405.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin sensitization Germ cell mutagenicity Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met. Carcinogenicity

May damage fertility or the unborn child. Reproductive toxicity

> 2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met. Complete toxicity data are not available for this specific formulation Other information

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

### **SECTION 12. Ecotoxicological information**

## **Toxicity**

Product		Species	Test Results
CR328Series[C][2]			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimepha	les promelas) < 400 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-	-45-5)		
Aquatic			

-0.85

Aquatic

EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours Crustacea

Persistence and degradability Not available. Not available. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone

Mobility in soil Not available. Other adverse effects Not available.

## **SECTION 13. Disposal considerations**

#### Disposal methods

**Disposal instructions** Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

Local disposal regulations Waste from residues /

unused products

Not available. Not available.

Contaminated packaging Not available.

## **SECTION 14. Transport information**

#### DOT

**UN** number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

ary risk

Packing group

Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

**IATA** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards None

Special precautions for user Not available.

**IMDG** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

**ADR** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR)
Tunnel restriction code
Packing group
Environmental hazards
Special precautions for user
Not available.
None
None
Not available.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

#### **SECTION 15. Regulatory information**

Safety, health and environmental regulations specific for the hazard chemical substance or mixture in question

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not listed.

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

**Montreal Protocol** 

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

## SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

Issue date25-May-2015Revision date26-Apr-2020

Version # 08

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

**Revision information** SECTION 2. Hazard identification: Supplemental information

SECTION 3. Composition/information on ingredients: Composition comments

SECTION 11. Toxicological information: Reproductivity

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds