$CH590 Series [C] [2]-MSDS_MALAYSIA-English-22.pdf$

 $CH590 Series [M] [2]-MSDS_MALAYSIA-English-18.pdf$



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation CH590Series[C][2]

13-Jun-2015 **Issue date Revision date** 28-Aug-2016

Version # 03

Recommended use Inkjet printing

Company identification HP PPS Malaysia Sdn. Bhd.

> Ground Floor Customer Service, Block B, No.12 Jalan Gelenggang, HP Towers, Bukit Damansara

Kuala Lumpur, Wilayah Persekutuan Kuala Lump, Malaysia 50490

Telephone 60-3-7953-3333

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. HAZARDS IDENTIFICATION

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified.

GHS label elements

Signal word None. **Hazard symbols** None. **Hazard statement** None.

Precautionary statement

Prevention None. Response None. **Storage** None. **Disposal** None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS #	Percent
Water	7732-18-5	80-90
Cyclo Amide	Proprietary	< 10
Pigment Blue	Proprietary	< 2.5

Composition comments This ink supply contains an aqueous ink formulation.

4. FIRST AID MEASURES

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point > 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup

Material name: CH590Series[C][2] SDS MALAYSIA 12351 Version #: 03 Revision date: 28-Aug-2016 Issue date: 13-Jun-2015

Suitable extinguishing media

Extinguishing media which must not be used for safety CO2, water, dry chemical, or foam None known.

reasons

Unusual fire & explosion hazards

Specific methods

Hazardous combustion

products

Wear self contained breathing apparatus for fire fighting if necessary.

Combustion generates toxic fumes of fluoride and/or fluorine compounds; phosphorous oxides.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Refer to section 10.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. Storage

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Additional exposure data Exposure limits have not been established for this product.

Engineering measures to

reduce exposure

Use in a well ventilated area.

Personal protective equipment

Skin and body protection Not available.

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Odor

Physical state Liquid. Color Cyan

Not available. Not available. **Odor threshold** pН 8.8 - 9.1Vapor pressure Not available. **Boiling point** Not available. Melting point/Freezing point Not available. Solubility (water) Not available. Specific gravity Not available.

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup Flash point

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air, lower, % by volume

Not available.

Not available.

Auto-ignition temperature

VOC 11 g/L US EPA Method 24

Viscosity 3.2 - 3.3 cP

10. STABILITY AND REACTIVITY

Conditions to avoid

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Decomposition of this product may yield oxides

of phosphorus. hydrogen fluoride fluorinated hydrocarbons

Stability Stable under recommended storage conditions.

Material name: CH590Series[C][2] SDS MALAYSIA Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met. Skin sensitization **Respiratory sensitization** Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity **Toxic to reproduction** Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Aspiration hazard Based on available data, the classification criteria are not met. **Further information** Complete toxicity data are not available for this specific formulation

12. ECOLOGICAL INFORMATION

Ecotoxicological data

Product Species Test Results

CH590Series[C][2]

Aquatic Acute

Fish LD50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hr

No information available. **Environmental effects**

13. DISPOSAL CONSIDERATIONS

Disposal instructions

Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. REGULATORY INFORMATION

International regulations

All chemical substances in this product are notified or exempt from notification under chemical substance notification laws in the following countries: Australia, Canada, China, European Union, Japan, Korea, Switzerland, USA.

16. OTHER INFORMATION

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Material name: CH590Series[C][2] SDS MALAYSIA Prepared by HP Chemical Compliance & Toxicology Department

Issue date 13-Jun-2015 **Revision date** 28-Aug-2016

Version # 03 **Manufacturer information** HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH590Series[C][2] SDS MALAYSIA



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation CH590Series[M][2]

Issue date15-Jun-2015Revision date28-Aug-2016

Version # 03

Recommended use Inkjet printing

Company identification HP PPS Malaysia Sdn. Bhd.

Ground Floor Customer Service, Block B, No.12 Jalan Gelenggang, HP Towers, Bukit Damansara

Kuala Lumpur, Wilayah Persekutuan Kuala Lump, Malaysia 50490

Telephone 60-3-7953-3333

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. HAZARDS IDENTIFICATION

Physical hazardsNot classified.Health hazardsNot classified.Environmental hazardsNot classified.

GHS label elements

Signal wordNone.Hazard symbolsNone.Hazard statementNone.

Precautionary statement

PreventionNone.ResponseNone.StorageNone.DisposalNone.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS #	Percent
Water	7732-18-5	75-85
Cyclo Amide	Proprietary	< 10
Magenta colorant	Proprietary	< 5

Composition comments This ink supply contains an aqueous ink formulation.

4. FIRST AID MEASURES

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point > 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup

Material name: CH590Series[M][2] SDS MALAYSIA

Suitable extinguishing media

Extinguishing media which must not be used for safety None known.

CO2, water, dry chemical, or foam

reasons

Unusual fire & explosion

hazards

Combustion generates toxic fumes of fluoride and/or fluorine compounds; phosphorous oxides.

Specific methods

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion

products

Refer to section 10.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. Storage

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Additional exposure data Exposure limits have not been established for this product.

Engineering measures to

reduce exposure

Use in a well ventilated area.

Personal protective equipment

Skin and body protection Not available.

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Liquid. Color Magenta Odor Not available. Not available. **Odor threshold** pН 8.8 - 9.1Vapor pressure Not available. **Boiling point** Not available. Melting point/Freezing point Not available. Solubility (water) Not available.

Not available. > 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup Flash point

Flammability limits in air,

upper, % by volume

Specific gravity

Not available.

Flammability limits in air,

Not available.

lower, % by volume

Auto-ignition temperature

Not available.

VOC 43 g/L US EPA Method 24

Viscosity 3.2 - 3.3 cP

10. STABILITY AND REACTIVITY

Conditions to avoid

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Decomposition of this product may yield oxides

of phosphorus. hydrogen fluoride fluorinated hydrocarbons

Stability Stable under recommended storage conditions.

Material name: CH590Series[M][2] SDS MALAYSIA Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Skin sensitization Based on available data, the classification criteria are not met. **Respiratory sensitization** Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity **Toxic to reproduction** Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure

Specific target organ toxicity

- repeated exposure **Aspiration hazard**

Further information

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Complete toxicity data are not available for this specific formulation

12. ECOLOGICAL INFORMATION

Environmental effects No information available.

13. DISPOSAL CONSIDERATIONS

Disposal instructions

Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. REGULATORY INFORMATION

International regulations All chemical substances in this product are notified or exempt from notification under chemical

substance notification laws in the following countries: Australia, Canada, China, European Union,

Japan, Korea, Switzerland, USA.

16. OTHER INFORMATION

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Prepared by **HP Chemical Compliance & Toxicology Department**

Issue date 15-Jun-2015 **Revision date** 28-Aug-2016

Version # 03

Material name: CH590Series[M][2] SDS MALAYSIA **Manufacturer information** HP Inc.

1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH590Series[M][2] SDS MALAYSIA